

Bibliography - *Flora of Newfoundland and Labrador*

(updated May 5, 2024)

- AAGAARD, S.M.D. 2009. Reticulate evolution in *Diphasiastrum* (Lycopodiaceae). Ph.D. dissertation, Uppsala Univ., Uppsala, Sweden.
- AAGAARD, S.M.D., J.C. VOGEL, & N. WILKSTRÖM. 2009. Resolving maternal relationships in the clubmoss genus *Diphasiastrum* (Lycopodiaceae). *Taxon* 58(3): 835-848.
- AARSSSEN, L.W., I.V. HALL, & K.I.N. JENSEN. 1986. The biology of Canadian weeds. 76. *Vicia angustifolia* L., *V. cracca* L., *V. sativa* L., *V. tetrasperma* (L.) Schreb., and *V. villosa* Roth. *Can. J. Plant Sci.* 66: 711-737.
- ABBE, E.C. 1936. Botanical results of the Grenfell-Forbes Northern Labrador Expedition. *Rhodora* 38(448): 102-161.
- ABBE, E.C. 1938. Phytogeographical observations in northernmost Labrador. *Spec. Publ. Amer. Geogr. Soc.* 22: 217-234.
- ABBE, E.C. 1948. *Braya* in boreal eastern America. *Rhodora* 50(589): 1-12.
- ABBE, E.C. 1955. Vascular plants of the Hamilton River area, Labrador. *Contrib. Gray Herb., Harvard Univ.* 176: 1-44.
- ABBOTT, J.R. 2009. Phylogeny of the Polygalaceae and a revision of *Badiera*. Ph.D. thesis, Univ. of Florida. 291 pp.
- ABBOTT, J.R. 2011. Notes on the disintegration of *Polygala* (Polygalaceae), with four new genera for the flora of North America. *J. Bot. Res. Inst. Texas* 5(1):125-138.
- ADAMS, R.P. 2004. *The junipers of the world: The genus Juniperus*. Trafford Publ., Victoria, BC.
- ADAMS, R.P. 2008. *Juniperus* of Canada and the United States: Taxonomy, key and distribution. *Phytologia* 90: 237-296.
- ADOLPHI, K. 1987. The correct name of *Vaccinium oxycoccos* in the genus *Oxycoccus* (Ericaceae). *Taxon* 36: 126-128.
- AESCHIMANN, D., & G. BOCQUET. 1983. Étude biosystématique du *Silene vulgaris* s.l. (Caryophyllaceae) dans le domaine alpin. Notes nomenclaturales. *Candollea* 38: 203-209.
- AHTI, T. 1959. Studies on the caribou lichen stands of Newfoundland. *Ann. Bot. Soc., Vanamo.* 30(4): 1-44.

- AHTI, T. 1962. On the taxonomy of *Erysimum cheiranthoides* L. (Cruciferae). *Arch. Soc. Zool.-Bot. Fenn. Vanamo* 16: 22-35.
- AHTI, T. 1980. Definition and subdivision of the subarctic: a circumpolar view. *Bull. Can. Bot. Assoc.* 13 (2): 3-10.
- AHTI, T. 1983. Lichens. pp. 319-360. *In*: G.R. SOUTH (ed.), *Biogeography and ecology of the Island of Newfoundland*. W. Junk Publishers, The Hague.
- AIKEN, S.G. (ed.), M.J. DALLWITZ, L.L. CONSAUL, and C.L. MCJANNET, R.L. BOLES, G.W. ARGUS, J.M. GILLET, P.J. SCOTT, R. ELVEN, M.C. LEBLANC, L.J. GILLESPIE, A.K. BRYSTING, H. SOLSTAD, & J.G. HARRIS. 2007. *Flora of the Canadian Arctic Archipelago: descriptions, illustrations, identification, and information retrieval*. National Research Council Canada, Ottawa. URL: <https://nature.ca/aaflora/data/index.htm>
- AIKEN, S.G., L.L. CONSAUL, & L.P. LEFKOVITCH. 1995. *Festuca edlundiae* (Poaceae), a high arctic, new species compared enzymatically and morphologically with similar *Festuca* species. *Syst. Bot.* 20: 374-392.
- AIKEN, S.G., L.L. CONSAUL, A. SPIDLE, & B. MAY. 1994. Allozyme and morphological observations on *Festuca hyperborea* compared with *F. baffinensis* and *F. brachyphylla* (Poaceae) from the Canadian arctic. *Nordic J. Bot.* 14: 137-143.
- AITKEN, S.G., & A. CRONQUIST. 1988. Lectotypification of *Myriophyllum sibiricum* Komarov (Haloragaceae). *Taxon* 37: 958-966.
- AIKEN, S.G., M.J. DALLWITZ, C.L. MCJANNET, & L.L. CONSAUL. 1996 onwards. *Festuca of North America: descriptions, illustrations, identification, and information retrieval*. Version: 2nd April 1998. URL: <http://biodiversity.bio.uno.edu/delta/festuca/index.htm>
- AIKEN, S.G., M.J. DALLWITZ, C.L. MCJANNET, L.J. GILLESPIE, & L.L. CONSAUL. 1998. Saxifragaceae of the Canadian Arctic Archipelago: a DELTA database for interactive identification and illustrated information retrieval. *Can. J. Bot.* 76: 2020-2036.
- AIKEN, S.G., & S.J. DARBYSHIRE. 1990. *Fescue grasses of Canada*. Agric. Can. Publ. No. 1844/E. 113 pp.
- AIKEN, S.G., W.G. DORE, & L.P. LEFKOVITCH. 1989. *Calamagrostis epigejos* (Poaceae): its occurrence in North America with particular reference to Ontario. *Can. J. Bot.* 67: 3205-3218.
- AIKEN, S.G., & G. FEDAK. 1992. Cytotaxonomic observations on North American *Festuca* (Poaceae). *Can. J. Bot.* 70: 1940-1944.
- AIKEN, S.G., & S.E. GARDINER. 1991. SDS-PAGE of seed proteins in *Festuca* (Poaceae): taxonomic implications. *Can. J. Bot.* 69: 1425-1432.

- AIKEN, S.G., & L.P. LEFKOVITVCH. 1984. The taxonomic value of using epidermal characteristics in the Canadian rough fescue complex. *Can. J. Bot.* 62: 1864-1870.
- AIKEN, S.G., & L.P. LEFKOVITVCH. 1990. *Arctagrostis* (Poaceae, tribe Pooideae) in North America and Greenland. *Can. J. Bot.* 68: 2422-2432.
- AIKEN, S.G., L.P. LEFKOVITVCH, S.J. DARBYSHIRE, & K.C. ARMSTRONG. 1987. Vegetative proliferation in inflorescences of red fescue (*Festuca rubra* L. s.l. Poaceae). *Can. J. Bot.* 66:1-10.
- AIKEN, S.G., L.P. LEFKOVITVCH, S.E. GARDINER, & W.W. MITCHELL. 1994. Evidence against the existence of varieties in *Arctagrostis latifolia* ssp. *arundinacea* (Poaceae). *Can. J. Bot.* 72: 1039-1050.
- AIKEN, S.G., C.L. MCJANNET, M.J. DALLWITZ, L.J. GILLESPIE, & L.L. CONSAUL. 1998. Saxifragaceae of the Canadian Arctic Archipelago: a DELTA database for interactive identification and illustrated information retrieval. *Can. J. Bot.* 76: 2019-2035.
- AIKEN, S.G., P.R. NEWROTH, & I. WILE. 1979. The biology of Canadian weeds. 34. *Myriophyllum spicatum* L. *Can. J. Plant Sci.* 59: 201-215.
- AKHANI, H., G. EDWARDS, & E.H. ROALSON. 2007. Diversification of the Old World Salsoleae s.l. (Chenopodiaceae): Molecular Phylogenetic Analysis of Nuclear and Chloroplast Data Sets and a Revised Classification. *Intl. J. Plant Sci.* 168(6): 931-756.
- ALBACH, D.C., M.M. MARTÍNEZ-ORTEGA, M.A. FISCHER, & M.V. CHASE. 2004. A new classification of the tribe *Veroniceae* - problems and a possible solution. *Taxon* 53: 429-452.
- ALBACH, D.C., H.M. MUEDET, & B. OXELMAN. 2005. Piecing together the "new" Plantaginaceae. *Amer. J. Bot.* 92(2): 297-315.
- ALBACH, D.C., P. SCHÖSWETTER, & A. TRIBSCH. 2006. Comparative phytogeography of the *Veronica alpina* complex in Europe and North America. *Molec. Ecol.* 15: 3269-3286.
- ALEX, J.F., R. CAYOUILLE, & G.A. MULLIGAN. 1980. *Common and botanical names of weeds in Canada*. Res. Br., Agriculture Canada, Ottawa, Ont. Publ. 1397. 132 pp.
- ALICE, L.A., D.H. GOLDMAN, J.A. MACKLIN, & G. MOORE. 2014. *Rubus*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2014. *Flora of North America north of Mexico*. Vol. 9. *Magnoliophyta: Picramniaceae to Rosaceae*. Oxford Univ. Press., N.Y. 752 pp.
- AMEC EARTH & ENVIRONMENTAL. 2007. *Lower Churchill hydroelectric development Aquatic vegetation studies*. Report TF6110450. Prepared for Newfoundland and Labrador Hydro. St. John's, NL.

- AMES, O. 1905. Contributions toward a monograph of the American species of *Spiranthes*. (pp. 113-121), and *Orchidaceae: Illustrations and studies of the family Orchidaceae, Fasc. 1.* (pp. 122-156), in: *A synopsis of the genus Spiranthes north of Mexico*. Houghton, Mifflin & Co., Boston. 156 pp.
- AMES, O. 1908. Notes on *Habenaria*. *Rhodora* 10(112): 70-71.
- ANDERBERG, A.A. 1992. The circumscription of the Ericales, and their cladistic relationships to other families of "higher" dicotyledons. *Systematic Botany* 17: 660-675.
- ANDERBERG, A.A. 1993. Cladistic interrelationships and major clades of the Ericales. *Plant Systematics and Evolution* 184: 207-231.
- ANDERBERG, A.A. 1994. Phylogeny of the *Empetraceae*, with special emphasis on character evolution in the genus *Empetrum*. *Syst. Bot.* 19: 35-45.
- ANDERBERG, A.A., U. MANNS, & M. Källersjö. 2007. Phylogeny and floral evolution of the Lysimachieae (Ericales, Myrsinaceae). Evidence from *ndhF* sequence data. *Willdenowia* 37: 407-421.
- ANDERSON, M.D. 2004. *Prunus pensylvanica*. In: *Fire Effects Information System (FEIS)*. U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/tree/prupen/all.html>
- ANDERSON, R.C. 1970. The role of daylength and temperature in tuber formation and rhizome growth of *Trientalis borealis* Raf. *Bot. Gazette.* 131(2): 122-128.
- ANDERSON, R.C. 1971. Variation in Wisconsin in *Trientalis borealis* Raf. *Wisconsin Acad. of Sciences, Arts, and Letters.* 59: 121-125
- ANDERSON, R.C. & M.H. BEARE. 1983. Breeding system and pollination ecology of *Trientalis borealis* (Primulaceae). *Am. J. Botany* 70(3): 408-415.
- ANDERSON, R.C. & O.L. LOUCKS. 1973. Aspects of the biology of *Trientalis borealis*. *Ecology* 54 (4): 798-808.
- ANIONS, M. 1994. *The flora of Gros Morne National Park*. Report, Contract GMR 93-021. Gros Morne National Park, Rocky Harbour, Nfld. 143 pp + app.
- ANONYMOUS. 2015. *Yellow witches' broom of balsam fir*. Trees, insects, and diseases of Canada's forests. Fact sheet 27. Natural Resources Canada. Last modified 2015-08-04. URL: <https://tidcf.nrcan.gc.ca/en/diseases/factsheet/27>
- APELGREN, K. 1990. *Myosotis baltica* - a questionable taxon. *Sommerfeltia* 11: 5-11.

- APELGREN, K. 1991. Relations between coast and inland taxa in the Baltic region: case studies in *Galium palustre* s. lat. and *Myosotis laxa* s. lat. *Acta Universitatis Upsaliensis*. 306.
- APG IV. 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Botanical Journal of the Linnean Society* 181: 1–20.
- APPLEQUIST, W.L. 2002. A reassessment of the nomenclature of *Matricaria* L. and *Tripleurospermum* Sch. Bip. (Asteraceae). *Taxon* 51: 757–762.
- ARGUS, G.W. 1965. The taxonomy of the *Salix glauca* L. complex in North America. *Contr. Gray Herb.* 196: 1-142.
- ARGUS, G.W. 1969. Some new combinations in *Salix*. *Can. J. Bot.* 47: 795-801.
- ARGUS, G.W. 1971. A necessary name change for jack pine: *Pinus divaricata* in lieu of *P. banksiana*. *Can. J. Bot.* 49: 573-576.
- ARGUS, G.W. 1973. *Pinus banksiana* Lamb. or *Pinus divaricata* (Aiton) Dumont? *Taxon* 22: 318-319.
- ARGUS, G.W. 1986. Studies in the *Salix lucida* Muhl. and *S. reticulata* L. complexes in North America. *Can. J. Bot.* 64: 541-551.
- ARGUS, G.W. 1999. *Classification of Salix in the New World*. BEN (Botanical Electronic News) No. 227. URL: <http://www.ou.edu/cas/botany-micro/ben/ben227.html>
- ARGUS, G.W. 2007. *Salix* (Salicaceae). Distribution maps and a synopsis of their classification in North America, north of Mexico. *Harvard Pap. Bot.* 12: 335–368.
- ARGUS, G.W. 2010. *Salix* Linnaeus, in: *Flora of North America Editorial Committee (eds.), Flora of North America north of Mexico. Vol. 7. Magnoliophyta: Salicaceae to Brassicaceae: 23–162.*
- ARGUS, G.W., & C.E. GRANFELT. 1988. *Salix planifolia* Pursh. ssp. *planifolia* (Salicaceae). *Madroño* 35:5.
- ARGUS, G.W., C.L. MCJANNET, & M.J. DALLWITZ. 1999 onwards. *Salicaceae of the Canadian Arctic Archipelago: descriptions, illustrations, identification, and information retrieval*. Version 10th Sept. 1999. URL: <http://biodiversity.bio.uno.edu/delta/arcticf/sal/index.htm>
- ARSENAULT, M., G.H. MITTELHAUSER, D. CAMERON, A.C. DIBBLE, A. HAINES, S.C. ROONEY, & J.E. WEBER. 2013. *Sedges of Maine. A field guide to Cyperaceae*. The Univ. of Maine Press, Orono, ME. 712 pp.
- ASCHERSON, P., & P. GRAEBNER. 1899. *Flora des Nordostdeutschen Flachlandes*. Verlag von Gebrüder Borntraeger. Berlin. pg. 538.
- ASHE, W.W. 1903. Studies of brambles. *J. Elisha Mitchell Sci. Soc.* 19(1): 8-9

- ASSELIN, H., S. PAYETTE, M.-J. FORTIN, & S. VALLÉE. 2003. The northern limit of *Pinus banksiana* Lamb. In: Canada: explaining the difference between eastern and western distributions. *J. Biogeogr.* 30: 1709-1718.
- ATRAN, S. 1987. Origin of the species and genus concepts: An anthropological perspective. *J. of the History of Biology* 20(2): 195-279.
- AYRE, A.M. 1935. *Wildflowers of Newfoundland*. Part III. L. Reeve & Col, Ltd., Kent, England. (only Pt. III was published).
- BACHELOT DE LA PYLAIE, A.J.M. 1824. Quelques observations sur les productions de l'île de Terre-Neuve, et sur quelques algues de la côte de France appartenant au genre Laminaire. *Ann. Sci. Nat.* 4: 174-184.
- BACHELOT DE LA PYLAIE, A.J.M. 1829. *Flore de l'île de Terre-Neuve et des Îles St. Pierre et Miquelon*. Firmim Didot, Paris. 128 pp.
- BACKLUND, A., & N. PYCK. 1998. Diervillaceae and Linnaeaceae, two new families of caprifolioids. *Taxon* 47: 657-661.
- BACON, A.E. 1903. An experiment with the fruit of red baneberry. *Rhodora* 5(51): 77-79.
- BAILEY, L.H. 1885. Notes on *Carex* VI. *Botanical Gazette* 10(11): 380.
- BAILEY, L.H. 1933. *The cultivated conifers in North America*. The Macmillan Company., Toronto.
- BAILEY, L.H. 1949. *Manual of cultivated plants. Revised ed.* The Macmillan Company., Toronto.
- BAILLEUL, S.M. 2015. Rosaceae. Pp. 471–564. in: S. Payette, (ed.). *Flore Nordique du Québec et du Labrador*. Vol. 2. Presses de l'Université Laval, Québec, Québec. 711 pp.
- BAIN, J.F., & K.E. DENFORD. 1979. The herbaceous members of the genus *Cornus* in NW North America. *Bot. Notis.* 132: 121-129.
- BAIN, J.F., & J. WHITTON. 1994. Taxonomic analysis of *Senecio pauciflorus* and *S. indecorus* (Asteraceae). *Nord. J. Bot.* 14: 193-199.
- BALDWIN, B.G., M.J. SANDERSON, J.M. PORTER, M.F. WOJCIECHOWSKI, C.S. CAMPBELL, & M.J. DONOGHUE. 1995. The ITS region of nuclear ribosomal DNA: a valuable source of evidence on angiosperm phylogeny. *Annals of the Missouri Botanical Garden* 82: 247-277.
- BALL, P.W. 1990. Some aspects of the phytogeography of *Carex*. *Can. J. Bot.* 68: 1462-1472.

BALL, P.W., & M. ZOLADZ. 1994. The taxonomy of *Carex petricosa* (Cyperaceae) and related species in North America. *Rhodora* 96(888): 295-310.

BALLARD, H.E., JR. 1992. *Summary: Systematics of Viola section Viola in North America, north of Mexico*. (10 pp. excerpt of M.Sc. thesis), Central Michigan Univ., Mt. Pleasant, Michigan.

BALLARD, H.E., JR. 1994. Violets of Michigan. *The Michigan Botanist* 33: 131-199.

BALLARD, H.E., JR. 2020+ (continuously updated). *Violets (Violaceae) of the Great Plains and Eastern North America*. Ohio University. URL: <https://people.ohio.edu/ballardh/vgpena/>

BALLARD, H.E., JR., K.J. SYTSMA, & R.R. KOWAL. 1999. Shrinking the violets: Phylogenetic relationships of infrageneric groups in *Viola* based on internal transcribed spacer DNA sequences. *Syst. Bot.* 23(4): 439-458.

BANFI, E., G. GALASSO, & A. SOLDANO. 2005. Notes on systematics and taxonomy for the Italian vascular flora. 1. *Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano*. 146(2): 219-244.

BARKER, W.R., G.L. NESOM, P.M. BEARDSLEY, & N.S. FRAGA. 2012. A taxonomic conspectus of Phrymaceae: A narrowed circumscription for *Mimulus*, new and resurrected genera, and new names and combinations. *Phytoneuron* 39: 1-60.

BARKLEY, T.M. 1976. Two nomenclatural changes in *Senecio*. *Rhodora* 78(813): 158-159.

BARKWORTH, M.E., L.K. ANDERTON, K.M. CAPELS, S. LONG, & M.B. PIEP (eds.). 2007. *Manual of Grass for North America*. Utah State Univ. Press, Ogden, UT. 640 pp.

BARKWORTH, M.E., et al. (eds.). 2007. *Grass Manual on the Web. Flora of North America*. vols. 24 and 25 [accessed periodically]. URL: <http://herbarium.usu.edu/webmanual>

BARKWORTH, M.E., & R.J. ATKINS. 1984. *Leymus* Hochst. (Gramineae:Triticeae) in North America: taxonomy and distribution. *Amer. J. Bot.* 71:609-625.

BARRINGER, K.A. 2019. *Limosella*. (pp. 338-339). In: *Flora of North America Vol. 17: Magnoliophyta: Tetrachondraceae to Orobanchaceae*. Oxford Univ. Press., N.Y. 737 pp.

BARTLETT, H.H. 1940. The concept of the genus. *Bull. Torr. Bot. Club*. 67(5): 349-361.

BARRETT, S.C.H. & K. HELENURM. 1987. The reproductive biology of boreal forest herbs. I. Breeding systems and pollination. *Can. J. Bot.* 65: 2036-2046.

BARRETT, S.C.H., & J.D. THOMSON. 1982. Spatial pattern, floral sex ratios, and fecundity in dioecious *Aralia nudicaulis* (Araliaceae). *Can. J. Bot.* 60: 1662-1670.

BARRINGER, K. 2004. New Jersey Pinweeds (*Lechea*, Cistaceae). *J. Torr. Bot. Soc.* 131(3): 261-276.

- BASSETT, I.J. 1973. *The plantains of Canada*. Research Branch, Canada Dept. of Agriculture, Monogr. 7. Ottawa, Ont. 47 pp.
- BASSETT, I.J., & C.W. CROMPTON. 1973. The genus *Atriplex* (Chenopodiaceae) in Canada and Alaska. III. Three hexaploid annuals: *A. subspicata*, *A. gmelinii*, and *A. alaskensis*. *Can. J. Bot.* 51: 1715-1723.
- BASSETT, I.J., & C.W. CROMPTON. 1978. The genus *Suaeda* (Chenopodiaceae) in Canada. *Can. J. Bot.* 56: 581-591.
- BASSETT, I.J., & C.W. CROMPTON. 1982. The genus *Chenopodium* in Canada. *Can. J. Bot.* 60: 586-610.
- BASSETT, I.J., C.W. CROMPTON, J. MCNEILL, & P.M. TASCHEREAU. 1983. *The genus Atriplex L. (Chenopodiaceae) in Canada*. Agriculture Canada Monograph No. 31. Ottawa. 72 pp.
- BASSETT, I.J., & D.B. MUNRO. 1985. The biology of Canadian weeds. 67. *Solanum ptycanthum* Dun., *S. nigrum* L. and *S. sarrachoides* Sendt. *Can. J. Plant Sci.* 65: 401-414.
- BASSETT, I.J., & D.B. MUNRO. 1987. The biology of Canadian weeds. 81. *Atriplex patula* L., *A. prostrata* Boucher ex DC., and *A. rosea* L. *Can. J. Plant Sci.* 67: 1069-1082.
- BASSETT, I.J., & J. TERASMAE. 1962. Ragweeds, *Ambrosia* species, in Canada and their history in post-glacial time. *Can. J. Bot.* 40: 141-150.
- BATEMAN, R.M. 2005. Circumscribing and interpreting closely related orchid species: *Platanthera*, *Dactylorhiza* and the crucial role of mutation. *Journal of the Hardy Orchid Society* 2: 104-111.
- BATEMAN, R.M., & I. DENHOLM. 1983. A reappraisal of the British and Irish dactylorchids, 1. The tetraploid marsh-orchids. *Watsonia* 14: 347-376.
- BATEMAN, R.M., & P.J. RUDALL. 2006. The good, the bad, and the ugly: using naturally occurring terata to distinguish the possible from the impossible in orchid floral evolution. *Aliso* 22: 481-496.
- BATEMAN, R.M., & R. SEXTON. 2008. Is spur length of *Platanthera* species in the British Isles adaptively optimized or an evolutionary red herring? *Watsonia* 28: 1-21.
- BATEMAN, R.M., P.M. HOLLINGSWORTH, J. PRESTON, Y-B. LUO, A.M. PRIDGEON, & M.W. CHASE. 2003. Molecular phylogenetics of the Orchidinae and selected 'Habenariinae' (Orchidaceae). *Botanical Journal of the Linnean Society* 142 (1):1-40.
- BATEMAN, R.M., K.E. JAMES, Y-B. LUO, R.K. LAURI, T. FULCHER, P.J. CRIBB, & M.W. CHASE. 2009. Molecular phylogenetics and morphological reappraisal of the *Platanthera* clade (Orchidaceae):

Orchidinae) prompts expansion of the generic limits of *Galearis* and *Platanthera*. *Ann. Bot.* 104(3): 431-445.

BATEMAN, R.M., A.M. PRIDGEON, & M.W. CHASE. 1997. Phylogenetics of subtribe Orchidinae (Orchidaceae, Orchidoideae) based on nuclear ITS sequences. 2. Infrageneric relationships and taxonomic revision to achieve monophyly of *Orchis* sensu stricto. *Lindleyana* 12: 113-141.

BATZER, H.O., & M.P. POPP. 1985. Forest succession following a spruce budworm outbreak in Minnesota. *Forestry Chronicle*. 61(2): 75-80.

BAUM, B.R., & L.G. BAILEY. 1990. Key and synopsis of North American *Hordeum* species. *Can. J. Bot.* 68: 2433-2442.

BAUMBACH, N., & E. LÜCKEL. 2009. Die Gattungen *Platanthera* L.C. Rich. und *Blephariglottis* Raf. in den USA und Kanada. *Die Orchidee*, 60(1/2): 119-127.

BAYER, R.J. 1989. A taxonomic revision of the *Antennaria rosea* (Asteraceae: Inuleae: Gnaphaliinae) polyploid complex. *Brittonia* 41:53-60.

BEARDSLEY, P.M., & R.G. OLMSTEAD. 2002. Redefining Phrymaceae: the placement of *Mimulus*, tribe *Mimuleae*, and *Phryma*. *Amer. J. Bot.* 89: 1093-1102.

BEITEL, J.M. 1979. The clubmosses *Lycopodium sitchense* and *L. sabinaefolium* in the upper Great Lakes area. *Michigan Bot.* 18: 3-13.

BEITEL, J.M. 1979. Strobilus variation in clones of running pine, *Lycopodium flabelliforme*. *Michigan Bot.* 18: 19-23.

BEITEL, J.M., & J.T. MICKEL. 1992. The Appalachian Firmoss, a new species in the *Huperzia selago* (Lycopodiaceae) complex in eastern North America, with a new combination for the Western Firmoss. *Amer. Fern J.* 82: 41-46.

BENDER, F. 1967. *Canada balsam-its preparation and uses*. Canada Department of Forestry and Rural Development Forestry Branch, Departmental Publication 1182. Ottawa, ON. 7 p.

BENSON, L. 1948. A treatise on the North American Ranunculi. *Amer. Midland Naturalist* 40(1): 1-261.

BIERZYCHUDEK, P. 1982. Life histories and demography of shade-tolerant temperal forest herbs: a review. *New Phytologist* 90(4): 757-776.

BIOTA OF NORTH AMERICAN PROGRAM and TAMU BIOINFORMATICS WORKING GROUP. 1998. A synonymized checklist of the vascular flora of the United States, Puerto Rico, and the Virgin Islands. [online version] URL: <http://botany.csd.tamu.edu/FLORA/b98/check98.htm>

- BLAKE, S.F. 1917. The varieties of *Chimaphila umbellata*. *Rhodora* 19(227): 237-244.
- BLANCHARD, W.H. 1906a. Two new species of *Rubus* from Vermont and New Hampshire. *Rhodora* 8(89):95-98.
- BLANCHARD, W.H. 1906b. Some Maine Rubi. The blackberries of the Kennebunks and Wells. I. *Rhodora* 8(92): 146-157.
- BLANCHARD, W.H. 1906c. Some Maine Rubi. The blackberries of the Kennebunks and Wells. III. *Rhodora* 8(95): 212-218.
- BLANEY, S., & E. OBERNDORFER. 2019. *Vascular Plant Inventory of the Pye Farm, Happy Valley-Goose Bay, Labrador*. Report to Labrador Institute, Memorial Univ. of Newfoundland, Happy Valley-Goose Bay, LB. 18pp.
- BLOUIN, J. & J.-P. BERGER. 2004. *Guide de reconnaissance des types écologiques des régions écologiques. Régions 6c-g*. Ministère des Ressources Naturelle, de la Faune et des Parcs, Forêt Québec. ISBN : 2-551-22498-5.
- BLONDEAU, M., & J. CAYOUILLE. 1987. Extensions d'aire dans la flore vasculaire du Nouveau-Québec. *Naturaliste can.* 114: 117-126.
- BLUM, B.M. 1990. *Picea rubens* Sarg. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC. URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/picea/rubens.htm
- BÖCHER, T.W. 1966. Experimental and cytological studies on plant species XI. North American tatraptoids of the *Campanula rotundifolia* complex. *Ann. Bot. Fennici* 3: 287-298.
- BÖCHER, T.W., B. FREDSKILD, K. HOLMEN, & K. JAKOBSEN. 1978. *Grønlands Flora*, 3rd ed. Haase, Copenhagen.
- BOGLE, A.L. 1968. Evidence for the hybrid origin of *Petasites warrenii* and *P. vitifolius*. *Rhodora* 70(784): 533-551.
- BOIVIN, B. 1950. The problem of generic segregates in the form-genus *Lycopodium*. *Amer. Fern. J.* 40(1): 32-41.
- BOIVIN, B. 1955. Etudes batologiques. I. Sous-genre *Cylactis* (Raf.) Focke. *Bulletin de la Société Botanique de France* 102:4-6, 234-236.
- BOIVIN, B. 1966-67. Énumération des plantes du Canada. *Provancheria* 6. 397 pp.

BOIVIN, B. 1967a. Énumération des plantes du Canada. *Naturaliste can.* 93: 253-274, 371-437, 583-646, 989-1063; 94: 131-157, 471-528, 625-655.

BOIVIN, B. 1967b. Études sur les *Oxytropis* DC. *Naturaliste can.* 94:73-78.

BOLAND, T. 1994. A new site for pipsissewa (*Chimaphila umbellata*). *Sarracenia* 5(1): 16-17.

BOLAND, T. 1995. Avalon roadside exotics. *Sarracenia* 5(3): 9-12.

BORGEN, L., & U.-M. HULTGÅRD. 2003. *Parnassia palustris*: a genetically diverse species in Scandinavia. *Bot. J. Linn. Soc.* 142: 347-372.

BOUCHARD, A., & S.G. HAY. 1976. The vascular flora of the Gros Morne Natl. Park coastal plain in Newfoundland. *Rhodora* 78(814): 207-260.

BOUCHARD, A., L. BROUILLET, & S.G. HAY. 1993. The rare vascular plants of L'Anse-aux-Meadows National Historic Park. Park Services, Environment Canada. unpubl. rep. 41 pp.

BOUCHARD, A., L. BROUILLET, S.G. HAY, & P. TURCOTTE. 1994. The rare vascular plants of Big Level, Gros Morne National Park, Newfoundland, Canada. Contract GMR93-02, Parks Canada, Ottawa. unpubl. rep. 53 pp. + app.

BOUCHARD, A., S.G. HAY, Y. BERGERON, & A. LEDUC. 1987. Phytogeographical and life-form analysis of the vascular flora of the Gros Morne Natl. Park, Newfoundland, Canada. *J. Biogeography* 14:343-358.

BOUCHARD, A., S.G. HAY, L. BROUILLET, & M. JEAN. 1992. The rare vascular plants of Port-au-Choix National Historic Park. Parks Service, Environment Canada, Ottawa, unpubl. rep. 80 pp.

BOUCHARD, A., S.G. HAY, L. BROUILLET, M. JEAN, & I. SAUCIER. 1991. *The rare vascular plants of the Island of Newfoundland*. *Syllogeus* No. 65. Canadian Museum of Nature, Ottawa, ON. 165 pp.

BOUCHARD, A., S.G. HAY, C. GAUVIN, & Y. BERGERON. 1985. The rare vascular plants of Gros Morne National Park, Newfoundland, Canada. Contract GMR83-20. Parks Canada, Ottawa. unpubl. rep. 104 pp.

BOUCHARD, A., S.G. HAY, C. GAUVIN, & Y. BERGERON. 1986. Rare vascular plants of Gros Morne Natl. Park, Newfoundland, Canada. *Rhodora* 88(856): 481-502.

BOUCHARD, A., S.G. HAY, & E. ROULEAU. 1978. The vascular flora of St. Barbe South District; an interpretation based on biophysiological regions. *Rhodora* 80(822): 228-308.

BOUFFORD, D.E. 1982. The systematics and evolution of *Circaea* (Onagraceae). *Ann. Missouri Bot. Garden.* 69: 804-994.

- BOUFFORD, D.E., J.V. CRISCI, H. TOBE, & P.C. HOCH. 1990. A cladistic analysis of *Circaea* (Onagraceae). *Cladistics* 6: 171-182.
- BOUTIN, C., & P. MORISSET. 1988. Étude de la plasticité phénotypique chez *Chrysanthemum leucanthemum*. I. Croissance, allocation de la biomasse et reproduction. *Can. J. Bot.* 66: 2285-2298.
- BOUTIN, C., & P. MORISSET. 1989. Étude de la plasticité phénotypique chez *Chrysanthemum leucanthemum*. II. Démographie des parties. *Can. J. Bot.* 67: 977-983.
- BOWDEN, W.M. 1957. Cytotaxonomy of section *Psammelymus* of the genus *Elymus*. *Can. J. Bot.* 35:957-993.
- BOWDEN, W.M. 1959. Chromosomes numbers and taxonomic notes on northern grasses I. Tribe Triticeae. *Can. J. Bot.* 37:1143-1151.
- BOWDEN, W.M. 1964. Cytotaxonomy of the species and interspecific hybrids of the genus *Elymus* in Canada and neighbouring areas. *Can. J. Bot.* 42:547-601.
- BOWDEN, W.M. 1965. Cytotaxonomy of the species and interspecific hybrids of the genus *Agropyron* in Canada and neighbouring areas. *Can. J. Bot.* 43:1421-1448.
- BRADSHAW, M.E. 1962. The distribution and status of five species of the *Alchemilla vulgaris* L. aggregate in Upper Teesdale. *J. Ecol.* 50: 681-707.
- BRADSHAW, M.E. 1963. Studies on *Alchemilla filicaulis* Bus., *sensu lato*, and *A. minor* Walters. *Watsonia* 5: 304-326.
- BRADSHAW, M.E. 2009. The decline of lady's-mantles (*Alchemilla vulgaris* L. agg.) and other hay-meadow species in Northern England since the 1950s. *Watsonia* 27: 315-321.
- BRADSHAW, M.E., P. DANSEREAU, & D.H. VALENTINE. 1964. Notes on the genus *Alchemilla* in southeastern Canada. *Can. J. Bot.* 42: 89-104.
- BRAINERD, E. 1904. Notes on New England Violets. *Rhodora* 6(61): 8-17, pl. 50.
- BRASSARD, G.R. 1980. Rev. Arthur C. Waghorne (1851-1900). *Can. Bot. Assoc. Bull.* Vol 13(2, Suppl.), pp 17-18.
- BRASSARD, G.R. 1983. Bryogeography, with special reference to mosses. pp. 361-384. In: G.R. South (ed.), *Biogeography and ecology of the Island of Newfoundland*. W. Junk Publishers, The Hague.
- BRASSARD, G.R., & H. WILLIAMS. 1975. The liverworts of Labrador, Canada. *Lindbergia* 3(1-2): 83-88.

- BRATSCH, A., & J. WILLIAMS. 2009. Specialty crop profile: *Ribes* (currants and gooseberries). Virginia Cooperative Extension. Publ. 438-107. Virginia Polytechnic Inst. and Virginia State Univ., Petersburg, VA. 14 pp.
- BRÄUTIGAM, S., & W. GREUTER. 2007. A new treatment of *Pilosella* for the Euro-Mediterranean flora. *Willdenowia* 37: 123-137.
- BRAYSHAW, T.C. 1966. The names of yellow birch and two of its varieties. *Can. Field-Nat.* 80:161-161.
- BRITAIN, W.H., & W.F. GRANT. 1965a. Observations on Canadian birch (*Betula*) collections at the Morgan Arboretum. I. *B. papyrifera* in Eastern Canada. *Can. Field-Naturalist* 79: 189-197.
- BRITAIN, W.H., & W.F. GRANT. 1965b. Observations on Canadian birch (*Betula*) collections at the Morgan Arboretum. II. *B. papyrifera* var. *cordifolia*. *Can. Field-Naturalist* 78: 253-257.
- BRITAIN, W.H., & W.F. GRANT. 1967a. Observations on Canadian birch (*Betula*) collections at the Morgan Arboretum. IV. *B. caerulea-grandis* and hybrids. *Canadian Field-Naturalist*, Ottawa 81:116-127.
- BRITAIN, W.H., & W.F. GRANT. 1967b. Observations on Canadian birch (*Betula*) collections at the Morgan Arboretum. V. *B. papyrifera* and *B. cordifolia* from eastern Canada. *Canadian Field-Naturalist*, Ottawa 81:251-262.
- BRITTON, D.M. 1976. The distribution of *Dryopteris spinulosa* and its relatives in eastern Canada. *Amer. Fern. J.* 66: 69-74.
- BRITTON, N.L., & A. BROWN. 1970. *An Illustrated Flora of the Northern United States and Canada*. 3 vol. Dover Publications, Inc., New York, NY.
- BROUILLET, J., R. CHAREST, S.G. HAY, & A. BOUCHARD. 1997. *Floristic analysis of the rare plants of Terra Nova National Park, Newfoundland*. Contract #2242-96-0010 for Natural Resources Division, Parks Canada, Hull, Québec.
- BROUILLET, L., F. COURSOL, S.J. MEADES, M. FAVREAU, M. ANIONS, P. BÉLISLE, & P. DESMET. 2010+. *VASCAN, the Database of Vascular Plants of Canada*. URL: <http://data.canadensys.net/vascan/>
- BROUILLET, L., & R. GORNALL. 2007. New combinations in *Micranthes* (a segregate of *Saxifraga*, Saxifragaceae) in North America. *J. Bot. Res. Inst. Texas* 1: 1019-1022.
- BROUILLET, L., & J.-P. SIMON. 1981. An ecogeographical analysis of the distribution of *Aster acuminatus* Michaux and *A. nemoralis* Aiton (Asteraceae: Astereae). *Rhodora* 83(836): 521-550.
- BROUN, M. 1938. *Index to North American ferns*. Published by M. Broun, Orleans, Mass.

- BROWN, A.O., & J.N. MCNEIL. 2009. Pollination ecology of the high altitude, dioecious cloudberry (*Rubus chamaemorus*; Rosaceae). *Am. J. Bot.* 96(6): 1096-1107.
- BROWN, P.M. 1993. *A field and study guide to the orchids of New England and New York*. Orchis Press, Jamaica Plain, Mass.
- BROWN, P.M. 1995. Checklist of Newfoundland orchids. *Sarracenia* 6(1): 4-6.
- BROWN, P.M. 2006. *Wild orchids of the Canadian Maritimes and northern Great Lakes region*. Univ. Press of Fla., Gainesville, FL. 313 pp.
- BROWN, P.M., & S.L. STEWART. 2009. Recent publications regarding *Platanthera* and allied genera, new combinations, and some novel observations. *North American Native Orchid Journal* 15(2): 65-87.
- BRUNTON, D.F. 2019. Distribution and taxonomy of *Isoetes tuckermanii* subsp. *acadiensis*, comb. nov. (Isoeteaceae) in North America. *Can. Field-Nat.* 132(4): 360-367.
- BRUNTON, D.F. 1989. The marsh dandelion (*Taraxacum* section *Palustris*; Asteraceae) in Canada and the adjacent United States. *Rhodora* 91(866): 213-219.
- BRUNTON, D.F., W.H. WAGNER JR., & M.M. BEITEL. 1992. Pacific firmoss (*Huperzia miyoshiana*) (Lycopodiaceae) in eastern North America at Gros Morne National Park. *Amer. Fern. J.* 82(2): 63-66.
- BRUNTON, D.G., & C.W. CROMPTON. 1993. Marsh sow-thistle, *Sonchus palustris* L. (Asteraceae) in Ontario: an addition to the introduced flora of North America. *Can. Field-Nat.* 107: 341-344.
- BRUNTON, F.A. (ed.). 1928. *Narrative of a journey across the Island of Newfoundland in 1822 by W.E. Cormack*. Centenary Issue, Longmans, Green and Co., London 138 pp.
- BRYSTING, A.K., S.G. AIKEN, L.P. LEFKOVITCH, & R.L. BOLES. 2003. *Dupontia* (Poaceae) in North America. *Can. J. Bot.* 81: 769-779.
- BRYSTING, A.K., & L. BORGES. 2000. Isozyme analysis of the *Cerastium alpinum*-*C. arcticum* complex (Caryophyllaceae) supports a splitting of *C. arcticum* Lange. *Pl. Syst. Evol.* 220: 199-221.
- BRYSTING, A.K. & R. ELVEN. 2000. The *Cerastium alpinum* - *C. arcticum* complex (Caryophyllaceae): numerical analysis of morphological variation and a taxonomic revision of *C. arcticum* Lange s. lat. *Taxon* 49: 189-216.
- BRYSTING, A.K., M.F. FAY, I.J. LEITCH, & S.G. AIKEN. 2004. One or more species in the arctic grass genus *Dupontia*? - a contribution to the Panarctic Flora project. *Taxon* 53: 365-382.

BRYSTING, A.K., C. MATHIESEN, & T. MARCUSSEN. 2011. Challenges in polyploid phylogenetic reconstruction: a case story from the arctic-alpine *Cerastium alpinum* complex. *Taxon* 60(2): 333-347.

BUCHMANN, S.L. 1983. Buzz pollination in angiosperms. Pages 73-113. *In*: Jones, C.E., & R.J. Little, eds. *Handbook of Experimental Pollination Biology*. Van Nostrand Reinhold, New York.

BURNS, R.M., & B.H. HONKALA, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC. 877 pp. URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/table_of_contents.htm

BURZYNSKI, M. 1999. *Gros Morne National Park. The Most Beautiful Place*. Gros Morne Co-operating Association, Rocky Harbour, NL. 565 pp.

BURZYNSKI, M. 2018. *Gros Morne National Park*. Parks Canada, Breakwater Books, St. John's NL. 234 pp.

BURZYNSKI, M., H. MANN, & A. MARCEAU. 1999. *Exploring the Limestone Barrens of Newfoundland and Labrador*. Gros Morne Co-operating Association, Rocky Harbour, NL. 368 pp.

BUTLAND, G. 2001. Baskets of Atlantic Canada. *Saltscapes*, December 2001. URL: <https://www.saltscapes.com/people-culture-section/people-culture-category/533-baskets-of-atlantic-canada.html>

BUTT, C., C. GILBERT, M. HOWELL, D. WALSH, & H. MANN. 2017. Uncommon wildflowers of Newfoundland 18: European centaury (*Centaurea erythraea* Rafn). *Sarracenia* 22(2): 21-22.

BUYS, M.H., & H.H. HILGER. 2003. Boraginaceae cymes are exclusively scorpioid and not helicoid. *Taxon* 52: 719-724.

CAIN, N., S.J. DARBYSHIRE, A. FRANCIS, R.E. NURSE, & M.-J. SIMARD. 2010. The Biology of Canadian weeds. 144. *Pastinaca sativa* L. *Can. J. Plant Sci.* 90: 217-240.

CALDER, J.A., & R.L. TAYLOR. 1965. New taxa and nomenclatural changes with respect to the flora of the Queen Charlotte Islands, British Columbia. *Can. J. Bot.* 43: 1387-1400.

CAMPBELL, C.S., M.B. BURGESS, K.R. CUSHMAN, E.T. DOUCETTE, A.C. DIBBLE, & C.T. FRYE. 2014. *Amelanchier*. *In*: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2014. *Flora of North America north of Mexico. Vol. 9. Magnoliophyta: Picramniaceae to Rosaceae*. Oxford Univ. Press., N.Y. 752 pp.

CAMPBELL, D.R., L. ROCHEFORT, & C. LAVOIE. 2003. Determining the immigration potential of plants colonizing disturbed environments: the case of milled peatlands in Quebec. *J. Appl. Ecology* 40: 78-91. URL: <http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2664.2003.00782.x/epdf>

- CAMPBELL, C.S., & W.A. WRIGHT. 1996. Apomixis, hybridization, and taxonomic complexity in eastern North American *Amelanchier* (Rosaceae). *Folia Geobot. Phytotax.* 31(3): 345-354.
- CANTINO, P.D. 1992. Evidence for a polyphyletic origin of the Labiatae. *Ann. Missouri Bot. Garden.* 79: 361-379.
- CANTINO, P.D. 1998. Binomials, hyphenated uninomials, and phylogenetic nomenclature. *Taxon* 47: 425-429.
- CANTINO, P.D., W.S. JUDD, P.E. SOLTIS, D.E. SOLTIS, R.G. OLMSTEAD, S.W. GRAHAM, & M.J. DONOGHUE. 2007. Towards a phylogenetic nomenclature of Tracheophyta. *Taxon* 56: 1-44.
- CANTINO, P.D., & S.J. WAGSTAFF. 1998. A re-examination of North American *Satureja* s.l. (Lamiaceae) in light of molecular evidence. *Brittonia* 50: 63-70.
- CAREY, J.H. 1995. *Ribes lacustre*. In: *Fire Effects Information System*, (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/riblac/all.html>
- CARLSEN, T., W. BLEEKER, H. HURKA, R. ELVEN, & C. BROCHMANN. 2009. Biogeography and phylogeny of *Cardamine* (Brassicaceae). *Ann. Missouri Bot. Gard.* 96: 215-236.
- CAROLAN, C.C., I.L.I. HOOK., M.W. CHASE, J.W. KADEREIT, & T. HODKINSON. 2006. Phylogenetics of *Papaver* and related genera based on DNA sequences from ITS nuclear ribosomal DNA and plastid *trnL* intron and *trnL-F* intergenic spacers. *Ann. Bot. (Oxford)* 98: 141-155.
- CARRIÈRE, E.A. 1855. *Traité général des conifères*. [Traité Gén. Conif.] Paris. 656 pp.
- CASE, F.W. 1983. *Platanthera ×vossii*, a new natural hybrid orchid from northern lower Michigan. *Mich. Bot.* 22: 141-144.
- CASE, M. 1993. High Levels of Allozyme Variation within *Cypripedium calceolus* (Orchidaceae) and low levels of divergence among its varieties. *Syst. Bot.* 18(4): 663-677.
- CATLING, P.M. 1976. On the geographical distribution, ecology, and distinctive features of *Listera ×veltmanii* Case. *Rhodora* 78(814): 261-269.
- CATLING, P.M. 1982. New combinations for forms and varieties of some North American orchids. *Naturaliste can.* 109 (2) 277-278.
- CATLING, P.M. 1991. Systematics of *Malaxis bayardii* and *M. unifolia*. *Lindleyana* 6: 3-23.
- CATLING, P.M. 1997. The taxonomic status of Fernald's ragged orchid of Newfoundland, *Platanthera lacera* var. *terrae-novae*. *Lindleyana* 12(2): 79-88.

- CATLING, P.M., & J. CRUISE. 1974. *Spiranthes casei*, a new species from northeastern North America. *Rhodora* 76(808): 526-536.
- CATLING, P.M., & I. DOBSON. 1985. The biology of Canadian weeds. 69. *Potamogeton crispus* L. *Can. J. Plant Sci.* 65: 655-668.
- CATLING, P.M., & G. MITROW. 2007. Serviceberry, *Amelanchier intermedia*, escaped from cultivation in eastern Ontario. *Can. Field-Naturalist* 121(1): 89-91.
- CATLING, P.M., A.A. REZNICEK, & W.J. CRINS. 1990. Systematics and ecology of the genus *Carex* (Cyperaceae): Introduction. *Can. J. Bot.* 68: 1405-1408.
- CATLING, P.M., A.A. REZNICEK, & W.J. CRINS. 1993. *Carex juniperorum* (Cyperaceae), a new species from northeastern North America, with a key to *Carex* sect. *Phyllostachys*. *Syst. Bot.* 18: 496-501.
- CATLING, P.M., & C.J. SHEVIK. 1993. Taxonomic notes on some North American orchids. *Lindleyana* 8: 77-81.
- CATLING, P.M., & K.W. SPICER. 1987. The perennial *Juncus* of section *Poiophylli* in the Canadian prairie provinces. *Can. J. Bot.* 65(4): 750-760.
- CAYOUILLE, J. 1987. *Carex lyngbyei* excluded from the flora of eastern North America, and taxonomic notes on related species and hybrids. *Can. J. Bot.* 65: 1187-1198.
- CAYOUILLE, J. 1990. Taxonomic studies of maritime species of *Carex* section *Phacocystis* (Cyperaceae). I. New names for three hybrids. *Naturaliste can.* 117: 61-72.
- CAYOUILLE, J. 2004. A taxonomic review of the *Eriophorum russeolum* – *E. scheuchzeri* complex (Cyperaceae) in North America. *Sida* 21(2): 791-814.
- CAYOUILLE, J., & M. BLONDEAU. 1996. Présence de la puccinellie étroite, *Puccinellia angustata*, au Nunavik, Québec. *Can. Field-Nat.* 110: 709-711.
- CAYOUILLE, J., & P.M. CATLING. 1992. Hybridization in the genus *Carex* with special reference to North America. *The Botanical Review*, 58(4): 351-438.
- CAYOUILLE, J., & S.J. DARBYSHIRE. 1987. La répartition de *Danthonia intermedia* dans l'est du Canada. *Naturaliste can.* 114: 217-220.
- CAYOUILLE, J., & S.J. DARBYSHIRE. 1993. The intergeneric hybrid grass *Poa labradorica*. *Nord. J. Bot.* 13: 615-629.
- CAYOUILLE, J., & S.J. DARBYSHIRE. 1994. Taxa described by Steudel from the Labrador collections of the Moravian missionary Albrecht and distributed by Hohenacker. *Taxon* 43: 169-180.

CAYOUILLE, J., & P. MORISSET. 1985. Chromosome studies on natural hybrids between maritime species of *Carex* (sections *Phacocystis* and *Cryptocarpae*) in northeastern North America, and their taxonomic implications. *Can. J. Bot.* 63: 1957-1982.

CAYOUILLE, J., & P. MORISSET. 1986. Chromosome studies on the *Carex salina* complex (Cyperaceae, Section *Cryptocarpae*) in northeastern North America. *Cytologia* 51: 817-856.

CAYOUILLE, J., & P. MORISSET. 1986. Chromosome studies on *Carex paleacea* Wahl., *C. nigra* (L.) Reichard, and *C. aquatilis* Wahl. in northeastern North America. *Cytologia* 51: 857-883.

CESKA, A., & O. CESKA. 1986. Notes on *Myriophyllum* (Haloragaceae) in the Far East: the identity of *Myriophyllum sibiricum* Komarov. *Taxon* 35: 95-100.

CHAPMAN, C.J., C.S. BLANEY, & D.M. MAZEROLLE. 2019. Wintercresses (*Barbarea* W.T. Aiton, Brassicaceae) of the Canadian Maritimes. *Can. Field-Nat.* 133(2): 118-124.

CHEEK, M., D. SCHNELL, J.L. REVEAL, & J. SCHLAUER. 1997. Proposal (1316) to conserve the name *Sarracenia purpurea* (Sarraceniaceae) with a new type. *Taxon* 46: 781-783.

CHASE, M.W., & J.L. REVEAL. 2009. A phylogenetic classification of land plants to accompany APG III. *Bot. J. Linnean Soc.* 161: 122-127.

CHASE, M.W., D. SOLTIS, R.G. OLMSTEAD, D. MORGAN, D.H. LES, B.D. MISHLER, M.R. DUVALL, R.Q. PRICE, H.G. HILLS, Y.-L. QIU, K.A. KRON, J.H. RETTIG, E. CONTI, J.D. PALMER, J.R. MANHART, K.J. SYTSMA, H.J., W.J. KRESS, K.G. KAROL, W.D. CLARK, M. HEDRÉN, B.S. GAUT, R.K. JANSEN, K.-J. KIM, C.F. WIMPEE, J.F. SMITH, G. FURNIER, P.A. GADEK, C.J. QUINN, L.E. EGUIARTE, E. GOLENBERG, G.H. LEARN JR., S.W. GRAHAM, S.C.H. BARRETT, S. DAYANANDAN, & V.A. ALBERT. 1993. Phylogenetics of seed plants: an analysis of nucleotide sequences from the plastid gene *rbcl*. *Ann. Missouri Bot. Garden.* 80: 528-580.

CHEN, C.J., M.G. MENDENHALL, & B.L. TURNER. 1994. Taxonomy of *Thermopsis* (Fabaceae) in North America. *Ann. Missouri Bot. Garden.* 81: 714-742.

CHERNIAWSKY, D.M., & R.J. BAYER. 1998. Systematics of North American *Petasites* (Asteraceae: Senecioneae) III. A taxonomic revision. *Can. J. Bot.* 76 (12): 2061-2075.

CHIAPELLA, J. 2007. A molecular phylogenetic study of *Deschampsia* (Poaceae: Aveneae) inferred from nuclear ITS and plastid *trnL* sequence data: support for the recognition of *Avenella* and *Vahlodea*. *Taxon* 56: 55-64.

CHINNAPPA, C.C., & J.K. MORTON. 1976. Studies on the *Stellaria longipes* Goldie complex - variation in wild populations. *Rhodora* 78(815): 488-502.

CHINNAPPA, C.C., & J.K. MORTON. 1984. Studies on the *Stellaria longipes* Goldie complex (Caryophyllaceae) - biosystematics. *Systematic Botany* 9: 60-73.

- CHINNAPPA, C.C., & J.K. MORTON. 1991. Studies on the *Stellaria longipes* Goldie complex (Caryophyllaceae)-Taxonomy. *Rhodora* 93(874): 129-135.
- CHIAPELLA, J.O., Z-Q. XUE, & J. GREIMLER. 2021. The genus *Deschampsia* and the epithet “*alpina*”. *PhytoKeys* 181: 95-103. <https://doi.org/10.3897/phytokeys.181.69546>
- CHMIELEWSKI, J.G. 1994. Evaluation of the taxonomic status of *Antennaria bayardi*, *Antennaria brunnescens*, and *Antennaria foggii* (Asteraceae: Inuleae). *Can. J. Bot.* 72: 1775-1777.
- CHMIELEWSKI, J.G. 1995a. Chromosome number determinations for Newfoundland species of *Antennaria* Gaertner (Asteraceae: Inuleae). *Rhodora* 97(889): 1-8.
- CHMIELEWSKI, J.G. 1995b. Revision of *Antennaria isolepis*, *A. pallida*, *A. pedunculata*, and *A. rousseaui* (Asteraceae: Inuleae): apomictic North American arctic-alpine species. *Amer. J. Bot.* 82: 1049-1055.
- CHMIELEWSKI, J.G. 1995c. *Antennaria howellii* subsp. *gaspensis* comb. et stat. nov. (Asteraceae: Inuleae) justification for change. *Can. J. Bot.* 73: 1366-1370.
- CHMIELEWSKI, J.G. 1997. A taxonomic revision of the *Antennaria media* (Asteraceae: Inuleae) polyploid species complex in western North America. *Brittonia* 49: 309-327.
- CHMIELEWSKI, J.G. 1998. *Antennaria alpina* (Asteraceae: Inuleae): Revision of a misunderstood arctic-alpine polyploid species complex. *Rhodora* 100(901): 39-68.
- CHMIELEWSKI, J.G., & C.C. CHINNAPPA. 1988. The genus *Antennaria* (Asteraceae: Inuleae) in North America: a multivariate analysis of variation patterns in *A. rosea* sensu lato. *Can. J. Bot.* 66: 1583-1609.
- CHMIELEWSKI, J.G., & C.C. CHINNAPPA. 1990a. Gender dependent and independent morphological dimorphism in sexual and apomictic *Antennaria monocephala* sensu lato. *Can. J. Bot.* 69: 1433-1448.
- CHMIELEWSKI, J.G., & C.C. CHINNAPPA. 1990b. The genus *Antennaria* (Asteraceae: Inuleae) in arctic North America: chromosome numbers and taxonomic notes. *Rhodora* 92(872): 264-276.
- CHOLEWA, A.F. 2009. *Trientalis*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2009. *Flora of North America north of Mexico. Vol. 8. Magnoliophyta: Paeoniaceae to Ericaceae*. Oxford Univ. Press, NY. 624 pp.
- CHOLEWA, A.F. 2014. *Lysimachia latifolia* (Myrsinaceae), an overlooked nomenclatural change. *Phytoneuron* 2014-28: 1-2.

- CHRISTENHUSZ, M.J.M., L. BANGIOLO, M.W. CHASE, M.F. FAY, C. HUSBY, M. WITKUS, & J. VIRUEL. 2019. Phylogenetics, classification and typification of extant horsetails (*Equisetum*, Equisetaceae). *Bot. J. Linnean Soc.* 189(4): 311-352.
- CHRISTENHUSZ, M.J.M., M.W. CHASE, M.F. FAY, O. HIDALGO, I.J. LEITCH, J. PELLICER, & J. VIRUEL. 2021. Phylogenetics, classification and typification of extant horsetails (*Equisetum*, Equisetaceae). *Annals of Botany.* 127: 681-695.
- CHURCH, G.L. 1949. A cytotaxonomic study of *Glyceria* and *Puccinellia*. *Amer. J. Bot.* 36: 155-165.
- CHURCH, G.L. 1952. The genus *Torreyochloa*. *Rhodora* 54(644): 197-200.
- CHURCH, G.L. 1967. Taxonomic and genetic relationships of eastern North American species of *Elymus* with setaceous glumes. *Rhodora* 69(778): 121-162.
- CLAPHAM, A.R., A.R. TUTIN, & E.F. WARBURG. 1962. *Flora of the British Isles*, 2nd ed. [1267]
- CLARK, C. 2012. *Inuit Ethnobotany and Ethnoecology in Nunavik and Nunatsiavut, Northeastern Canada*. M.Sc. thesis. Université de Montréal. 107 pp. + 4 Appendices.
- CLASE, H. 1995. *Epipactis helleborine* in St. John's. *Sarracenia* 6(1): 6-7.
- CLASE, H. 2002. Lesser water plantain, *Baldellia ranunculoides* (L.) Parl., at Bristol's Hope, Newfoundland: A new plant for North America. *Sarracenia* 11(2): 12-15.
- CLASE, H., & S.J. MEADES. 1996. Dactylorchids in Newfoundland. *North American Native Orchid Journal.* 2(3):208-216., reprinted in: *Sarracenia* 7(1): 13-16 (1997).
- CLEMANTS, S.E., G.M. DIGGS, L.J. DORR, W.S. JUDD, J.L. LUTEYN, P.D. SORENSEN, P.F. STEVENS, & G.D. WALLACE (J.L. LUTEYN, ed.). 1995. *Ericaceae Part II. The superior-ovaryed genera (Monotropeoideae, Pyroloideae, Rhododendroideae, and Vaccinioideae p.p.)*. Flora Neotropica. Monograph 66. The New York Botanical Garden, N.Y. 560 pp.
- CLEMENTS, D.R., M.K. UPADHYAYA, & S.J. BOS. 1999. The biology of Canadian weeds. 110. *Tragopogon dubius* Scop., *T. pratensis* L., and *T. porrifolius* L. *Can. J. Plant Sci.* 79: 153-163.
- CODY, W.J. 1953. *Phyllodoce coerulea* in North America. *Can. Field-Nat.* 67: 131-134.
- CODY, W.J. 1961. *Iris pseudacorus* L. escaped from cultivation in Canada. *Can. Field-Nat.* 75: 139-142.
- CODY, W.J. 1996. *Flora of the Yukon Territory*. NRC.CNRC, Natl. Research Council Press, Ottawa. 645 pp.

CODY, W.J., & D.M. BRITTON. 1989. *Ferns and ferns allies of Canada*. Research Branch Publication 1829/E, Agriculture Canada, Ottawa, Ont. 430 pp.

CODY, W.J., & V. WAGNER. 1981. The biology of Canadian weeds. 49. *Equisetum arvense* L. *Can. J. Plant Sci.* 61: 123-133.

COHEN, J.I. 2015. *Adelinia* and *Andersonglossum* (Boraginaceae), two new genera from New World Species of *Cynoglossum*. *Syst. Bot.* 40(2): 611-619.

COLADONATO, M. 1993. *Rubus chamaemorus*. In: *Fire Effects Information System*, (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/rubcha/all.html>

COLADONATO, M. 1994. *Cornus alternifolia*. In: *Fire Effects Information System* (FEIS). U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/coralt/all.html>

CONSAUL, L.L., & S.G. AIKEN. 1993. Limited taxonomic value of palea intercostal characteristics in North American *Festuca* (Poaceae). *Can. J. Bot.* 71: 1651-1659.

CONRAN, J.G. 1989. Cladistic analysis of some net-veined Liliiflorae. *Pl. Syst. Evol.* 168:123-141.

CONSAUL, L.L., L.J. GILLESPIE, & M.J. WATERWAY. 2008. Systematics of North American Arctic Diploid *Puccinellia* (Poaceae): Morphology, DNA Content, and AFLP Markers. *Systematic Botany* 33(2): pp. 251-261.

COOK, C.D.K. 1966. Studies in *Ranunculus* subgenus *Batrachium* (DC.) A. Gray. III. *Ranunculus hederaceus* L. and *R. omiophyllus* Ten. *Watsonia* 6 (4): 246-259.

CORMACK, W.E. 1823. Narrative of a journey across the Island of Newfoundland in 1822. *Edinb. Philos. J.* 10: 156-162. (see also F.A. Bruton)

CORRELL, D.S. 1950. *Native orchids of North America north of Mexico*. Stanford Univ. Press, Stanford, CA.

COSNER, M.E., R.K. JANSEN, & T.G. LAMMERS. 1994. Phylogenetic relationships in the Campanulales based on rbcL sequences. *Plant Systematics and Evolution* 190: 79-95.

COSTEA, M., & F.J. TARDIF. 2006. The biology of Canadian weeds. 133. *Cuscuta campestris* Yuncker, *C. gronovii* Willd. ex Schult., *C. umbrosa* Beyr. ex Hook., *C. epithymum* (L.) L. and *C. epilinum* Weihe. *Canadian Journal of Plant Science* 86: 293-316.

COUPLAN, F. 1998. *The Encyclopedia of Edible Plants of North America*. Keats Publishing, New Canaan, CT.

- CRABBE, J.A., A.C. JERMY, & J.T. MIKEL. 1975. A new generic sequence for the Pteridophyte herbarium. *Fern Gazette* 11: 141-162.
- CRANE, M.F. 1990. *Actaea rubra*. In: Fire Effects Information System (FEIS). U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/forb/actrub/all.html>
- CRAWFORD, D.J. 1985. Electrophoretic data and plant speciation. *Systematic Botany* 10:405-416.
- CRÉPIN, F. 1900. Note upon a probable hybrid of *Rosa carolina* L. and *Rosa nitida* Willd. *Rhodora* 2(18): 112-113.
- CRINS, W.J., & P.W. BALL. 1983. The taxonomy of the *Carex pensylvanica* complex (Cyperaceae) in North America. *Can. J. Bot.* 61: 1692-1717.
- CRINS, W.J. & P.W. BALL. 1987. Variations in *Carex hostiana* (Cyperaceae). *Rhodora* 89(859): 247-259.
- CRINS, W.J., & P.W. BALL. 1989. Taxonomy of the *Carex flava* complex (Cyperaceae) in North America and northern Eurasia. II. Taxonomic treatment. *Can. J. Bot.* 67: 1048-1065.
- CRONQUIST, A. 1968. Once again, what is a species? pp. 3-20, In: Romberger, J.A., ed. *Biosystematics in agriculture*. Allenheld & Osmun, Montclair, N.J.
- CROW, G.E. 1978. A taxonomic revision of *Sagina* (Caryophyllaceae) in North America. *Rhodora* 80(821): 1-91.
- CROW, G.E. 2015. The taxonomic value of internal bladder-trap quadrifids in recognizing and identifying *Utricularia ochroleuca* (Lentibulariaceae). *Bot. Electronic News (BEN)*: 487:6-10.
- CROW, G.E., & B. HELLQUIST. 2000. *Aquatic and wetland plants of northeastern North America: a revised and enlarged edition of Norman C. Fassett's A manual of aquatic plants*. Vol. 1 & 2. The Univ. of Wisconsin Press, Madison, Wisc. 456 pp.
- CUERRIER, A., & L. HERMANUTZ. 2012. *Our Plants...Our Land*. Plants of Nain and Torngat Mountains Basecamp and Research Station (Nunatsiavut). Jardin botanique du Montréal, Montréal, Québec, & Memorial Univ., St. John's, NL.
- DAHL, E. 1962. Three misidentified so-called cordilleran species in eastern North America. *Rhodora* 64(758): 117-121.
- DALE, H.M. 1974. The biology of Canadian weeds. 5. *Daucus carota*. *Can. J. Plant Sci.* 54: 673-685.

DALLIMORE, W., & A.B. JACKSON. 1948. *Handbook of Coniferae*. 3rd. ed. (reprinted with corrections, 1961). Edw. Arnold Publ., London. 686 pp.

DALLWITZ, M.J., T.A. PAINE, & E.J. ZURCHER. 1993+. *User's guide to DELTA: a general system for processing taxonomic descriptions*. 4th ed. URL: <http://biodiversity.uno.edu/delta/>

DALLWITZ, M.J., T.A. PAINE, & E.J. ZURCHER. 1995+. *User's guide to Intkey: a program for interactive identification and information retrieval*. 1st edition. URL: <http://biodiversity.uno.edu/delta/>

DALLWITZ, M.J., T.A. PAINE, & E.J. ZURCHER. 1998. Interactive keys. In: *Information technology, plant pathology and biodiversity*, pp. 201–212. (Eds. P. Bridge, P. Jeffries, D.R. Morse, & P.R. Scott.) CAB International: Wallingford.

DAMMAN, A.W.H. 1963. *A reconnaissance survey of the ecological conditions in the forests of the Roddickton area, Newfoundland*. Unpublished report. Project NF-20, Mimeo 63-N-1. Forest Research Branch, Can. Dept. Forestry, St. John's, NL. 103 pp.

DAMMAN, A.W.H. 1964. *Some forest types of central Newfoundland and their relation to environmental factors*. Forest Research Branch Contribution, No. 596. Forest Science Monograph No. 8. Can. Dept. Forestry, St. John's, NL. 62 pp.

DAMMAN, A.W.H. 1965. The distribution patterns of northern and southern elements in the flora of Newfoundland. *Rhodora* 67(772): 363-392.

DAMMAN, A.W.H. 1967. *The Forest Vegetation of Western Newfoundland and Site Degradation Associated with Vegetation Change*. Ph.D. Thesis, Univ. Michigan. 318 pp.

DAMMAN, A.W.H. 1970. Major characteristics of the ecoregions of Newfoundland. Unpublished manuscript prepared for the Newfoundland Wildlife Division, St. John's, NL, 16 pp. + maps.

DAMMAN, A.W.H. 1971. Effect of vegetation changes on the fertility of a Newfoundland forest site. *Ecological Monographs* 41: 253-270.

DAMMAN, A.W.H. 1976. Plant distribution in Newfoundland especially in relation to summer temperatures measured with the sucrose inversion method. *Can. J. Bot.* 54: 1561-1585.

DAMMAN, A.W.H. 1979. The role of vegetation analysis in land classification. *Forestry Chron.* 55(5): 175-182.

DAMMAN, A.W.H. 1983. An ecological subdivision of the Island of Newfoundland. pp. 163-206, In: G.R. SOUTH, ed., *Biogeography and Ecology of the Island of Newfoundland*. Junk Publishers, The Hague.

- DAMPC, A., & M. LUCZKIEWICZ. 2015. Labrador tea – the aromatic beverage and spice: a review of origin, processing, and safety. *J. Sci. Food & Agricult.* 95(8): 1577-1583.
- DARBYSHIRE, S.J. 1993. Re-alignment of *Festuca* subgenus *Schedonorus* with the genus *Lolium* (Poaceae). *Novon* 3: 239-243.
- DARBYSHIRE, S.J., & J. CAYOUILLE. 1989. The biology of Canadian weeds. 92. *Danthonia spicata* (L.) Beauv. in Roem. & Schult. *Can. J. Plant Sci.* 69: 1217-1233.
- DARBYSHIRE, S.J., & J. CAYOUILLE. 1995. Identification of the species in the *Panicum capillare* complex (Poaceae) from eastern Canada and adjacent New York State. *Can. J. Bot.* 73: 333-348.
- DARBYSHIRE, S.J., J. CAYOUILLE, & S.I. WARWICK. 1992. The intergeneric hybrid origin of *Poa labradorica* (Poaceae). *Pl. Syst. Evol.* 181:57-76.
- DARBYSHIRE, S.J., & I.J. GREEN. 1991. *Holcus mollis* (Poaceae) in Newfoundland, Canada. *Rhodora* 93(874): 187-188.
- DARBYSHIRE, S.J., R. HOEG, & J. HAVERKORT. 1999. The biology of Canadian weeds. 111. *Anthriscus sylvestris* (L.) Hoffm. *Can. J. Plant Sci.* 79: 671-682.
- DARBYSHIRE, S.J., & S.I. WARWICK. 1992. Phylogeny of North American *Festuca* (Poaceae) and related genera using chloroplast DNA restriction site variation. *Can. J. Bot.* 70: 2415-2429.
- DAVIDSON, C.G., & L.M. LENZ. 1989. Experimental taxonomy of *Potentilla fruticosa*. *Can. J. Bot.* 67: 3520-3528.
- DAVIS, R.W. 1986. The pollination biology of *Cypripedium acaule* (Orchidaceae). *Rhodora* 88(856): 445-450.
- DAVIS, J.E. 1995. A phylogenetic structure for the monocotyledons, as inferred from chloroplast DNA restriction site variation, and a comparison of measures of clade support. *Syst. Bot.* 20: 503-527.
- DAY, R.T. 1991. Water weed, *Phragmites australis*, new to the flora of Newfoundland and Labrador. *The Osprey* 22(4):149.
- DAY, R.T. 1993. *Phippsia algida* - an arctic grass new to the island of Newfoundland. *Osprey* 24(1):59.
- DAY, R.T. 1995. *Atlas of Labrador Plants, Vol. 1. (Abies-Chamaedaphne)*. Ubiquitous Publishing. Canada.
- DAY, R.T. 1997. The Isobel Watts Labrador Plant Collection. *The Osprey* 28: 30-32.

DAY, R.T. 1998. *Atlas of Labrador Plants, Vol. 2. (Che-Z)*. Ubiquitous Publishing. Canada.

DEICHMANN, K.H. 1990. Black ash, one of Newfoundland's rarest trees. Canadian Forest Service, Newfoundland and Labrador Region. *Woody Points Newsletter*: 42: 4-5.

DELABARRE, E.B. 1902. Report of the Brown-Harvard expedition to Nachvak, Labrador, in the year 1900. *Bull. Geogr. Soc. Phila.* 3: 65-212.

DEPT. OF ENVIRONMENT & CONSERVATION. 2015. *West Brook Ecological Reserve*. Govt. of Newfoundland and Labrador, Corner Brook, NL. 12 pp. URL: http://www.env.gov.nl.ca/env/parks/wer/r_wbre/

DES MARAIS, D.L., A.R. SMITH, D.M. BRITTON, & K.M. PRYER. 2003. Phylogenetic relationships and evolution of extant horsetails, *Equisetum*, based on chloroplast DNA sequence data (*rbcL* and *trnL-F*). *Int. J. Plant Sci.* 164: 737-751.

DESCHÊNES, J.-M. 1970. The history of genus *Acer*, a review. *Naturaliste can.* 97. 51-59.

DESROCHERS, A.M. 1987. *A biosystematic study of the Carduus nutans L. complex in Canada*. M.Sc. Thesis. McGill Univ., Montréal, QC.

DESROCHERS, A.M., J.F. BAIN., & S.I. WARWICK. 1988a. The biology of Canadian weeds. 89. *Carduus nutans* L. and *Carduus acanthoides* L. *Can. J. Plant Sci.* 68: 1053-1068.

DESROCHERS, A.M., J.F. BAIN., & S.I. WARWICK. 1988b. A biosystematic study of the *Carduus nutans* complex in Canada. *Can. J. Bot.* 66: 1621-1631.

DEVOS, N., O. RASPÉ, A.-L. JACQUEMART, & D. TYTECA. 2006. On the monophyly of *Dactylorhiza* Necker ex Nevski (Orchidaceae): is *Coelogossum viride* (L.) Hartman a *Dactylorhiza*? *Bot. J. Linnean Soc.* 152: 261-269.

DIETRICH, W., W.L. WAGNER, & P.H. RAVEN. 1997. Systematics of *Oenothera* section *Oenothera* subsection *Oenothera* (Onagraceae). *Syst. Bot. Monogr.* 50.

DILLENBERGER, M., & J.W. KADEREIT. 2014. Maximum polyphyly: Multiple origins and delimitation with plesiomorphic characters require a new circumscription of *Minuartia* (Caryophyllaceae). *Taxon* 63(1): 64-88.

DJAN-CHÉKAR, N., L. BROUILLET, C. HANEL, S. HAY, & J.E. MAUNDER. 2004. Vascular plants of the Island of Newfoundland, Canada: Recent additions and rediscoveries. *Rhodora* 106(926): 167-177.

DONOGHUE, M. 1980. Flowering times in *Viburnum*. *Arnoldia* 40(1): 2-22.

DONOGHUE, M.J., R.G. OLMSTEAD, J.F. SMITH, & J.D. PALMER. 1992. Phylogenetic relationships of Dipsacales based on *rbcL* sequences. *Ann. Missouri Bot. Garden.* 79: 333-345.

- DORE, W.G., & J. MCNEILL. 1980. *Grasses of Ontario*. Agri. Can. Monogr. 26., Ottawa. 566 pp.
- DORKEN, M.E., & B.C. HUSBAND. 1999. Self-sterility in the understory herb *Clintonia borealis* (Liliaceae). *Int. J. Plant Sci.* 180(3): 577-584.
- DORN, R.D. 1975. A systematic study of *Salix* section *Cordatae* in North America. *Can. J. Bot.* 53: 1491-1522.
- DORR, L.J. 1995. *Pyroloideae*. pp. 28–53. In: J.L. LUTEYN, ed., *Ericaceae—Part II: The superior-ovaryed genera (Monotropeoideae, Pyroloideae, Rhododendroideae, Vaccinioideae p.p.)*. Fl. Neotrop. Monogr. 66. New York Bot. Gard., Bronx.
- DOUGLAS, S. 1983. Floral color patterns and pollinator attraction in a bog habitat. *Can. J. Bot.* 61: 3494-3501.
- DOUGLAS, B.J., A.G. THOMAS, J.M. MORRISON, & M.G. MAN. 1985. The biology of Canadian weeds. 70. *Setaria viridis* (L.) Beauv. *Can. J. Plant Sci.* 65: 669-690.
- DOWNIE, S.R. 1988. Morphological, cytological, and flavanoid variability of the *Arnica angustifolia* aggregate (Asteraceae). *Can. J. Bot.* 66: 24-39.
- DOWNIE, S.R., & K.E. DENFORD. 1986. The taxonomy of *Arnica frigida* and *A. louiseana* (Asteraceae). *Can. J. Bot.* 64: 1355-1372.
- DOWNIE, S.R., & J. MCNEILL. 1990. A note on the taxonomic status of *Euphrasia randii*. *Can. J. Bot.* 68: 1531-1535.
- DOWNIE, S.R., A. QUINTIN, & J. MCNEILL. 1988. Le statut des *Euphrasia borealis*, *E. nemorosa*, et *E. stricta* dans l'est de l'Amérique du Nord: une analyse numérique. *Can. J. Bot.* 66: 2208-2216.
- DOYON, D. 1965. Les pâturages semi-naturels à *Festuca rubra* sur certains sols dérivés de matériaux calcaires. *Naturaliste can.* 92: 109-120.
- DRAGON, J.A., & D.S. BARRINGTON. 2009. The systematics of the *Carex aquatilis* and *Carex lenticularis* lineages: geographically and ecologically divergent sister clades of *Carex* section *Phacocystis* (Cyperaceae). *Amer. J. Bot.* 96: 1896-1906.
- DREW, W.B. 1936. Contributions from the Gray Herbarium of Harvard University—No. CX. The North American representatives of *Ranunculus*, § *Batrachium*. *Rhodora* 38(445): 1–47.
- DUBÉ, M. 1983. Addition de *Festuca gigantea* (L.) Vill. à la flore du Canada. *Naturaliste can.* 110: 213-215.
- DUBÉ, M. 1986. La répartition de *Festuca pratensis* Hudson et de *F. arundinacea* Schreber (Poaceae) dans l'est du Canada. *Naturaliste can.* 113: 325-330.

- DUBÉ, M., & P. MORISSET. 1987. Morphological and leaf anatomical variation of *Festuca rubra* sensu lato (Poaceae) in Eastern Québec. *Can. J. Bot.* 65: 1065-1077.
- DUBÉ, M., & P. MORISSET. 1995. Nouvelles observations cytologiques chez *Festuca rubra* sensu lato (Poaceae) dans l'Est du Canada. *Can. J. Bot.* 73: 1289-1294.
- DUCHARTRE, P.E.S. 1857. Manuel général des plantes arbres et arbustes. vol. 4 (avec le collaboration de MM. Carrière et Naudin). [*Man. Gén. Pl.*]. Paris. 1030 pp.
- DUMAIS, D. & M. PRÉVOST. 2007. Management for red spruce conservation in Québec: The importance of some physiological and ecological characteristics – A review. *For. Chron.* 83: 379-392.
- DUNCAN, T. 1981. A taxonomic study of the *Ranunculus hispidus* Michaux complex in the Western Hemisphere. *Univ. Calif. Publ. Bot.* 77: 1-125.
- DUVALL, M.R., M.T. CLEGG, M.W. CHASE, W.D. CLARK, W.J. KRESS, H.G. HILLS, L.E. EGUIARTE, J.F. SMITH, B.S. GAUT, E.A. ZIMMER, & G.H. LEARN, JR. 1993. Phylogenetic hypotheses for the monocotyledons constructed from *rbcL* data. *Ann. Missouri Bot. Garden.* 80:607-619.
- EAMES, E.H. 1909. Notes upon the flora of Newfoundland. *Rhodora* 11(125): 85-99.
- EARLE, C.J. (ed.). 2011. *The Gymnosperm Database*. (accessed periodically).
URL: <http://www.conifers.org/index.php>
- EARLE, C. 2015. *Abies balsamea* (L.) Mill., in: *The Gymnosperm Database*. [online]
URL: http://www.conifers.org/pi/Abies_balsamea.php
- EBINGER, J.E. 1962. The varieties of *Luzula acuminata*. *Rhodora* 64(757): 74-83.
- EBINGER, J.E. 1964. Taxonomy of the subgenus *Pterodes*, genus *Luzula*. *Mem. New York Bot. Garden.* 10(5): 279-304.
- EBINGER, J.E. 1974. A systematic study of the genus *Kalmia* (Ericaceae). *Rhodora* 76(807): 315-398.
- EBINGER, J.E. & D.L. BERGMAN. 1987. Cyanogenesis in woody ornamentals. *Proc. Indiana Acad. Sci.* 97: 109-113.
- ECKENWALDER, J.E. 2009. *Conifers of the World*. Timber Press, Portland, OR. 720 pp.
- EDENS-MEIER, R., N. VANCE, Y-B. LUO, P. LI, E. WESTHUS, & P. BERNHARDT. 2010. Pollen-pistil interactions in North American and Chinese *Cypripedium* L. (Orchidaceae). *Int. J. Plant Sci.* 171(4): 370-381.

EDWARDS, J. 1985. Effects of herbivory by moose on flower and fruit production of *Aralia nudicaulis*. *J. Ecology*. 73: 861-868.

ELVEN, R., & D.F. MURRAY. 2008a. New combinations in the Panarctic vascular plant flora. – *J. Bot. Res. Inst. Texas* 2: 433–446.

ELVEN, R., & D.F. MURRAY. 2008b. The *Potentilla nivea* group in northwestern North America. *BEN-Botanical Electronic News* 389.

ELVEN, R., D.F. MURRAY, V.Y. RAZZHIVIN, & B.A. YURTSEV, eds. 2011. *Annotated checklist of the Panarctic Flora (PAF) - Vascular Plants*, version 1.0. [accessed continuously] URL: <http://nhm2.uio.no/paf/>

ERDMANN, G.G. 1990. *Betula alleghaniensis* Britton. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/betula/alleghaniensis.htm

ERIKSEN, B., & H.M. TÖPEL. 2006. Molecular phylogeography and hybridization in members of the circumpolar *Potentilla* sect. *Niveae* (Rosaceae). *Amer. J. Bot.* 93: 460-469.

ERIKSSON, T., M.J. DONOGHUE, & M.S. HIBBS. 1998. Phylogenetic analysis of *Potentilla* using DNA sequences of nuclear ribosomal internal transcribed spacers (ITS) and implications for the classification of Rosoideae (Rosaceae). *Pl. Syst. Evol.* 211: 155-179.

ERIKSSON, T., N.L. PERSSON, & J.E.E. SMEDMARK. 2022. What is *Potentilla*? A phylogeny-based taxonomy for Potentillinae (Rosaceae). *Taxon* 71(3): 493-505.

ERTTER, B. 2013. Nomenclatural notes in North American *Potentilla* (Rosaceae). *J. Bot. Res. Inst. Texas* 2(1): 201-205.

ERTTER, B., R. ELVEN, & D.F. MURRAY. 2013. Changes to *Potentilla rubricaulis* s.l., *P. hookeriana* (Rosaceae), and erstwhile synonyms in Flora of North America North of Mexico. *J. Bot. Res. Inst. Texas* 7(2): 703-711.

ESSER, L.L. 1995. *Heracleum maximum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer).
URL: <https://www.fs.fed.us/database/feis/plants/forb/hermax/all.html> [2020, January 25].

ETTINGSHAUSEN, C. VON, & A. POKORNY. 1856. *Der Naturselbstdruck. Der Nervation in den Flâchenorganen der Pflanzen*. Wien.

FAN, C.-Z., & Q.-Y. XIANG. 2001. Phylogenetic relationships within *Cornus* (Cornaceae) based on 26S rDNA sequences. *Amer. J. Bot.* 88: 1131-1138.

- FARMER, S.B., & E.E. SCHILLING. 2002. Phylogenetic analyses of Trilliaceae based on morphological and molecular data. *Systematic Botany* 27(4): 674-692.
- FARRAR, D.R. 2009. Determination of the Taxonomic Relationship between *Botrychium lineare* and *Botrychium campestre*. A study conducted under Order No. 10181-5-M847 of the United States Fish and Wildlife Service.
- FARRAR, D.R. 2011. *Moonwort Systematics*. Ada Hayden Herbarium, Iowa State Univ. Ames, Iowa. URL: <http://www.public.iastate.edu/~herbarium/botrychium.html>
- FARRAR, D.R., & S. POPOVICH. 2012. Ophioglossaceae. In: WEBER, W.A., & R.C. WITTMANN, (eds.). *Colorado Flora: Eastern Slope*. University Press of Colorado, Boulder, CO.
- FARRAR, D.R., & J. WENDEL. 1997. Ottawa National Forest *Botrychium matricariifolium* study. Final Report to the Ottawa National Forest, Ironwood, Michigan.
- FARRAR, J.L. 1995. *Trees in Canada*. Fitzhenry & Whiteside, Ltd., Markham, ON, and the Canadian Forest Service, Natural Resources Canada, Ottawa. ON. 502 pp.
- FAWCETT, S.E., & A.R. SMITH. 2021. *A generic classification of the Thelypteridaceae*. BRIT Press, Fort Worth Botanical Garden, Fort Worth, TX. 102 pp.
- FAY, M.F., M.W. CHASE, N. RØNSTED, D.S. DEWEY, Y. PILLON, J.C. PIRES, G. PETERSEN, O. SEBERG, & H.I. DAVIS. 2006. Phylogenetics of Liliales: summarized evidence from combined analyses of five plastid and one mitochondrial loci. *Aliso* 22: 559-565.
- FEHRER, J., B. GEMEINHOLZER, J. CHRTEK, JR., & S. BRÄUTIGAM. 2007. Incongruent plastid and nuclear DNA phylogenies reveal ancient intergeneric hybridization in *Pilosella* hawkweeds (*Hieracium*, Cichorieae, Asteraceae). *Molec. Phylogen. Evol.* 42: 347-361.
- FERNALD, M.L. 1899. Two plants of the crowfood family. *Rhodora* 1(3): 48-52, plate 3.
- FERNALD, M.L. 1904. The green alders of New England. *Rhodora* 6(67): 162-163
- FERNALD, M.L. 1905. The North American species of *Eriophorum*. *Rhodora* 7(77): 81-92; 7(79): 129-136.
- FERNALD, M.L. 1907. *Salicornia europaea* and its representative in eastern North America. *Rhodora* 9(106): 204-207.
- FERNALD, M.L. 1908. Notes on some plants of northeastern America. *Rhodora* 10(111): 46-55, 10(113): 84-95.
- FERNALD, M.L. 1911a. The varieties of *Ribes hirtellum*. *Rhodora* 13(148): 73-76.

FERNALD, M.L. 1911b. The northern variety of *Gaylussacia dumosa*. *Rhodora* 13(150): 95-99.

FERNALD, M.L. 1911c. A boreal variety of *Fragaria virginiana*. *Rhodora* 13(150): 106.

FERNALD, M.L. 1911d. A botanical expedition to Newfoundland and southern Labrador. Part I. A Journal of the expedition. *Rhodora* 13(151): 109-135, pl. 86-87.

FERNALD, M.L. 1911e. A botanical expedition to Newfoundland and southern Labrador. Part II. The geographic origin of the flora of Newfoundland. *Rhodora* 13(151): 135-162.

FERNALD, M.L. 1914a. The alpine bearberries and the generic status of *Arctous*. *Rhodora* 16(182): 21-33.

FERNALD, M.L. 1914b. The North American representatives of *Arenaria ciliata*. *Rhodora* 16(182): 43-44.

FERNALD, M.L. 1914c. Three lupins naturalized in eastern Canada and Newfoundland. *Rhodora* 16(185): 92-94.

FERNALD, M.L. 1914d. The narrow-leaved variety of *Salix pyrifolia*. *Rhodora* 16(186): 116.

FERNALD, M.L. 1914e. Two Newfoundland *Antennarias*. *Rhodora* 16(191): 196-197.

FERNALD, M.L. 1915a. *Botrychium angustisegmentum* (Pease and Moore) *n. comb.* *Rhodora* 17(196): 87-88.

FERNALD, M.L. 1915b. A new *Carex* from Newfoundland. *Rhodora* 17(200): 158-159.

FERNALD, M.L. 1916. Some allies of *Antennaria alpina* from Newfoundland and the Labrador Peninsula. *Rhodora* 18(215): 236-238.

FERNALD, M.L. 1918a. The geographic affinities of the vascular floras of New England, the Maritime Provinces and Newfoundland. *Am. J. Bot.* 5: 219-236.

FERNALD, M.L. 1918b. The contrast in the floras of eastern and western Newfoundland. *Am. J. Bot.* 5: 237-247.

FERNALD, M.L. 1920a. Some variations of *Cardamine pratensis* in America. *Rhodora* 22(253): 11-14.

FERNALD, M.L. 1920b. The American *Ammophila*. *Rhodora* 22(256): 70-71.

FERNALD, M.L. 1922. Notes on the flora of western Nova Scotia. *Rhodora* 24(285): 165-180.

- FERNALD, M.L. 1923. The native tansy of Newfoundland. *Rhodora* 25(289): 13-16.
- FERNALD, M.L. 1924a. The dwarf *Antennarias* of northeastern America. *Rhodora* 26(305): 95-102, pl. 142.
- FERNALD, M.L. 1924b. The eastern American representatives of *Arnica alpina*. *Rhodora* 26(305): 103-107, pl. 143.
- FERNALD, M.L. 1924c. Some *Senecios* of eastern Quebec and Newfoundland. *Rhodora* 26(306): 113-122.
- FERNALD, M.L. 1924d. *Juncus triglumis* and its American representative. *Rhodora* 26(311): 201-203.
- FERNALD, M.L. 1925a. The American representatives of *Lonicera caerulea*. *Rhodora* 27(313): 1-11.
- FERNALD, M.L. 1925b. Another *Arnica* from Newfoundland. *Rhodora* 27(317): 90-92.
- FERNALD, M.L. 1925d. The Arctic variety of *Alopecurus aequalis*. *Rhodora* 27(323): 196-199.
- FERNALD, M.L. 1925d. The identity of *Eriophorum callitrix*. *Rhodora* 27(324): 203-210.
- FERNALD, M.L. 1925e. Persistence of plants in unglaciated areas of boreal America. *Mem. Am. Acad. Arts Sci.* 15:237-342.
- FERNALD, M.L. 1926a. *Carex livida* and *C. grayana*. *Rhodora* 28(325): 5-8.
- FERNALD., M.L. 1926b. The ragged orchis of Newfoundland. *Rhodora* 28(326): 21-22.
- FERNALD, M.L. 1926c. Two summers of botanizing in Newfoundland. Part I. Journal of the summer of 1924. *Rhodora* 28(328): 49-63, 28(329): 74-87.
- FERNALD, M.L. 1926d. Two summers of botanizing in Newfoundland. Part II. Journal of the summer of 1925. *Rhodora* 28(330): 89-111, 28(331): 115-128, plates 153-155.
- FERNALD, M.L. 1926e. Two summers of botanizing in Newfoundland. Part III. Noteworthy vascular plants collected in Newfoundland, 1924-1925. *Rhodora* 28(332): 145-155; 28(333): 161-178; 28(334): 181-204; 28(335): 210-225, 28(336): 234-241.
- FERNALD, M.L. 1927a. *Muhlenbergia uniflora*. *Rhodora* 29(337): 10-14.
- FERNALD, M.L. 1927b. Three new plants from the lower St. Lawrence. *Rhodora* 29(344): 141-144.

FERNALD, M.L. 1928a. 1. *Geocaulon*, a new genus of the Santalaceae. Contributions from the Gray Herbarium of Harvard Univ., No. LXXIX. *Rhodora* 30(350): 21-24.

FERNALD, M.L. 1928b. V. Eastern American occurrence of *Athyrium alpestre*. Contributions from the Gray Herbarium of Harvard Univ., No. LXXIX. *Rhodora* 30(351): 44-49, pl. 161-168.

FERNALD, M.L. 1928c. VI. *Primula* § *Farinosae* in America. Contributions from the Gray Herbarium of Harvard Univ., No. LXXIX. *Rhodora* 30(351): 59-77, 30(353): 85-104.

FERNALD, M.L. 1928d. *Rorippa islandica* and *R. hispida*. *Rhodora* 30(355): 131-133.

FERNALD, M.L. 1928e. 1. The genus *Oxytropis* in northeastern America. Contributions from the Gray Herbarium of Harvard Univ., No. LXXXII. *Rhodora* 30(356): 137-155, pl. 171-175.

FERNALD, M.L. 1929a. II. A study of *Thelypteris palustris*. *Rhodora* 31(363): 27-36.

FERNALD, M.L. 1929b. Four grasses of eastern America. *Rhodora* 31(363): 44-49.

FERNALD, M.L. 1929c. V. A note on *Poa labradorica*. Contributions from the Gray Herbarium of Harvard Univ., No. LXXXIII. *Rhodora* 31(364): 78.

FERNALD, M.L. 1929d. *Coptis trifolia* and its eastern American representative. *Rhodora* 31(367): 136-142.

FERNALD, M.L. 1930. Unglaciated western Newfoundland. *Harvard Alumni Bull.* 1930: 1-6.

FERNALD, M.L. 1932-34. The linear-leaved North American species of *Potamogeton*, Section *Axillaries*. *Mem. Am. Acad. Arts Sci.* 17: 1-183.

FERNALD., M.L. 1933. Recent discoveries in the Newfoundland flora. *Rhodora* 35(409): 1-16, 35(410): 47-63, 35(411): 80-107, 35(412): 120-140, 35(413): 161-185, 35(414): 203-223, 35(415): 230-247, 35(416): 265-283, 35(417): 298-315, 35(418): 327-346, 35(419): 364-386, 35(420): 395-403.

FERNALD, M.L. 1935. Critical plants of the Upper Great Lakes region of Ontario and Michigan. Contributions from the Gray Herbarium of Harvard University, No. CVIII. Part I. The Pre-Wisconsin flora of the Upper Great Lakes Region. *Rhodora* 37(438): 197-222; 37(439): 238-262, 37(440): 272-301, 37(441): 324-341, pl. 352-380.

FERNALD, M.L. 1940. Some spermatophytes of eastern North America. *Rhodora* 42(499): 239-276, 42(500): 281-302.

FERNALD, M.L. 1944. The identities of *Epilobium linear*, *E. densum*, and *E. ciliatum*. *Rhodora* 46(550): 377-386.

FERNALD, M.L. 1945a. Some North American Corylaceae (Betulaceae). I. Notes on *Betula* in eastern North America; and plate 970. Contributions from the Gray Herbarium of Harvard University, No. CLIX. *Rhodora* 47(562): 303-329, pl. 963-975.

FERNALD, M.L. 1945b. Some North American Corylaceae (Betulaceae). II. Eastern North American representatives of *Alnus incana* in eastern North America. Contributions from the Gray Herbarium of Harvard University, No. CLIX. *Rhodora* 47(563): 333-361, pl. 976-989.

FERNALD, M.L. 1947. *Salicornia europaea* L. var. *simplex*. *Rhodora* 49(577): 23.

FERNALD, M.L. 1947. Minor transfers in *Pyrus*. *Rhodora* 49(585): 229-233.

FERNALD, M.L. 1950a. A small fascicle of novelties. 1. A study of *Habenaria orbiculata*. *Rhodora* 52(616): 61-65, pl. 1157-1158.

FERNALD, M.L. 1950b. The North American varieties of *Milium effusum*. *Rhodora* 52(621): 218-222.

FERNALD, M.L. 1950c. *Gray's Manual of Botany* (8th edition, 1970 printing). D. Van Nostrand Co., NY. 1632 pp.

FERNALD, M.L. 1970. *Gray's Manual of Botany*. 8th (Centennial) edition, corrected printing. D. Van Nostrand Co., New York. 1632 pp.

FERNALD, M.L., & A.E. BRACKETT. 1929. IV. The representatives of *Eleocharis palustris* in North America. Contributions from the Gray Herbarium of Harvard Univ., No. LXXXIII. *Rhodora* 31(364): 58-77, pl. 181-184.

FERNALD, M.L., & B. LONG. 1914. The American variations of *Potentilla palustris*. *Rhodora* 16(181): 5-11, pl. 106.

FERNALD, M.L., J. ROUSSEAU, M. RAYMOND, P. SENAY, & P. JOVET. 1950. *Betula michauxii*, a brief symposium. *Rhodora* 52(614): 25-33.

FERNALD, M.L., & J.D. SORNBORGER. 1899. Some recent additions to the Labrador flora. *Ottawa Nat.* 13: 89-107.

FERNALD, M.L., & H. ST. JOHN. 1915. Some anomalous species and varieties of *Bidens* in eastern North America. *Rhodora* 17(193): 20-25.

FERNALD, M.L., & C.A. WEATHERBY. 1916. The genus *Puccinellia* in eastern North America. *Rhodora* 18(205): 1-23.

FERNALD, M.L., & K.M. WIEGAND. 1911a. Some boreal species and varieties of *Antennaria* and *Anaphalis*. *Rhodora* 13(146): 23-27.

FERNALD, M.L., & K.M. WIEGAND. 1911b. A boreal variety of *Fragaria virginiana*. *Rhodora* 13(150): 106.

FERNALD, M.L. & K.M. WIEGAND. 1911c. *Cornus canadensis*, var. *intermedia* in eastern America. *Rhodora* 13(150): 107-108.

FERNALD, M.L., & K.M. WIEGAND. 1913. Two new carices from Newfoundland. *Rhodora* 15(175): 133-134.

FERNALD, M.L., & K.M. WIEGAND. 1913. The genus *Empetrum* in North America. *Rhodora* 15(180): 211-217.

FERNALD, M.L., & K.M. WIEGAND. 1914. The genus *Ruppia* in eastern North America. *Rhodora* 16(186): 119-127.

FERNALD, M.L., & K.M. WIEGAND. 1915. The genus *Euphrasia* in North America. Contributions from the Gray Herbarium of Harvard University. New Series, No. XLIV. *Rhodora* 17(202): 181-201.

FETCH, T., B. MCCALLUM, J. MENZIES, K. RASHID, & A. TENUTA. 2011. Rust diseases in Canada. *Prairie Soils and Crop Journal* 4: 86-96.

FIOR, S., P.O. KARIS, G. CASAZZA, L. MINUTO, & F. SALA. 2006. Molecular phylogeny of the Caryophyllaceae (Caryophyllales) inferred from chloroplast matK and nuclear rDNA ITS sequences. *Am. J. Bot.* 93(3): 399-411.

FJELLHEIM, S., O.A. ROGNLI, K. FOSNES, & C. BROCHMANN. 2006. Phylogeographic history of the widespread meadow fescue (*Festuca pratensis*) inferred from chloroplast DNA sequences. *J. Biogeogr.* 33: 1470-1478.

FLANAGAN, L.B., & J.F. BAIN. 1988. The Biological Flora of Canada 8, *Aralia nudicaulis* L., Wild Sarsaparilla. *Can. Field-Nat.* 102: 45-59.

FLANAGAN, L.B., & W. MOSER. 1985. Flowering phenology, floral display and reproductive success in dioecious *Aralia nudicaulis* L. (Araliaceae). *Oecologia* 68: 23-28.

FLEURBEC (GROUPE). 1978. *Plantes sauvages des villes et des champs, vol 1: Guide d'identification Fleurbec*. Saint-Augustin, Qué.

FLEURBEC (GROUPE). 1981. *Plantes sauvages comestibles: Guide d'identification Fleurbec*. Saint-Augustin, Qué.

FLEURBEC (GROUPE). 1983. *Plantes sauvages des villes et des champs, vol 2: Guide d'identification Fleurbec*. Saint-Augustin, Qué.

FLEURBEC (GROUPE). 1985. *Plantes sauvages du bord de la mer: Guide d'identification Fleurbec*. Saint-Augustin, Qué.

FLEURBEC (GROUPE). 1987. *Plantes sauvages des lacs, rivières et tourbières: Guide d'identification Fleurbec*. Saint-Augustin, Qué.

FLEURBEC (GROUPE). 1993. *Fougères, prêles et lycopodes: Guide d'identification Fleurbec*. Saint-Henri-de-Levis, Quebec.

FLORA NORTH AMERICA EDITORIAL COMMITTEE (eds.). 1993a. *Flora of North America. Vol. 1: Introduction*. Oxford Univ. Press, N.Y. 400 pp.

FLORA NORTH AMERICA EDITORIAL COMMITTEE (eds.). 1993b. *Flora of North America. Vol. 2: Pteridophytes and Gymnosperms*. Oxford Univ. Press, N.Y. 496 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 1997. *Flora of North America, Vol. 3: Magnoliophyta: Magnoliidae and Hamamelidae*. Oxford Univ. Press, NY. 590 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 1999+. *Flora of North America* (Online version, accessed continuously). Missouri Botanical Garden, St. Louis, MO.

URL: http://www.efloras.org/flora_page.aspx?flora_id=1

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2000. *Flora of North America north of Mexico. Vol. 22. Magnoliophyta: Alismatidae, Arecidae, Commelinidae (in part), and Zingiberidae*. Oxford Univ. Press, NY. 384 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2002. *Flora of North America north of Mexico. Vol. 26. Magnoliophyta: Liliidae: Liliales and Orchidales*. Oxford Univ. Press, NY. 752 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2003a. *Flora of North America north of Mexico. Vol. 23. Magnoliophyta: Commelinidae (in part): Cyperaceae*. Oxford Univ. Press, NY. 640 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2003b. *Flora of North America north of Mexico. Vol. 24. Magnoliophyta: Commelinidae (in part): Poaceae, part 1*. Oxford Univ. Press, NY. 911 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2003c. *Flora of North America north of Mexico. Vol. 25. Magnoliophyta: Commelinidae (in part): Poaceae, part 2*. Oxford Univ. Press, NY. 814 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2004. *Flora of North America north of Mexico. Vol. 4. Magnoliophyta: Caryophyllidae, part 1*. Oxford Univ. Press, NY. 584 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2005. *Flora of North America north of Mexico. Vol. 5. Magnoliophyta: Caryophyllidae, part 2*. Oxford Univ. Press, NY. 690 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2006a. *Flora of North America north of Mexico. Vol. 19. Magnoliophyta: Asteridae (in part): Asteraceae, part 1.* Oxford Univ. Press, NY. 610 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2006b. *Flora of North America north of Mexico. Vol. 20. Magnoliophyta: Asteridae (in part): Asteraceae, part 2.* Oxford Univ. Press, NY. 666 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2006c. *Flora of North America north of Mexico. Vol. 21. Magnoliophyta: Asteridae (in part): Asteraceae, part 3.* Oxford Univ. Press, NY. 616 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2009. *Flora of North America north of Mexico. Vol. 8. Magnoliophyta: Paeoniaceae to Ericaceae.* Oxford Univ. Press, NY. 624 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2010. *Flora of North America north of Mexico. Vol. 7. Magnoliophyta: Salicaceae to Brassicaceae.* Oxford Univ. Press, NY. 500 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2014. *Flora of North America north of Mexico. Vol. 9. Magnoliophyta: Picramniaceae to Rosaceae.* Oxford Univ. Press., N.Y. 752 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2015. *Flora of North America north of Mexico. Vol. 6. Magnoliophyta: Cucurbitaceae to Droseraceae.* Oxford Univ. Press., N.Y. 600 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2016. *Flora of North America north of Mexico. Vol. 12. Magnoliophyta: Vitaceae to Garryaceae.* Oxford Univ. Press., N.Y. 603 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2019. *Flora of North America north of Mexico. Vol. 17: Magnoliophyta: Tetrachondraceae to Orobanchaceae.* Oxford Univ. Press., N.Y. 737 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2021. *Flora of North America north of Mexico. Vol. 10: Magnoliophyta: Proteaceae to Elaeagnaceae.* Oxford Univ. Press., N.Y. 456 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2023. *Flora of North America north of Mexico. Vol. 11, part 1 and part 2: Magnoliophyta: Fabaceae.* Oxford Univ. Press., N.Y. 1102 pp.

FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2023. *Flora of North America north of Mexico. Vol. 14: Magnoliophyta: Gentianaceae to Hydroleaceae.* Oxford Univ. Press., N.Y. 505 pp.

FORD, B. 1996. *Coptis*. Pp. 242-245, in: Flora of North America Editorial Committee (eds.). *Flora of North America*, Volume 3. Oxford University Press. New York.

FORD, B.A., & P.W. BALL. 1988. A re-evaluation of the *Triglochin maritimum* complex (Juncaginaceae) in eastern and central North America and Europe. *Rhodora* 90(863): 313-337.

- FORD, B.A., & P.W. BALL. 1992. The taxonomy of the circumpolar short-beaked taxa of *Carex* sect. *Vesicariae* (Cyperaceae). *Syst. Bot.* 17: 620-639.
- FORD, B.A., P.W. BALL, & K. RITLAND. 1993. Genetic and macromorphologic evidence bearing on the evolution of members of *Carex* section *Vesicariae* (Cyperaceae) and their natural hybrids. *Can. J. Bot.* 71: 486-500.
- FOSTER, D.R. 1983. The history and pattern of fire in the boreal forest of southeastern Labrador. *Can. J. Bot.* 61(9): 2459-2471.
- FOSTER, D.R. 1984. Phytosociological description of the forest vegetation of southeastern Labrador. *Can. J. Bot.* 62: 899-906.
- FOSTER, D.R. 1985. Vegetation development following fire in *Picea mariana* (black spruce) - *Pleurozium* forests of south-eastern Labrador, Canada. *J. Ecology.* 73: 517-534.
- FOSTER, D.R., & P.H. GLASER. 1986. The raised bogs of southeastern Labrador, Canada: Classification, distribution, vegetation and recent dynamics. *J. Ecol.* 74: 47-71.
- FOSTER, D.R., & G.A. KING. 1984. Landscape features, vegetation, and developmental history of a patterned fen in south-eastern Labrador, Canada. *J. Ecol.* 72: 115-143.
- FOSTER, D.R., & G.A. KING. 1986. Vegetation pattern and diversity in southeastern Labrador, Canada: *Betula papyrifera* (Birch) forest development in relation to fire history and physiography. *J. Ecology* 74: 465-483.
- FRAJMAN, B., M. THOLLESSON, & B. OXELMAN. 2013. Taxonomic revision of *Atocion* and *Viscaria* (Sileneae, Caryophyllaceae). *Bot. J. Linnean Soc.* 173(2): 194-210.
- FRANK, R.M. 1990. *Abies balsamea* (L.) Mill. Balsam Fir., pp 26-35. In: BURNS, R.M., & B.H. HONKALA, technical coordinators. 1990. *Silvics of North America. Volume 1. Conifers.* Agric. Handb. 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/abies/balsamea.htm
- FRANKTON, C. 1954. A new weed, *Erysimum hieracifolium* L. in Canada. *Can. Field-Nat.* 68: 27-28.
- FRANKTON, C., & R.J. MOORE. 1963. Cytotaxonomy of *Cirsium muticum*, *Cirsium discolor*, and *Cirsium altissimum*. *Can. J. Bot.* 41: 73-84.
- FRANZKE, A., & H. HURKA. 2000. Molecular systematics and biogeography of the *Cardamine pratensis* complex (Brassicaceae). *Pl. Syst. Evol.* 224: 213-234.
- FREDERIKSEN, S. 1982. *Festuca brachyphylla*, *F. saximontana* and related species in North America. *Nord. J. Bot.* 2: 525-536.

- FREEMAN, C.C. 2009. *Chimaphila*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2009. *Flora of North America north of Mexico. Vol. 8. Magnoliophyta: Paeoniaceae to Ericaceae*. Oxford Univ. Press, NY. 624 pp.
- FRYER, D., M. BALTISBERGER, & P.J. EDWARDS. 2003. Cytology of *Erigeron annuus* s.l. and its consequences in Europe. *Bot. Helv.* 113(1): 1-14.
- FRÖBERG, L. 2008. Apiaceae. *Flora Nordica*. vol. 6., Stockholm.
URL: http://www.floranordica.org/Review/-Review_public/accounts/Pastinaca.html
- FRYER, J.L. 2007. *Corylus cornuta*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/shrub/corcor/all.html>
- FRYER, J.L. 2008. *Sambucus racemosa*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/shrub/samrac/all.html>
- FRYER, J.L. 2011. *Alnus incana*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/tree/alninc/all.html>
- FRYER, J.L. 2014. *Picea mariana*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/tree/picmar/all.html>
- FRYER, J.L. 2016. *Corylus cornuta*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available: <http://www.fs.fed.us/database/feis/> [2016, February 23].
- FULTON, J.R. 1974. *Pin cherry*. In: *Shrubs and vines for northeastern wildlife*. p. 26-28. J.D. Gill & W.M. Healy, comps. USDA Forest Service, General Technical Report NE-9. Northeastern Forest Experiment Station, Broomall, PA.
- FUNK, D.T. 1990. *Alnus glutinosa* (L.) Gaertn. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/alnus/glutinosa.htm
- FURLOW, J.J. 1979. The systematics of the American species of *Alnus* (Betulaceae). *Rhodora* 81(825): 1-121, 81(826): 151-248.

FURLOW, J.J. 1997. *Betulaceae*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE. 1997. *Flora of North America, Vol. 3: Magnoliophyta: Magnoliidae and Hamamelidae*. Oxford Univ. Press, NY. 590 pp.

GALEN, C., R.C. PLOWRIGHT, & J.D. THOMSON. 1985. Floral biology and regulation of seed set and seed size in the lily, *Clintonia borealis*. *Am. J. Bot.* 72: 1544-1552.

GALEN, C. & H.G. WEGER. 1986. Re-evaluating the significance of correlations between seed number and size: evidence from a natural population of the lily *Clintonia borealis* (Ait.) Raf. *Am. J. Bot.* 73: 346-352.

GALASSO, G., E. BANFI, & A. SOLDANO. 2005. *Glaux maritima*, in: Notes on Systematics and Taxonomy for the Italian Vascular Flora 1. *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano* 146(2): 229.

GAMARRA, R., P. GALÁN, I. HERRERA, & E. ORTÚÑEZ. 2008. Seed micromorphology supports the splitting of *Limnorchis* from *Platanthera* (Orchidaceae). *Nordic J. Bot.* 26: 61-65.

GARDNER, G. 1937. Liste annotée des espèces de ptéridophytes, de phanérogames, et d'algues récoltées sur la côte du Labrador à la Baie d'Hudon et dans le Manitoba Nord, en 1930-1935. *Bull. Soc. Bot. Fr.* 84. 33 pp.

GARDNER, G. 1946. Liste des plantes récoltées sur la côte du Labrador et régions limitrophes. *Bull. Soc. Bot. Fr.* 93. 38 pp.

GASKIN, J.F., & L.M. WILSON. 2007. Phylogenetic relationships among native and naturalized *Hieracium* (Asteraceae) in Canada and the United States based on plastid DNA sequences. *Syst. Bot.* 32: 478-485.

GERMAIN, E. 1994. The reproduction of hazelnut (*Corylus avellana* L.): A review. *Acta Hort.* 351: 195-210.

GERMAN, D.A. 2014. Some new and revised typifications in North Eurasian Cruciferae. *Turczaninowia* 17(4): 29-41.

GERMAN, D.A. 2022. Critical notes on Cruciferae. *Turczaninowia* 25(2): 55-61.

GERVAIS, C., & M. BLONDEAU. 1999. Notes de cytotaxonomie sur quelques *Oxytropis* (Fabaceae) du nord-est du Canada. *Bull. Soc. Neuchâteloise des Sci. Naturelles.* 122: 45-63

GERVAIS, C., & M. BLONDEAU. 2003. Cytogéographie des *Cornus* herbacés (Cornaceae) du Nord de l'Amérique: deux nouveaux taxons. *Bull. Soc. Neuchâteloise des Sci. Naturelles.* 126(1): 33-44.

- GILL, L.S. 1981. Taxonomy, distribution, and ecology of the Canadian Labiatae. *Feddes Repertorium* 92: 33-93.
- GILLESPIE, L.J., & R.J. SORENG. 2005. A phylogenetic analysis of the bluegrass genus *Poa* based on *cpDNA* restriction site data. *Syst. Bot.* 30: 84-105.
- GILLESPIE, L.J., R.J. SORENG, R.D. BULL, S.W.L. JACOBS, & N.F. REFULIO-RODRIGUEZ. 2005. Phylogenetic relationships in subtribe Poinae (Poaceae, Poaeae) based on nuclear ITS and plastid *trnT-trnL-trnF* sequences. *Botany* 86: 938-967.
- GILLETT, J.M. 1954. A plant collection from the Mealy Mountains, Labrador. *Can. Field-Nat.* 68: 118-122.
- GILLETT, J.M. 1957. A revision of the North American species of *Gentianella* Moench. *Ann. Missouri Bot. Garden.* 44: 195-269.
- GILLETT, J.M. 1959. A revision of *Bartonia* and *Obolaria* (Gentianaceae). *Rhodora* 61(722): 43-62.
- GILLETT, J.M. 1960. Flora of the vicinity of the Mereweather Crater, Northern Labrador. *Can. Field-Nat.* 74: 8-27.
- GILLETT, J.M. 1963a. The flora of Goose Bay, Labrador. *Can. Field-Nat.* 77: 131-145.
- GILLETT, J.M. 1963b. *The gentians of Canada, Alaska, and Greenland*. Agriculture Canada, Research Branch Pub. 1180: 1-99. Ottawa.
- GILLETT, J.M. 1979. New combinations in *Hypericum*, *Triadenum*, and *Gentianopsis*. *Can. J. Bot.* 57: 185-186.
- GILLETT, J.M., S.G. AIKEN, L.L. CONSAUL, & M.J. DALLWITZ. 1999+. *Legumes of the Canadian Arctic Archipelago: a DELTA database for interactive identification and illustrated information retrieval*. URL: <http://biodiversity.bio.uno.edu/delta/arcticf/fab/index.htm>
- GILLETT, J.M., & N.K.B. ROBSON. 1981. *The St. John's-worts of Canada (Guttiferae)*. National Museums of Canada, Publications in Botany No. 11. Ottawa. 40 pp.
- GILMAN, A.V., D.R. FARRAR, & M.C. STENSVOLD. 2024. *Botrychium onondagense* (Ophioglossaceae), a resurrected species in the North American *Botrychium lunaria* complex. *Amer. Fern J.* 114(1): 57-65.
- GILMAN, A.V. & W.L. TESTO. 2015. Use of gemma characters to identify North American *Huperzia* (Lycopodiaceae). *Amer. Fern J.* 105(3): 145-161.

GLASER, P.H., & D.R. FOSTER. 1984. The vascular flora of raised bogs in southeastern Labrador and its phytosociological significance. *Can. J. Bot.* 62: 1361-1364.

GLEASON, H.A. 1952. *The new Britton and Brown illustrated flora of the northeastern United States and adjacent Canada* (1974 Printing), 3 Vols. New York Botanical Garden, Hafner Press, N.Y.

GLEASON, H.A., & A. CRONQUIST. 1963. *Manual of Vascular Plants of Northeastern United States and Adjacent Canada*. D. Van Nostrand Company Inc., Princeton, N.J. 810 pp.

GLEASON, H.A., & A. CRONQUIST. 1991. *Manual of Vascular Plants of Northeastern United States and Adjacent Canada*. New York Botanical Garden, Bronx, N.Y. 993 pp.

GLENN, S.D. 2013. *Rhamnus alnifolia*, alder-leaf buckthorn. New York Metropolitan flora project. Brooklyn Botanic Garden, Brooklyn, NY. URL: <http://nymf.bbg.org/species/562>

GLOBAL CAREX GROUP. 2015. Making *Carex* monophyletic (Cyperaceae, tribe Cariceae): a new broader circumscription. *Bot. Journ. Linnean Soc.* 179(1): 1-42.

GO BOTANY. 2020. *Scrophularia nodosa*. Native Plant Trust. Framingham, MA. URL: <https://gobotany.nativeplanttrust.org/species/scrophularia/nodosa/>

GOLDBLATT, P. 1990. Phylogeny and classification of Iridaceae. *Ann. Missouri Bot. Garden.* 77:607-627.

GONZALVES, P., & D. DARRIS. 2007. *Red Elderberry. Plant Fact Sheet*. USDA NRCS Plant Materials Centre, Corvallis, OR. URL: http://plants.usda.gov/factsheet/pdf/fs_sara2.pdf

GORDON, A.G. 1976. The taxonomy and genetics of *Picea rubens* and its relationship to *Picea mariana*. *Can. J. Bot.* 54: 781-813.

GOTTLIEB, L.D. 1991. Electrophoretic evidence and plant populations. *Progress in Phytochemistry* 7:1-46.

GOULD, F.W., & C.A. CLARK. 1978. *Dichanthelium* (Poaceae) in the United States and Canada. *Ann. Missouri Bot. Garden.* 65: 1088-1132.

GOVAERTS, R.; A. FARJON (reviewer). 2015. *World Checklist of Pinaceae*. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet; [accessed periodically throughout 2014-2015]. URL: <http://apps.kew.org/wcsp/>

GRANT, W.F., & B.K. THOMPSON. 1975. Observations on Canadian birches, *Betula cordifolia*, *B. neoalaskana*, *B. populifolia*, *B. papyrifera*, and *B. xcaerulea*. *Can. J. Bot.* 53: 1478-1490.

GREEN, I.J. 1944. An *Alopecurus* new to North America. *Rhodora* 46(550): 386-387.

GREEN, I.J. 1984. *A collection of vascular plants of insular Newfoundland*. Government of Newfoundland and Labrador & Agriculture Canada, Deer Lake, Nfld.

GREUTER, W., & E. VON RAAB-STRAUBE (eds.). 2006+. *Compositae*. Euro+Med Plantbase – the information resource for Euro-Mediterranean plant diversity.

URL: <http://ww2.bgbm.org/EuroPlusMed/query.asp>

GRIN Database - see USDA, ARS

GRISEZ, T.J., J.R. BARBOUR, & R.P. KARRFALT. 2003. *Prunus* L. Cherry, peach, and plum. In: BONNER, F.T., tech. coord. 2008. *Woody plant seed manual*. USDA FS Agriculture Handbook 727. U.S. Department of Agriculture, Forest Service. Washington, DC. URL:

https://www.nsl.fs.fed.us/nsl_wpsm.html

GUCKER, C.L. 2005. *Galium boreale*, *G. triflorum*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/forb/galspp/all.html>

GUCKER, C.L. 2006. *Ledum groenlandicum*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/ledgro/all.html>.

GUCKER, C.L. 2008. *Verbascum thapsus*. In: *Fire Effects Information System*, [FEIS]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory). URL: <https://www.fs.fed.us/database/feis/plants/forb/vertha/all.html>

GUCKER, C.L. 2012. *Cornus canadensis*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/forb/corcan/all.html>

GUCKER, C. 2012. *Cornus sericea*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/corser/all.html>

GUGGISBERG, A., C. BAROUX, U. GROSSNIKLAUS, & E. CONTI. 2008. Genomic origin and organization of the allopolyploid *Primula egaliksensis* investigated by in situ hybridization. *Annals of Botany* 101: 919-927.

GUO, Y.-P., F. EHRENDORFER, & R. SAMUEL. 2004. Phylogeny and systematics of *Achillea* (Asteraceae-Anthemideae) inferred from nrITS and plastid *trnL-F* DNA sequences. *Taxon* 53: 657-672.

GUO, Y.-L. J.S. BECHSGAARD, T. SLOTTE, B. NUEFFER, M. LASCoux, D. WEIGEL, & M.H. SCHIERUP. 2009. Recent speciation of *Capsella rubella* from *Capsella grandiflora*, associated with loss of self-incompatibility and an extreme bottleneck. *PNAS* 106(13): 5246-5251.

- GUSSAROVA, G. 2019. *Euphrasia*, pp. 492-501, in: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). *Flora of North America north of Mexico. Vol. 17. Magnoliophyta: Tetrachondraceae to Orobanchaceae*. Oxford Univ. Press., N.Y. 737 pp.
- GUSSAROVA, G., M. POPP, E. VITEK, & C. BROCHMANN. 2008. Molecular phylogeny and biogeography of the bipolar *Euphrasia* (Orobanchaceae): Recent radiations in an old genus. *Molec. Phylogen. Evol.* 48: 444-460.
- GUSTAFSSON, M.H.G., & K. BREMER. 1995. Morphology and phylogenetic interrelationships of the Asteraceae, Calyceraceae, Campanulaceae, Goodeniaceae, and related families (Asterales). *Amer. J. Bot.* 82: 250-265.
- HABER, E. 1972. Priority of the binomial *Pyrola chlorantha*. *Rhodora* 74(799): 396-397.
- HABER, E. 1979. *Utricularia geminiscapa* at Mer Bleue and range extensions in eastern Canada. *Can. Field-Nat.* 93: 391-398.
- HABER, E. 1983. Morphological variability and flavonol chemistry of the *Pyrola asarifolia* complex (Ericaceae) in North America. *Syst. Bot.* 8: 277-298.
- HALL, I.V., & L.E. AALDERS. 1961a. Cytotaxonomy of lowbush blueberries in eastern Canada. *Amer. J. Bot.* 48: 101-197.
- HALL, I.V., & L.E. AALDERS. 1961b. Cytotaxonomy of low-bush blueberries in eastern Canada. *Amer. J. Bot.* 48: 199-201.
- HALL, I.V., L.E. AALDERS, N.L. NICKERSON, & S.P. VANDERKLOET. 1979. The biological flora of Canada 1. *Vaccinium angustifolium* Ait., sweet lowbush blueberry. *Can. Field-Naturalist* 93: 415-430.
- HALL, I.V., R.A. MURRAY, & L.P. JACKSON. 1974. No. 2. *Spiraea latifolia*. The biology of Canadian Weeds. *Can. J. Plant Sci.* 54: 141-147.
- HALL, I.V., & N.L. NICKERSON. 1986. The biological flora of Canada. 7. *Oxycoccus macrocarpon* (Ait.) Pers., large cranberry. *Can. Field-Nat.* 100: 89-104.
- HALL, I.V., & J.D. SIBLEY. 1976. The biology of Canadian weeds. 20. *Cornus canadensis* L. *Can. J. Pl. Sci.* 56: 885-892.
- HALL, J.P. 1983. Comparison of the growth of larch with other conifers on reforested and afforested sites in Newfoundland. *The Forestry Chron.* 59(1): 14-16.
- HALLIDAY G., & A.O. CHATER. 1969a. Studies in the *Carex glareosa* complex I. Fruit-shape. *Feddes Repertorium*, 80: 77-91.

HALLIDAY G., & A.O. CHATER. 1969b. Studies in the *Carex glareosa* complex 2. The status of *Carex pribylovensis* Macoun. *Feddes Repertorium*, 80: 93-101.

HALLIDAY G., & A.O. CHATER. 1969c. *Carex marina* Dewey, an earlier name for *C. amblyorhyncha* Krecz. *Feddes Repertorium*, 80: 103-106.

HÄMET-AHTI, L. 1967. *Tripleurospermum* (Compositae) in the northern parts of Scandinavia, Finland and Russia. *Acta Botanica Fennici* 75: 1-17.

HÄMET-AHTI, L. 1971. A synopsis of the species of *Luzula* subgenus *Anthelaea* Griseb. (Juncaceae) indigenous in North America. *Acta Bot. Fenn.* 8: 368-381.

HÄMET-AHTI, L. 1973. Note on the *Luzula arcuata* and *L. parviflora* groups in eastern Asia and Alaska. *Ann. Bot. Fennici.* 10: 123-130.

HÄMET-AHTI, L. 1975. Additional notes on *Luzula subcongesta* and *L. parviflora* (Juncaceae) in North America. *Acta Bot. Fenn.* 12: 27-29.

HÄMET-AHTI, L. 1980a. The *Juncus effusus* aggregate in eastern North America. *Annales Botanici Fennici* 17: 183-191.

HÄMET-AHTI, L. 1980b. *Juncus alpinoarticulatus*: the legitimate name for *Juncus alpinus*. *Annales Botanici Fennici* 17: 341-342.

HÄMET-AHTI, L. 1981. The boreal zone and its biotic subdivision. *Fennia* 159: 69-75.

HÄMET-AHTI, L. 1986. North American races of *Juncus alpinoarticulatus* (Juncaceae). *Annales Botanici Fennici* 23: 277-281.

HÄMET-AHTI, L. & I. KUKKONEN. 1984. Nomenclatural combinations of Finnish vascular plants. *Ann. Bot. Fenn.* 21: 209-211.

HÄMET-AHTI, L., J. SUOMINEN, T. ULVINEN, & P. UOTILA. (eds.). 1998. *Retkeilykasvio*. ed. 4. *Luonnontieteellinen keskusmuseo, Kasvimuseo, Helsinki*.

HAMILTON, E.H. 2006. Fire effects and post-burn vegetation development in the sub-boreal spruce zone: Mackenzie (Windy Point) site. *B.C. Min. For. Range, Res. Br., Victoria, B.C. Tech. Rep. 033*. URL: <http://www.for.gov.bc.ca/hfd/pubs/Docs/Tr/Tr033.htm>

HAMRICK, J.L., & M.M.W. GODT. 1990. Allozyme diversity in plant species. In: BROWN, A.H.D., M.T. CLEGG, A.L. KAHLER, AND B.W. WEIR (eds.). *Plant population genetics, breeding, and genetic resources*. Sinauer Associates, Inc., Sunderland, Mass.

- HANEL, C. 2004. Rare Plant Survey of the Squid Cove area. Contract report to the Dept. of Forest Resources and Agrifoods. 43 pp.
- HANEL, C. 2005a. *Labrador Straits Botanical Initiative*. Contract report to Labrador Straits Development Corporation. Unpublished report. ix + 109 pp.
- HANEL, C. 2005b. *Doctor's Brook Rare Plant Survey. Final Report*. Unpublished report submitted to the Western Newfoundland Model Forest, Corner Brook, NL. 61 pp.
- HANSEN, R.W., & E.A. OSGOOD. 1983. Insects visiting flowers of wild red raspberry in spruce-fir forested areas of eastern Maine. *Entomological News* 94(4): 147-151.
- HAO, G., Y.-M. YUAN, C.-M. HU, X.-J. GE, & N.-X. ZHAO. 2004. Molecular phylogeny of *Lysimachia* (Myrsinaceae) based on chloroplast *trnL-F* and nuclear ribosomal ITS sequences. *Molec. Phylog. & Evol.* 31(1): 323-339.
- HARA, H. 1952. Contributions to the study of variations in the Japanese plants closely related to those of Europe or North America. Part 1. *Journal of the Faculty of Science, Tokyo Imperial University, Section 3, Botany* 6(1-3): 29-96.
- HARDIN, J.W. 1973. The enigmatic chokeberries (*Aronia*, Rosaceae). *Bulletin of the Torrey Botanical Club* 100: 178-184.
- HARMAJA, H. 1990. New names and nomenclatural combinations in *Rhododendron* (Ericaceae). *Ann. Bot. Fenn.* 27:203-204.
- HARMAJA, H. 1991. Taxonomic notes on *Rhododendron* subsection *Ledum* (*Ledum*, Ericaceae), with a key to its species. *Ann. Bot. Fenn.* 28:171-173.
- HARPER, F. 1964. Plant and animal associations in the interior of the Ungava Peninsula. *Mus. Nat. Hist., Misc. Publ.* 38, Univ. of Kansas Press, Lawrence, Kansas. 58 pp.
- HARRIS, J.G. 1985. A revision of the genus *Braya* (Cruciferae) in North America. (Ph.D. thesis) University of Alberta, Edmonton. 250 pp.
- HARRIS, A.S. 1990. *Picea sitchensis* (Bong.) Carrière. In: Burns, R.M. and B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/picea/sitchensis.htm
- HARRIS, J.G. 2006. Five new subspecies of *Braya* (Brassicaceae) from Canada. *Novon* 16: 344-353.
- HAUENSCHILD, F., A. FAVRE, G.A. SALAZAR, & A.N. MUELLNER-RIEHL. 2016a. Analysis of the cosmopolitan buckthorn genera *Frangula* and *Rhamnus* s.l. supports the description of a new genus, *Ventia*. *Taxon* 65(1): 65-78.

HAUENSCHILD, F., A. FAVRE, G.A. SALAZAR, & A.N. MUELLNER-RIEHL. 2016b. Erratum. *Taxon* 65(4): 926-927.

HAUK, W.D. 1995. A molecular assessment of relationships among cryptic species of *Botrychium* subgenus *Botrychium* (Ophioglossaceae). *American Fern Journal* 85: 375-394.

HAUK, W.D., & C.H. HAUFLE. 1999. Isozyme variability among cryptic species of *Botrychium* subgenus *Botrychium* (Ophioglossaceae). *American Journal of Botany* 86:614-633.

HAUK, W.D., J.R. GRANT, & L. KENNEDY. 2012. A phylogenetic investigation of *Botrychium* s.s. (Ophioglossaceae): evidence from three plastid DNA sequence data sets. *Systematic Botany* 37(2): 320-330.

HAUK, W.D., C.R. PARKS, & M.W. CHASE. 2003. A phylogenetic analysis of Ophioglossaceae: Evidence from *rbcL* and *trnL-F* plastid DNA sequences and morphology. *Molecular Phylogenetics and Evolution* 28:131-151.

HAWKSWORTH, F.G., & D. WIENS. 1972. *Biology and Classification of dwarf mistletoes (Arceuthobium)*. Agricult. Handbk. No. 401. Forest Service, U.S. Dept. of Agric., Wash. D.C. 234 pp.

HAY, S.G., A. BOUCHARD, & L. BROUILLET. 1990. Additions to the flora of the Island of Newfoundland. *Rhodora* 92(880): 277-293.

HAY, S.G., A. BOUCHARD, & L. BROUILLET. 1994. Additions to the flora of Newfoundland. III. *Rhodora* 96(886): 195-203.

HAY, S.G., A. BOUCHARD, L. BROUILLET, & M. JEAN. 1992. Additions to the flora of Newfoundland. II. *Rhodora* 94(886): 383-386.

HAYES, D.J., & B.J. PETERSON. 2020. Growth of *Lonicera caerulea* across fertility and moisture conditions: comparisons of *Lonicera villosa* and invasive congeners. *HortScience* 55(2): 149-155.

HAYNES, R.R. 1974. A revision of North American *Potamogeton* subsection *Pusilli* (Potamogetonaceae). *Rhodora* 76(808): 564-649.

HAYNES, R.R., & C.B. HELLQUIST. 1996. New combinations in North American Alismatidae. *Novon* 6(4): 370-371.

HEDBERG, K.O. 1992. Taxonomic differentiation in *Saxifraga hirculus* L. (Saxifragaceae) - a circumpolar arctic-boreal species of Central Asia origin. *Bot. J. Linn. Soc.* 109: 377-393.

HEINSELMAN, M.L. 1957. *Silvical characteristics of black spruce (Picea mariana)*. Lake States Forest Experiment Station, Forest Service, U.S. Dept. of Agriculture, St. Paul, MN. 30 pp.
URL: <http://babel.hathitrust.org/cgi/pt?id=umn.31951d030053636;view=1up;seq=6>

- HELENURM, K., & S.C.H. BARRETT. 1987. The reproductive biology of boreal forest herbs. II. Phenology of flowering and fruiting. *Can. J. Bot.* 65: 2047-2056.
- HENDERSON, N.C. 1962. A taxonomic revision of the genus *Lycopus* (Labiatae). *Amer. Midl. Naturalist* 68(1): 95-138.
- HENNING, T., D. WUANDT, B. GROSSE-VELDMANN, A. MONRO, & M. WEIGAND. 2014. Weeding the nettles II: A delimitation of *Urtica dioica* L. (Urticaceae) based on morphological and molecular data, including a rehabilitation of *Urtica gracilis* Ait. *Phytotaxa* 162(2): 61-83.
- HERMANN, F.J., & W.A. WEBER. 1977. *Juncus triglumis* in North America. *Rhodora* 79(817): 160-162.
- HICKEY, R.J. 1977. The *Lycopodium obscurum* complex in North America. *Amer. Fern J.* 67: 45-49.
- HILL-FORDE, S.M. 2004. Change over time in the abundance and distribution of black ash in Nova Scotia: effects on Mi'kmaq traditional use, and recommendations for the best germination techniques for Province wide replanting programs. M.S. Thesis, Nova Scotia Agricultural College, Truro, NS, and Dalhousie Univ., Halifax, NS.
URL: <http://www.collectionscanada.gc.ca/obj/s4/f2/dsk4/etd/MQ94164.PDF>
- HILLS, H.H. 1993. Taxaceae. In: FLORA NORTH AMERICA EDITORIAL COMMITTEE (eds.). 1993. *Flora of North America. Vol. 2: Pteridophytes and Gymnosperms*. Oxford Univ. Press, N.Y. 496 pp.
- HINDS, H.R. 1995. Nomenclatural changes in *Polygonum*, *Persicaria*, and *Aconogonon* (Polygonaceae). *Novon* 5: 165-166.
- HINDS, H., & M. RANDALL. 1995. Nomenclatural changes in *Polygonum*, *Persicaria*, and *Aconogonon* (Polygonaceae). *Novon*, 5: 165-166.
- HITCHCOCK, A.S., & A. CHASE. 1950. *Manual of grasses of the United States*, 2nd edition. 2 Vols. Dept. Agric. Misc. Publ. 200. Reprint by Dover Publications, Inc. NY.
- HITCHCOCK, C.L., & A. CRONQUIST. 1973. *Flora of the Pacific Northwest*. University of Washington Press. Seattle, Washington, USA.
- HITCHCOCK, E. 1823. Description of a new species of *Botrychium*; with a drawing. *Amer. J. Sci. Arts* 6:103-4, pl. 8.
- HOCH, P.C. 2019. *Epilobium densum*. in: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). *Flora of North America north of Mexico. Vol. 10. Magnoliophyta: Proteaceae to Elaeagnaceae*. Oxford Univ. Press., N.Y. 488 pp.
- HOCH, P.C., & P.H. RAVEN. 1977. New Combinations in *Epilobium* (Onagraceae). *Ann. Missouri Bot.* 64: 136.

HOLM, H. 2014. *Pollinators of native plants: Attract, observe and identify pollinators and beneficial insects with native plants*. Pollination Press, LLC. Minnetonka, MN.

HOLM, T. 1927. The flower of *Chimaphila*. *Rhodora* 29(337): 1-5, pl. 156.

HOLMES, W.C. 2002. Smilacaceae. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2002. *Flora of North America north of Mexico. Vol. 26. Magnoliophyta: Liliidae: Liliales and Orchidales*. Oxford Univ. Press, NY. 752 pp.

HOLUB, J. 1964. *Lycopodiella*, nový rod radu Lycopodiales. *Preslia* (Prague) 36: 16-22.

HOLUB, J. 1975. *Diphasiastrum*, a new genus in Lycopodiaceae. *Preslia* (Prague) 47: 97-110.

HOLUB, J. 1997. *Stuckenia* Börner 1912 - the correct name for *Coleogeton* (Potamogetonaceae). *Preslia, Praha* 69: 361-366.

HOOT, S.B., A.A. REZNICEK, & J.D. PALMER. 1994. Phylogenetic relationships in *Anemone* (Ranunculaceae) based on morphology and chloroplast DNA. *Syst. Bot.* 19: 169-200.

HOPKINS, C.O., & W.H. BLACKWELL, JR. 1977. Synopsis of *Suaeda* (Chenopodiaceae) in North America. *Sida* 7& 147-173.

HORNIBROOK, M. 1938. *Dwarf and slow-growing conifers*, 2nd ed. Country Life, Ltd., London. 286 pp.

HOWARD, J.L. 1993. *Linnaea borealis*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <https://www.fs.fed.us/database/feis/plants/forb/linbor/all.html>

HULST, VAN, R., A. THÉRIAULT, & B. SHIPLEY. 1986. The systematic position of the genus *Rhinanthus* (Scrophulariaceae) in North America. *Can. J. Bot.* 64: 1443-1449.

HULTÉN, E. 1956. The *Cerastium alpinum* complex: a case of world-wide introgressive hybridization. *Svensk Botanisk Tidskrift* 50: 411-495.

HULTÉN, E. 1958. *The amphi-Atlantic plants*. Almquist and Wiksell, Stockholm. 280 pp.

HULTÉN, E. 1962. The circumpolar plants. I. Vascular cryptogams, conifers, monocotyledons. *Kungl. Svenska. Vetenskapsakad. Handl.* 7(1): 1-340. Stockholm.

HULTÉN, E. 1968. *Flora of Alaska and neighboring territories. A manual of the vascular plants*. Stanford University Press, Stanford, California. 1008 pp.

HULTÉN, E. 1971. The circumpolar plants. II. Dicotyledons. *Kungl. Svenska. Vetenskapsakad. Handl.* 13(1): 1-463. Stockholm.

HULTÉN, E., & M. FRIES. 1986. *Atlas of North European vascular plants, north of the Tropic of Cancer*. Koeltz Scientific Books, Fed. Rep. Germany. 3 vols.

HUNTLEY, J.C. 1990. *Robinia pseudoacacia* L. In: Burns, R.M. and B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.

URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/robinia/pseudoacacia.htm

HURD, E.G., S. GOODRICH, & N.L. SHAW. 1994. *Field guide to Intermountain rushes*. General Technical Report INT-306., Intermountain Research Station, U.S. Dept. of Agriculture, Forest Service. Ogden, Utah.

HUSTICH, I. 1939. Notes on the coniferous forest and tree limit on the east coast of Newfoundland-Labrador. Including a comparison between the coniferous forest limit on Labrador and in northern Europe. *Acta Geographica* 7(1): 1-77. Helsinki.

HUSTICH, I. 1949. On the forest geography of the Labrador peninsula. A preliminary synthesis. *Acta Geographica* 10(2): 1-63. Helsinki.

HUSTICH, I. 1951. Forest-botanical notes from the Knob Lake area in the interior of the Labrador Peninsula. *Natl. Mus. Can. Bull.* 123: 166-217.

HUSTICH, I. 1954. On forests and tree growth in the Knob Lake area, Quebec-Labrador peninsula. *Acta Geogr.* 13: 1-60.

HUSTICH, I. 1963. A preliminary inventory of the vascular plants in the eastern part of central Labrador Peninsula. *Acta Geogr. Helsingf.* 17: 1-38.

HUSTICH, I. 1965a. On the phytogeography of the eastern part of central Quebec-Labrador Peninsula I. *Comm. Biol. Soc. Sci. Fenn.* 28: 1-36.

HUSTICH, I. 1965b. A black spruce feather moss forest in the interior of southern Quebec-Labrador Peninsula, I. *Acta Geogr.* 18: 1-26.

HUSTICH, I. 1969. On the study of the ecology of subarctic vegetation. *UNESCO Symp. Ecol. Subarct. Res.:* 235-240.

HUSTICH, I. 1974. Common species in the northern part of the boreal region of Canada. An essay. *Rep. Kevo Subarctic Res. Stat.* 11: 35-41.

HUSTICH, I., & BR. PETERSSON. 1944. Notes on vascular plants of the east coast of Newfoundland-Labrador. I. Preliminary list of plants. *Mem. Soc. Flora Fauna. Fenn.* 19: 192-200.

HUSTICH, I., & BR. PETERSSON. 1945. Notes on vascular plants of the east coast of Newfoundland-Labrador. II. Notes by I. Hustich on the localities where the plant material was collected in 1937. *Mem. Soc. Flora Fauna Fenn.* 20: 24-46.

INDA, L.A., M. PIMENTEL, & M. CHASE. 2010. Chalcone synthase variation and phylogenetic relationships in *Dactylorhiza* (Orchidaceae). *Bot. J. Linnean Soc.* 163: 155-165.

ILTIS, H.H. 1965. The genus *Gentianopsis* (Gentianaceae): transfers and phylogeographic comments. *Sida* 2: 129-154.

INTERNATIONAL PLANT NAMES INDEX, THE. 2012. *International Plant Name Index*. Royal Botanic Gardens. Kewscience. [published online; accessed continuously]. Main URL: <https://www.ipni.org/>

ITO, Y., N. TANAKA, C.-K. KIM, R.B. KAUL, & D.C. ALBACH. 2016. Phylogeny of *Sparganium* (Typhaceae) revisited: Non-monophyletic nature of *S. emersum sensu lato* and resurrection of *S. acaule*. *Plant Systematics and Evolution* 302(1): 129-135.

JACKSON, B.D. 1887. Remarks on the nomenclature of the eighth edition of the 'London Catalogue'. *Journ. Bot., Brit. & Foreign.* (J. Britten, ed.) vol. 25: 152-156, 179-181, 229-233.

JACKSON, M.L. 2005. Understanding explosive pollination in *Cornus canadensis*: a comparative floral development study with non-explosive *Cornus racemosa*. Honor's thesis, Acadia Univ. URL: <http://openarchive.acadiu.ca/cdm/ref/collection/HTheses/id/254>

JÄKÄLÄNIEMI, A. 1994. A review of the fern, *Gymnocarpium continentale* (V. Petrov) Pojark. in northeastern Finland. *Aquilo*, Ser. Bot. 33: 47-53.

JASIENIUK, M., & M.J. LECHOWICZ. 1987. Spatial and temporal variation in chasmogamy and cleistogamy in *Oxalis montana* (Oxalidaceae). *Am. J. Bot.* 74(11): 1672-1680.

JAVOREK, S.K., K.E. MACKENZIE, & S.P. VANDER KLOET. 2002. Comparative pollination effectiveness among bees (Hymenoptera: Apoidea) on lowbush blueberry (Ericaceae: *Vaccinium angustifolium*). *Ann. Entomol. Soc. Amer.* 95(3): 345-351.

JENSEN, K.I.N., & I.V. HALL. 1979. The biology of Canadian weeds. 36. *Rubus hispidus* L. *Can. J. Plant Sci.* 59: 769-776.

JENSEN, U., & J.E. KADEREIT (eds.). 1995. Systematics and evolution of the Ranunculiflorae. *Pl. Syst. Evol. Suppl.* 9:1-361.

JERMY, A.C., H.R. ARNOLD, L. FARRELL, & F.H. PERRING. 1978. *Atlas of ferns of the British Isles*. Botanical Soc. of the British Isles and the British Pteridological Soc., London. 101 pp.

JIMÉNEZ-MIJÍAS, P., M. HAHN, K. LEUDERS, J.R. STARR, B.H. BROWN, B.N. CHOUINARD, K.-S. CHUNG, M. ESCUDERO, B.A. FORD, K.A. FORD, S. GEBAUER, B. GEHRKE, M.H. HOFFMAN, X.-F. JIN, J. JUNG, S. KIM, M. LUCEÑO, E. MAGUILLA, S. MARTÍN-BRAVO, M. MÍGUEZ, A. MOLINA, R.F.C. NACZI, J.E. PENDER, A.A. REZNICEK, T. VILLAVERDE, M.J. WATERWAY, K.L. WILSON, J.-C. YANG, S. ZHANG, A.L. HIPPI, & E.H. ROALSON (THE GLOBAL CAREX GROUP). 2016. Megaphylogenetic Specimen-level approaches to the *Carex* (Cyperaceae) Phylogeny using ITS, ETS, and matK Sequences: Implications for classification. *Systematic Botany* 41(3): 500-518.

JOHNSON, K.A. 2000. *Prunus virginiana*. In: *Fire Effects Information System (FEIS)*. U.S. Dept. of Agric., Forestry Service. Rocky Mountain Research Station. Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/tree/pruvir/all.html>

JOHNSTON, W.F. 1990. *Larix laricina* (DuRoi) K.Koch. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC. URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/larix/laricina.htm

JONSELL, B. 1968. Studies in the North-west European species of *Rorippa* s. str. *Symb. Bot. Upsal.* no. 19. 221 pp.

JORDAN, A. 1861. Diagnoses d'espèces nouvelles ou méconnues. *Annales de la Société Linnéenne de Lyon*. vol. 7: 373-522.

JOTCHAM, J.R., & S.P. VANDER KLOET. 1978. Range extensions to the flora of the eastern Canadian Arctic. *Can. Field-Nat.* 92: 95-96.

JUDD, W.D., C.S. CAMPBELL, E.A. KELLOGG, P.F. STEVENS, & M.J. DONOGHUE. 2008. *Plant Systematics – A Phylogenetic Approach*, 3rd ed. Sinauer Assoc., Inc. Sunderland, MA. 611 pp.

JUDD, W.W. 1964. Insects associated with flowering marsh marigold, *Caltha palustris* L., at London, Ontario. *The Canadian Entomologist* 96(11): 1472–1476.

KÄLLERSJÖ, M., G. BERGQVIST, & A.A. ANDERBERG. 2000. Generic realignment in Primuloid families of the Ericales s.l.: a phylogenetic analysis based on DNA sequences from three chloroplast genes and morphology. *Am. J. Botany*. 87 (9): 1325–41.

KARST, A.L. & N.L. TURNER. 2011. Local ecological knowledge and importance of bakeapple (*Rubus chamaemorus* L.) in a southeast Labrador Métis community. *Ethnobiology Letters* 2: 6-18.

KARTESZ, J. T. 1994. *A synonymized checklist of the vascular flora of the United States, Canada, and Greenland*. Second edition. 2 Vols. Timber Press, Portland, Oregon.

KARTESZ, J.T. 1999. *Synthesis of the North American flora*. [CD-ROM] Biota of North America Program (BONAP). Univ. of North Carolina, Chapel Hill, North Carolina.

- KARTESZ, J. T., & K.N. GANDHI. 1990a. Nomenclatural notes for the North American Flora III. *Phytologia* 69: 129-137.
- KARTESZ, J. T., & K.N. GANDHI. 1990b. Nomenclatural notes for the North American Flora IV. *Phytologia* 69: 301-312.
- KARTESZ, J. T., & K.N. GANDHI. 1991a. Nomenclatural notes for the North American Flora V. *Phytologia* 70: 194-208.
- KARTESZ, J. T., & K.N. GANDHI. 1991b. Nomenclatural notes for the North American Flora VII. *Phytologia* 71: 87-100.
- KARTESZ, J. T., & K.N. GANDHI. 1991c. Nomenclatural notes for the North American Flora VIII. *Phytologia* 71: 269-280.
- KARTESZ, J. T., & K.N. GANDHI. 1992a. Nomenclatural notes for the North American Flora IX. *Phytologia* 72: 17-30.
- KARTESZ, J. T., & K.N. GANDHI. 1992b. Nomenclatural notes for the North American Flora X. *Phytologia* 72: 80-92.
- KARTESZ, J. T., & K.N. GANDHI. 1992c. Nomenclatural notes for the North American Flora XI. *Phytologia* 73: 124-136.
- KARTESZ, J. T., & K.N. GANDHI. 1994. Nomenclatural notes for the North American Flora XIII. *Phytologia* 76: 441-457.
- KARTESZ, J. T., & K.N. GANDHI. 1995. Nomenclatural notes for the North American Flora XIV. *Phytologia* 78(1) 1-17.
- KATZER, G. 1999. Caraway (*Carum carvi* L.). In: *Gernot Katzer's Spice Pages*.
URL: http://gernot-katzers-spice-pages.com/engl/Caru_car.html
- KATZER, G. 2000. Cicely (*Myrrhis odorata* (L.) Scop). In: *Gernot Katzer's Spice Pages*.
URL: http://gernot-katzers-spice-pages.com/engl/Myrr_odo.html
- KELSO, S. 1991. Taxonomy of *Primula* sects. *Aleuritia* and *Armerina* in North America. *Rhodora* 93(873): 67-99.
- KENNEDY, R.B. 1930. Some additions to the Newfoundland Flora. *Rhodora* 32(373): 3-4.
- KENNEDY, R.B. 1931. Further notes from southwestern Newfoundland. *Rhodora* 33(394): 207-209; plates 216, 217.

KERGUÉLEN, M. 1999. *Index synonymique de la flore de France*. Institut National de la Recherche Agronomique. Lyon, France. URL: <http://www2.dijon.inra.fr/flore-france/consult.htm>

KEVAN, P.G., E.A. TIKHMENEV, & M. USUI. 1993. Insects and plants in the pollination ecology of the boreal zone. *Ecol. Res.* 8: 247-267.

KIM, J.S., J.-K. HONG, M.W. CHASE, M.F. FAY, & J.-H. KIM. 2013. Familial relationships of the monocot order Liliales based on a molecular phylogenetic analysis using four plastid loci: matK, rbcL, atpB and atpF-H. *Bot. Journ. Linnean Soc.* 172(1): 5–21.

KIM, S.-T., & M.J. DONOGHUE. 2008. Molecular phylogeny of *Persicaria* (Persicarieae, Polygonaceae). *Syst. Bot.* 33: 77-86.

KIRSCHBAUM, C.D. 2007. The taxonomy of *Carex trisperma* (Cyperaceae). *J. Bot. Res. Inst. Texas* 1(1): 389-405.

KIRSCHNER, J. 1990. *Luzula multiflora* and allied species (Juncaceae): a nomenclatural study. *Taxon* 39: 106-114.

KIRSCHNER, J., & Z. KAPLAN. 2001. Taxonomic and nomenclatural notes on *Luzula* and *Juncus* (Juncaceae). *Taxon* 50: 1107-1113.

KIRSCHNER, J., *et al.* 2002a. Juncaceae 1: *Rostkovia* to *Luzula*. *Species Plantarum: Flora of the World*. Part 6: 1-237. Australian Biological Resources Study, Canberra, Australia.

KIRSCHNER, J., *et al.* 2002b. Juncaceae 2: *Juncus* subg. *Juncus*. *Species Plantarum: Flora of the World*. Part 7: 1-336. Australian Biological Resources Study, Canberra, Australia.

KIRSCHNER, J., *et al.* 2002c. Juncaceae 3: *Juncus* subg. *Agathryon*. *Species Plantarum: Flora of the World*. Part 8: 1-192. Australian Biological Resources Study, Canberra, Australia.

KLINE, G.J. & P.D. SØRENSEN. 2008. A revision of *Agrimonia* (Rosaceae) in North and Central America. *Brittonia* 60(1): 11-33.

KLINKENBERG, B. (ed.). 2018. *E-Flora BC: Electronic Atlas of the Flora of British Columbia* [eflora.bc.ca]. Lab for Advanced Spatial Analysis, Department of Geography, University of British Columbia, Vancouver. URL: <https://ibis.geog.ubc.ca/biodiversity/eflora/index.shtml>

KNAPP, W.M., K. GANDHI, R.F.C. NACZI, & A. FLODEN. 2022. *Juncus tweedyi* (Juncaceae sect., *Ozophyllum*), the correct name for *Juncus brevicaudatus*. *Phytotaxa* 566(2): 242-244, DOI: 10.11646/Phytotaxa.566.2.9.

KNUDSEN, J.T., & J.M. OLESEN. 1993. Buzz-pollination and patterns in sexual traits in North American Pyrolaceae. *Am. J. Bot.* 80(8): 900-913.

- KOCH, M., & I.A. AL-SHEHBAZ. 2002. Molecular data indicate complex intra and intercontinental differentiation of American *Draba* (Brassicaceae). *Ann. Missouri Bot. Gard.* 89: 88-109.
- KOCH, M., B. HAUBOLD, & T. MITCHELL-OLDS. 2000. Comparative evolutionary analysis of chalcone synthase and alcohol dehydrogenase loci in *Arabidopsis*, *Arabis*, and related genera (Brassicaceae). *Molec. Biol. Evol.* 17: 1483-1498.
- KOYAMA, T. 1962. The genus *Scirpus* L.: some North American aphyllous species. *Can. J. Bot.* 40: 913-932.
- KOYAMA, T. 1962. The *Scirpus maritimus* complex in North America. *Can. J. Bot.* 40: 932-937.
- KOYAMA, T., & S. KAWANO. 1964. Critical taxa of grasses with North American and eastern Asiatic distribution. *Can. J. Bot.* 42: 859-884.
- KOZLOWSKI, G., R.A. JONES, & F.-L. NICHOLLS-VUILLE. 2008. Biological Flora of Central Europe: *Baldellia ranunculoides* (Alismataceae). *Perspectives in Pl. Ecol., Evol. & Syst.* 10: 109-142.
- KRAL, R. 1966. *Xyris* (Xyridaceae) of the continental United States and Canada. *Sida* 2: 177-260.
- KRON, K.A. 1996. Phylogenetic relationships of Empetraceae, Epacridaceae, Ericaceae, Monotropaceae, and Pyrolaceae: Evidence from nuclear ribosomal 18s sequence data. *Ann. Bot. (London)* 77: 293-303.
- KRON, K.A., & M.W. CHASE. 1993. Systematics of the Ericaceae, Empetraceae, Epacridaceae, and related taxa based upon *rbcL* sequence data. *Ann. Missouri Bot. Garden.* 80:735-741.
- KRON, K.A., R. FULLER, D.M. CRAYN, P.A. GADEK, & C.J. QUINN. 1999. Phylogenetic relationships of epacrids and vaccinioids (Ericaceae s. l.) based on *matK* sequence data. *Pl. Syst. Evol.* 218: 55-65.
- KRON, K.A. & W.S. JUDD. 1990. Phylogenetic relationships within the *Rhodoreae* (Ericaceae) with specific comments on the placement of *Ledum*. *Syst. Bot.* 15: 57-68.
- KRON, K.A., W.S. JUDD, P.F. STEVENS, D.M. CRAYN, A.A. ANDERBERG, P.A. GADEK, C.J. QUINN, & J.L. LUTEYN. 2002. Phylogenetic classification of Ericaceae: molecular and morphological evidence. *Bot. Rev.* 68: 335-423.
- KUNTZE, O. 1891. *Revisio Generum Plantarum*. Pars 1. G.E. Stechert, New York, NY.
- KWIATKOWSKI, P. 1999. The distribution of *Allium schoenoprasum* L. subsp. *sibiricum* (L.) Hartm. in Poland. *Acta Soc. Botanicorum Poloniae.* 68(1): 149-156.
- LABRECQUE, J., & L. BROUILLET. 1996. Biosystématique du complexe de l'*Aster novi-belgii* (Asteraceae: Astereae) au Québec. *Can. J. Bot.* 74: 162-188.

LAFRANKIE, JR., J.V. 1986a. Transfer of species of *Smilacina* to *Maianthemum* (Liliaceae). *Taxon* 35: 584-589.

LAFRANKIE JR., J.V. 1986b. Morphology and taxonomy of the New World species of *Maianthemum* (Liliaceae). *J. Arnold Arbor.* 67: 371-439.

LAMMERS, T.G. 2007. World Checklist and Bibliography of Campanulaceae. Royal Botanic Gardens, Kew, GB.

LAMONT, E.E. 1995. Taxonomy of *Eupatorium* sect. *Verticillata* (Asteraceae). *Mem. N.Y. Bot. Garden* 72: 1-68.

LAMOUREUX, G., ET COLLABORATEURS. 1988. *Plantes sauvages printanières: Guide d'identification Fleurbec*, 2nd ed. Saint-Augustin, Qué. 247 pp.

LANDRY, P. 1975. Le concept d'espèce et la taxonomie du genre *Amelanchier* (Rosaceae). *Bull Soc. Bot. France* 122: 243-252.

LANDRY, P. 1976. Taxonomie et distribution d'*Amelanchier arborea* (Michx. f.) Fern. au Québec et dans les maritimes. *Naturaliste Can.* 103: 377-385

LANSDOWN, R.V. 2009. Nomenclatural notes on *Callitriche* (Callitrichaceae) in North America. *Novon* 19(3): 364-369.

LASSEN, P. 1989. A new delimitation of the genera *Coronilla*, *Hippocrepis*, and *Securinga* (Fabaceae). *Willdenowia* 19(1): 49-62.

LARSON, B.M.H., & P.M. CATLING. 1995. The separation of *Eleocharis obtusa* and *Eleocharis ovata* (Cyperaceae) in eastern Canada. *Can. J. Bot.* 74: 238-242.

LAURI, R.K. 2007. The systematic and phylogenetic study of the subgenus *Piperia* (Orchidaceae) and close related *Platanthera*. *Bot. Soc. America Abstracts*, 241.

LAURI, R.K. 2010. A systematic study of *Piperia* (Orchidaceae) and close relatives in *Platanthera* s.l. Ph.D. Thesis. The Claremont Graduate University, CA. 259 pp.

LAVOIE, G. 1984. Contribution à la connaissance de la flore vasculaire et invasculaire de la moyenne-et-basse-côte-nord, Québec/Labrador. *Provancheria* 17:112.

LEBARRON, R.K. 1948. *Silvicultural management of black spruce in Minnesota*. U.S. Dept. Agr. Cir. 791, 60 pp. URL: <http://www.biodiversitylibrary.org/bibliography/64434#/summary>

LEFEBVRE, C., & X. VEKEMANS. 1995. A numerical taxonomic study of *Armeria maritima* (Plumbaginaceae) in North America and Greenland. *Can. J. Bot.* 73: 1583-1595.

- LEGLER, B.S., & M.S. DILLENBERGER. 2017. Two new species of *Sabulina* (Caryophyllaceae) from Washington State, USA. *PhytoKeys* 81: 79-102.
- LEPAGE, E. 1955. Nouvelles formes du *Cornus canadensis* L. et du *Pontederia cordata* L. *Naturaliste can.* 82: 99-102.
- LEPAGE, E. 1960. *Hieracium canadense* Michx. et ses alliés en Amérique du Nord. *Naturaliste can.* 87: 59-107.
- LEPAGE, E. 1971. Les épervières du Québec. *Naturaliste can.* 98: 657-674.
- LEPAGE, E. 1976. Les bouleaux arbustifs du Canada et de l'Alaska. *Naturaliste can.* 103: 215-233.
- LES, D.H., D.J. CRAWFORD, E. LANDOLT., J.D. GABEL, & R.T. KIMBALL. 2002. Phylogeny and systematic of Lemnaceae, the Duckweed family. *Systematic Botany* 27: 221-240.
- LES, D.H., & R.R. HAYNES. 1996. *Coleogeton* (Potamogetonaceae), a new genus of pondweeds. *Novon* 6: 389-391.
- LES, D.H., N.M. MURRAY, & N.P. TIPPERY. 2009. Systematics of two imperilled pondweeds (*Potamogeton vaseyi*, *P. gemmiparus*) and taxonomic subsection *Pusilli* (Potamogetonaceae). *Syst. Bot.* 34(4): 643-651.
- LEWIS, W.H. 1958. Minor forms of North American species of *Rosa*. *Rhodora* 60(717): 237-243.
- LEWIS, W.H. 2016. Nomenclatural novelties in *Rosa* (Rosaceae) subgenus *Rosa* recognized in North America. *Novon* 25(1): 22-46.
- LEWIS, W.H. & M. ELVIN-LEWIS. 2017. New records and range extensions for *Rosa* (Rosaceae) in North America. *J. Bot. Res. Inst. Texas* 11(1): 185-191.
- LEWIS, W.H., B. ERTTER, & A. BRUNEAU. 2015. *Rosa* (Rosaceae). Pp. 75–119, in: *Flora of North America*, Volume 9: Magnoliophyta: Picramniaceae to Rosaceae. Oxford University Press.
- LI, J. 2013. *Fruit yield and composition of native fruits, partridgeberry (Vaccinium vitis-idaea L.) and bakeapple (Rubus chamaemorus L.)*. M.Sc. Thesis, Dalhousie Univ., Halifax, NS.
- LI, J., D. PERCIVAL, J. HOYLE, J. YUE, J. WHITE, K. HEAD, & K. PRUSKI. 2015. Environmental effects on fruit composition of cloudberry/bakeapple (*Rubus chamaemorus* L.) grown in southern Labrador, Canada. *Can. J. Plant Sci.* 95: 1167-1175.
- LI, J., S. SHOUP, & Z. CHEN. 2005. Phylogenetics of *Betula* (Betulaceae) inferred from sequences of nuclear ribosomal DNA. *Rhodora* 107(929): 69-86.
- LIHOVÁ, J., K. MARHOLD, K. KUDOH, & M. KOCH. 2006. Worldwide phylogeny and biogeography of *Cardamine flexuosa* (Brassicaceae) and its relatives. *Amer. J. Bot.* 93: 1206-1221.

- LINDBLOM, A.E. 1939. Öfversigt af Skandinaviens Draber. *Botaniska Notiser*. 3:17-24.
- LINDLEY, J. 1826. *Pyrus floribunda*. *Bot. Reg.* 12, Pl. 1006.
- LINDQUIST, B. 1932. Taxonomic remarks on *Juncus alpinus* Villars and some related species. *Botaniska Notiser*. 313-372.
- LIU, S., K.E. DENFORD, J.E. EBINGER, J.G. PACKER, & G.C. TUCKER. 2009. *Kalmia*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2009. *Flora of North America north of Mexico. Vol. 8. Magnoliophyta: Paeoniaceae to Ericaceae*. Oxford Univ. Press, NY. 624 pp.
- LOWRY, II, P.P., and A.G. JONES. 1984. Systematics of *Osmorhiza* Raf. (Apiaceae: Apioideae). *Ann. Missouri Bot. Garden* 71(4): 1128-1171.
- LÖVE, Á., & D. LÖVE. 1959. Biosystematics of the black crowberries of America. *Can. J. Genet. and Cytol.* 1:34-38.
- LÖVE, Á., & D. LÖVE. 1976. Nomenclatural notes on arctic plants. *Bot. Notiser* 128: 497-523.
- LÖVE, D. 1960. The red-fruited crowberries in North America. *Rhodora* 62(742): 265-292.
- LÖVE, D., & H. LIETH. 1961. *Triglochin gaspense*, a new species of Arrow Grass. *Can. J. Bot.* 39: 1261-1272.
- LOVETT DOUST, L., A. MACKINNON, & J. LOVETT DOUST. 1985. The biology of Canadian weeds. 71. *Oxalis stricta* L., *O. corniculata* L., *O. dillenii* Jacq. ssp. *dillenii*, and *O. dillenii* Jacq. ssp. *filipes* (Small) Eiten. *Can. J. Plant Sci.* 65: 669-690.
- LUER, C.A. 1975. *The native orchids of the United States and Canada, excluding Florida*. The New York Botanical Garden, New York. 361 pp.
- LUERSSSEN, C. 1889. Die Farnpflanzen. In: Rabenhorst's *Kryptogamenflora*, vol. 3.
- LUNDELL, A. 2014. Population structure and distribution of the declining endangered forest plant *Chimaphila umbellata*. Dept. of Ecology, Environment, and Plant Sciences, Stockholm Univ., Stockholm, Sweden. URL: http://su.se/polopoly_fs/1.175711.1398693637!/menu/standard/file/Plants%20and%20Ecology%202014_1.pdf
- LUNDQVIST, A. 1992. The self-incompatibility system in *Caltha palustris* (Ranunculaceae). *Hereditas* 117: 145-151.
- LUTEYN, J. 1976. Revision of *Limonium* (Plumbaginaceae) in eastern North America. *Brittonia* 28: 303-317.

LUTZ, H.J. 1956. Ecological effects of forest fires in the interior of Alaska. *U.S. Dept. Agr. Techn. Bul. 1133*. U.S. Forest Service, Juneau, AK. 121 pp.

LUTZ, H.J. 1958. Effect of red squirrels on crown form of black spruce in Alaska. *Technical notes of the Alaska Forest Research Centre No. 42*. U.S. Forest Service, Juneau, AK.

LYSAGHT, A.M. 1971. *Joseph Banks in Newfoundland and Labrador, 1766. His diary, manuscripts, and collections*. London. 512 pp.

MACKENZIE, K.K., ill. by H.C. CREUTZBURG. 1940. *North American Cariceae*. 2 vol. The New York Botanical Garden, New York, NY. 547 pp.

MACLEAN, D.A., & R.W. WEIN. 1977. Changes in understory vegetation with increasing stand age in New Brunswick forests: species composition, cover, biomass, and nutrients. *Can. J. Bot.* 55: 2818-2831. URL: <http://www.nrcresearchpress.com/doi/pdfplus/10.1139/b77-320>

MACOUN, J. 1890. *Catalogue of Canadian plants*. Additions and corrections to parts 1-4. Vol. 2, part 4. Acrogens. Dawson Bros., Montréal, Québec, Canada.

MACOUN, J.M. 1891. Catalogue of the plants reported by various travellers and others as growing on the coast of Labrador. pp. 451-474. In: A.S. PACKARD (ed.). *The Labrador Coast*. NY.

MACOUN, J.M. 1896. List of the plants known to occur on the coast and in the interior of the Labrador Peninsula. *Geol. Surv. Can. Ann. Rept.* 8 (part L): Appendix VI. 14 pp.

MACOUN, J.M. 1899. Contributions to Canadian Botany. *The Ottawa Naturalist* 13:158-169.

MAGEE, D.W., & H.E. AHLES. 1999. *Flora of the Northeast. A manual of the vascular flora of New England and adjacent New York*. University of Massachusetts Press. Amherst.

MAKINEN, Y., & P. KALLIO. 1980. Preliminary checklist of the vascular plants in the Shefferville area of the Quebec-Labrador peninsula. *McGill Subarct. Res. Pap.*, No. 30: 17-36.

MAINI, J.S., & K.W. HORTON. 1966. Vegetative propagation of *Populus* spp. I. Influence of temperature on the formation and initial growth of aspen suckers. *Can. J. Bot.* 44: 1183-1189.

MAL, T.K., J. LOVETT-DOUST, L. LOVETT-DOUST, & G.A. MULLIGAN. 1992. The biology of Canadian weeds. 100. *Lythrum salicaria*. *Can. J. Plant Sci.* 72: 1305-1330.

MALLIK, A.U. 1991. Cutting, burning, and mulching to control *Kalmia*: results of a greenhouse experiment. *Canadian Journal of Forest Research* 21: 417-420.

MALLIK, A.U., & B.A. ROBERTS. 2003. Challenges and opportunities of conifer regeneration in post-harvest ericaceous dominated sites. Paper submitted to the XII World Forestry Congress 2003, Québec City, Canada.

- MALOY, O.C. 2016. *White pine blister rust*. APS - The American Phytopathological Society.
URL:
<http://www.apsnet.org/edcenter/intropp/lessons/fungi/Basidiomycetes/Pages/WhitePine.aspx>
- MANHART, J.R. 1995. Phylogenetic analysis of green plant rbcL sequences. *Mol. Phylogenetics & Evol.* 3:114-127.
- MANN, H. 1986. The arrowhead, *Sagittaria latifolia* Willd., in Western Nfld. *Osprey* 17(4): 166-177.
- MANN, H. 1989. Meadow Goat's-beard (*Tragopogon pratensis* L.) in western Newfoundland. *Osprey* 20(2): 73-77.
- MANN, H. 1995a. Indian Pond recollections and speculations. *Sarracenia* 5(2): 3-7.
- MANN, H. 1998. Botanical observations along the Trans-Labrador Highway in early August, 1998. *The Osprey* 20(1): 7-20.
- MANN, H. 1995b. Roadside botanical aliens. *Sarracenia* 5(3): 3-8.
- MANN, H. 2001. *Introductory guide to the collection and preservation of plant specimens*. Sir Wilfred Grenfell College, Corner Brook, NL.
- MANN, H. 2004. Goldthread (*Coptis trifolia* (L.) Salisb.); an early spring bloomer. *Sarracenia* 12(3): 38-40.
- MANN, H. 2007. Rapid Pond revisited: wild rice and wapato. *Sarracenia* 15 (2): 17-19.
- MANN, H. 2010. Uncommon wildflowers of Newfoundland 5: Spotted Knapweed (*Centaurea stoebe*). *Sarracenia* 18(1): 2-5.
- MANN, H., & E. BUTT. 1997. *Pipsissewa*: Some observations of the rare Newfoundland wildflower, *Chimaphila umbellata* (L.) Bart. *Osprey* 28(4): 82-88.
- MANN, H., & M. COLLINS. 1999. Botanical observations along the Trans-Labrador Highway in early August, 1998. *The Osprey*, 30(1): 7-20.
- MANN, H., & M. VASSALLO. 1998. Crown vetch (*Coronilla varia* L.) in western Newfoundland. *Sarracenia* 8(3): 13-14.
- MANN, U., & A.A. ANDERBERG. 2005. Molecular Phylogeny of *Anagallis* (Myrsinaceae) Based on ITS, trnL-F, and ndhF Sequence Data. *Int. J. Plant Sci.* 166 (6): 1019-28.
- MANN, U., & A.A. ANDERBERG. 2009. New combinations and names in *Lysimachia* (Myrsinaceae) for species of *Anagallis*, *Pelletiera* and *Trientalis*. *Willdenowia* 39(1): 49-54.

- MARCUSSEN, T., H.E. BALLARD, J. DANIHELKA, A.R. FLORES, M.V. NICOLA, & J.M. WATSON. 2022 (Aug27). A Revised Phylogenetic Classification for Viola (Violaceae). *Plants* 11(17): 2224. Special Issue: Advances in Violaceae Research. doi: [10.3390/plants11172224](https://doi.org/10.3390/plants11172224)
- MARHOLD, K. 2011. Brassicaceae. In: Euro+Med Plantbase - the information resource for Euro-Mediterranean plant diversity. URL: <http://ww2.bgbm.org/EuroPlusMed/PTaxonDetail.asp?NameCache=Lepidium%20ruderales&PTRefFk=7200000>
- MARIE-VICTORIN, FRÈRE. 1925. Études floristiques sur la région du lac Saint-Jean. *Contributions de Laboratoire de Botanique de l'Université de Montréal*. 3. 175 pp.
- MARIE-VICTORIN, FRÈRE. 1927. Sur un *Botrychium* nouveau de la flore américaine et ses rapports avec le *B. lunaria* et le *B. simplex*. *Contr. Lab. Bot. Univ. Montréal*. 11:319-340.
- MARIE-VICTORIN, FRÈRE. 1938. Phytogeographical problems of Eastern Canada. *Am. Midl.-Nat.* 19(3): 489-558.
- MARIE-VICTORIN, FRÈRE. 1995. *Flore Laurentienne*, troisième édition - corrigée. Les Presses de l'Université de Montréal, Montréal, Québec.
- MARKS, P.L. 1974. The role of pin cherry (*Prunus pensylvanica* L.) in the maintenance of stability in northern hardwood ecosystems. *Ecol. Monographs*. 44: 73-88.
- MARKS, P.L. & F.H. BORMANN. 1972. Revegetation following forest cutting: Mechanisms for the return to steady-state nutrient cycling. *Science* 176: 914-915.
- MARSHALL, H. 1785. *Mespilus prunifolia* (description). *Arbust. Am.* [Arbustum Americanum: The American Grove, or, an Alphabetical Catalogue of Forest Trees and Shrubs, native of the American United States.] 90.
- MARSHALL, I. 1998. *Transportation*. Heritage Newfoundland & Labrador. URL: <http://www.heritage.nf.ca/articles/aboriginal/beothuk-transportation.php>
- MARTINELLI, J.A. 2004. Chapter XII. Oat diseases and their control. In: *Fodder oats: a world overview*. J.M. SUTTIE & S.G. REYNOLDS, eds. Plant Production and Protection Series No. 33. Food and Agriculture Organization (FAO) of the United Nations. Rome, Italy. URL: <http://www.fao.org/docrep/008/y5765e/y5765e00.htm#Contents>
- MARTINS, L., C. OBERPRIELER, & F.H. HELLWIG. 2003. A phylogenetic analysis of Primulaceae s.l. based on internal transcribed spacer (ITS) DNA sequence data. *Pl. Syst. Evol.* 237: 75-85.
- MATHEWS, K.G., N. DUNNE, E. YORK, & L. STRUWE. 2009. A phylogenetic analysis and taxonomic revision of *Bartonia* (Gentianaceae: Gentianeae), based on molecular and morphological evidence. *Systematic Botany* 34(1): 162-172.

- MATTHEWS, J.R. & G. ROGER. 1941. Variation in *Trientalis europaea* L. *J. Botany* 79: 80-83.
- MATTHEWS, R.F. 1992. *Alnus viridis* subsp. *crispa*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/alnvinc/all.html>
- MATTHEWS, R.F. 1994. *Chimaphila umbellata*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/chiumb/all.html>
- MAUN, M.A., & S.C.H. BARRETT. 1986. The biology of Canadian weeds. 77. *Echinochloa crus-galli* (L.) Beauv. *Can. J. Plant Sci.* 66: 739-759.
- MAUNDER, J.E. 2006. The conundrum of Fernald's milk-vetch. *Astragalus robbinsii* (Oakes) Gray var. *fernaldii* (Rydberg) Barneby. Unpublished report submitted to the Newfoundland Dept. of Environment and Conservation, Wildlife Division, Govt. of Newfoundland and Labrador. 43 pp.
- MAUNDER, J.E. 2007. The green orchids - *Platanthera aquilonis* and *Platanthera huronensis*. *Sarracenia* 15(2): 20-26.
- MAUNDER, J.E. 2008. *The status of the Bodin's milkvetch (Astragalus bodinii) in Newfoundland and Labrador*. The Species Status Advisory Committee Report No. 8. Newfoundland Dept. of Environment and Conservation, Wildlife Division, Govt. of Newfoundland and Labrador. 16 pp.
- MAUNDER, J.E. 2008. *The status of the rock-dwelling sedge (Carex petricosa var. misandroides) in Newfoundland and Labrador*. The Species Status Advisory Committee Report No. 10. Newfoundland Dept. of Environment and Conservation, Wildlife Division, Govt. of Newfoundland and Labrador. 16 pp.
- MAUNDER, J.E. 2008. *The status of shaved sedge (Carex tonsa var. tonsa) in Newfoundland and Labrador*. The Species Status Advisory Committee, Report No. 11. Newfoundland Dept. of Environment and Conservation, Wildlife Division, Govt. of Newfoundland and Labrador. 28 pp.
- MAUNDER, J.E. 2008. *The status of Alaska Rein Orchid (Platanthera foetida) in Newfoundland and Labrador*. The Species Status Advisory Committee Report. No. 14. Newfoundland Dept. of Environment and Conservation, Wildlife Division, Govt. of Newfoundland and Labrador. 16 pp.
- MAUNDER, J.E. 2012+. *A digital flora of Newfoundland and Labrador vascular plants*. URL: <http://www.digitalnaturalhistory.com/flora.htm>
- MAW, M.G., A.G. THOMAS, & A. STAHEVITCH. 1985. The biology of Canadian weeds. 66. *Artemisia absinthium* L. *Can. J. Plant Sci.* 65: 389-400.
- MCCCLINTOCK, K.A., & M.J. WATERWAY. 1994. Genetic differentiation between *Carex lasiocarpa* and *C. pellita* (Cyperaceae) in North America. *Amer. J. Bot.* 81: 224-231.

MCGREGOR, S.E. 1976. Chapter 7: Small fruits and brambles. *In: Insect pollination of cultivated plants*. U.S.D.A. Agric. Handb. no. 496. 409 pp.

MCKINNEY, L.E. 1992. A taxonomic revision of the acaulescent blue violets (*Viola*) of North America. *Sida Botanical Miscellany* 7.

MCJANNET, C.L., S.G. AIKEN, M.J. DALLWITZ, L.J. GILLESPIE, & L.L. CONSAUL. 1997+. *Saxifragaceae of the Canadian Arctic Archipelago: Descriptions, Illustrations, Identification, and Information Retrieval*. Version: 10th Sept. 1999. URL: <http://biodiversity.bio.uno.edu/delta/arcticf/sax/index.htm>

MCNEILL, J. 1975. The biology of Canadian weeds. 25. *Silene alba* (Miller) Krause. *Can. J. Plant Sci.* 57: 1103-1114.

MCNEILL, J. 1976. Nomenclature of four perennial species of *Bromus* in eastern North America, with a proposal for the listing of *B. purgans* L. as a rejected name under article 69. *Taxon* 25: 611-616.

MCNEILL, J. 1978. *Silene alba* and *Silene dioica* in North America and the generic delimitations of *Lychnis*, *Melandrium*, and *Silene*. *Can. J. Bot.* 56: 297-308.

MCNEILL, J. 1980. The delimitation of *Arenaria* (Caryophyllaceae) and related genera in North America with 11 new combinations in *Minuartia*. *Rhodora* 82(831): 495-502.

MCNEILL, J. 1981a. Nomenclatural problems in *Polygonum*. *Taxon* 30: 630-641.

MCNEILL, J. 1981b. The taxonomy and distribution in eastern Canada of *Polygonum arenastrum* (4x = 40) and *P. monspeliense* (6x = 60), introduced members of the *P. aviculare* complex. *Can. J. Bot.* 59: 2744-2751.

MCNEILL, J. 1982. Taxonomic, nomenclatural, and distributional notes on Canadian weeds and aliens. *Naturaliste can.* 108: 237-244.

MCNEILL, J., I.J. BASSETT, & C.W. CROMPTON. 1977. *Suaeda calceoliformis*, the correct name for *Suaeda depressa* auct. *Rhodora* 79(817): 133-138.

MCNEILL, J., I.J. BASSETT, C.W. CROMPTON, & P.M. TASCHEREAU. 1983. Taxonomic and nomenclatural notes on *Atriplex* L. (Chenopodiaceae). *Taxon* 32: 549-556.

MCNEILL, J., & W.G. DORE. 1976. Taxonomic and nomenclatural notes on Ontario grasses. *Naturaliste can.* 103: 553-567.

MCNEILL, J., & H.C. PRENTICE. 1981. *Silene pratensis* (Rafn.) Godron & Gren., the correct name for white campion or white cockle (*Silene alba* (Miller) E.H.L. Krause, *nom. illeg.*). *Taxon* 30: 27-32.

MCNEILL, J., & K.M. PRYER. 1985. The status and typification of *Phegopteris* and *Gymnocarpium*. *Taxon* 34: 136-143.

MCNEILL, J., F.R. BARRIE, H.M. BURDET, V. DEMOULIN, D.L. HAWKSWORTH, K. MARHOLD, D.H. NICOLSON, J. PRADO, P.C. SILVA, J.E. SCOG, J.H. WIERSEMA, & N.J. TURLAND (eds.). 2006. *International code of botanical nomenclature (Vienna Code)*. Regnum Veg. 146.

MEADES, S.J. 1990. *Natural regions of Newfoundland and Labrador*. Protected Areas Association, St. John's Nfld. 374 pp. + 101 pp map appendix.

MEADES, S.J. 1994a. Summer '94 highlights: *Calypso bulbosa* and *Crepis nana* rediscovered! *Sarracenia* 5(1): 3-9.

MEADES, S.J. 1994b. The Tilt Cove *Dactylorhiza*. *Sarracenia* 5(1): 13-16.

MEADES, S.J. 1995a. Curiosities and additions to the flora. *Sarracenia* 5(2): 9-11.

MEADES, S.J. 1995b. The Waghorne memorial expedition. *Sarracenia* 6(1): 8-11.

MEADES, S.J. 1995c. Current Status of the Tilt Cove Marsh Orchis. *North American Native Orchid Journal* 1(3): 244-253.

MEADES, S.J. 1996a. The end of quarrying at Burnt Cape. *Sarracenia* 6(2): 7-17.

MEADES, S.J. 1996b. *Status report on Fernald's Braya (Braya fernaldii)*. Report submitted to COSEWIC (Committee on the Status of Endangered Wildlife in Canada), Ottawa.

MEADES, S.J. 1996c. *Status report on Long's Braya (Braya longii)*. Report submitted to COSEWIC (Committee on the Status of Endangered Wildlife in Canada), Ottawa.

MEADES, S.J., & L. BROUILLET. 2019. *Annotated Checklist of the Vascular Plants of Newfoundland and Labrador*. Sault Ste. Marie, ON. Published online. URL: <https://www.newfoundland-labradorflora.com/checklist/>

MEADES, S.J., & W.J. MEADES. 2019+. *Flora of Newfoundland and Labrador*. Web design by Mirämar Design Studio, Inc., Sault Ste. Marie, ON. Published online. URL: <https://www.newfoundland-labradorflora.com/>

MEADES, S.J., S.G. HAY, & L. BROUILLET. 2000. *Annotated Checklist of the Vascular Plants of Newfoundland and Labrador*. Memorial Univ. Botanical Garden, Nature Conservancy of Canada, Nfld. & Labrador Dept. of Forest Resources and Agrifoods, Parks Canada, and the Western Newfoundland Model Forest Inc., St. John's, NL. 237 pp.

MEADES, S.J., J. CROSS, D. THOMPSON, & J. ROSE. 2014. *Field Guide to Integrated Vegetation Management along Corridors in Northern Ontario*. Great Lakes Power, Algoma Power Inc., and Brookfield Renewable Power, Sault Ste. Marie, ON. 232 pp.

MEADES, S.J., D. SCHNARE, K. LAWRENCE, & C. FAULKNER. 2004+. *Northern Ontario Plant Database Website*. Version 1, January 2004. Algoma University College and Great Lakes Forestry Centre, Sault Ste. Marie, Ontario, Canada.

MEADES, W.J. 1973. *A phytosociological classification of the Avalon Peninsula heath, Newfoundland*. M.Sc. Thesis, Memorial Univ. of Newfoundland. St. John's, NL. 249 pp.

MEADES, W.J. 1976. Part 5. Vegetation. pp. 127-263. *In: Biophysical classification, Terra Nova National Park: Environmental Component 3c*. Can. Dept. Indian and Northern Affairs, Parks Branch. Halifax.

MEADES, W.J. 1983. Heathlands. pp 265-318. *In: G.R. SOUTH (ed.). Biogeography and Ecology of the Island of Newfoundland*. Dr. Junk Publishers, The Hague.

MEADES, W.J. 1986. *Successional Status of Ericaceous Dwarf Shrub Heath in Eastern Newfoundland*. Ph.D. Thesis, Univ. of Connecticut, CT. 355 pp.

MEADES, W.J. 1987. *Watt's Point calcareous barrens Ecological Reserve. Preliminary Management Plan*. Wilderness and Ecological Reserves Advisory Council. St. John's. NL. 23 pp.

MEADES, W.J. 1989. *Ecoregions of Labrador*. Unpublished report submitted to the Ecoregions working group for inclusion in Ecoclimatic Regions of Canada. Forestry Canada, St. John's. *Reprinted in: S.J. Meades. 1990. Natural regions of Newfoundland and Labrador*. Protected Areas Assoc., St. John's, NL.

MEADES, W.J., & L. MOORES. 1989. *Forest site classification manual. A field guide to the Damman forest types in Newfoundland*. FRDA Report 003. Minister of Supply and Services Canada and Newfoundland Dept. of Forestry and Agriculture, St. John's, Nfld. 311 pp.

MEADES, W.J., & L. MOORES. 1994, second printing. *Forest Site Classification Manual: A field guide to the Damman forest types of Newfoundland*. FRDA Report 003. Western Model Forest Inc., Dept. of Forestry and Agriculture and Natural Resources Canada, Canadian Forest Service, Corner Brook, NL. 311 pp.

MEIER, E. 2015. The Wood Database website. URL: <http://www.wood-database.com/>

MEIER, E. 2015. *Paper Birch*. The Wood Database website. URL: <http://www.wood-database.com/lumber-identification/hardwoods/paper-birch/>

MELDERIS, A. 1978. Taxonomic notes on the tribe Triticeae (Gramineae), with special reference to the genera *Elymus* L. *sensu lato*, and *Agropyron* Gaertner *sensu lato*. *Bot. J. Linn. Soc.* 76: 369-384.

MELVILLE, M.R., & J.K. MORTON. 1982. A biosystematic study of the *Solidago canadensis* (Compositae) complex. I. The Ontario populations. *Can. J. Bot.* 60: 976-997.

MENAPACE, F.J. 1991. A preliminary micromorphological analysis of *Eleocharis* (Cyperaceae) achenes for systematic potential. *Can. J. Bot.* 69: 1533-1541.

MENAPACE, F.J., D.E. WUJEK, & A.A. REZNICEK. 1986. A systematic revision of the genus *Carex* (Cyperaceae) with respect to the section *Lupulinae*. *Can. J. Bot.* 64: 2785-2788.

MENDENHALL, M.G. 1994. New combinations in *Thermopsis* and *Baptisia* (Fabaceae). *Phytologia* 76(5): 383-384.

MEYER, E. 1830. *De Plantis Labradoracis*. 8 vol. Lipsiae. 218 pp.

MILLER, G.S., & P.C. STANDLEY. 1912. The North American species of *Nymphaea*. *Contrib. U.S. Natl. Herb.* 16: 63-108.

MINASKUAT LTD. 2007. *Rare Plant Survey in the Lower Churchill River Valley, Lower Churchill Hydroelectric Generation Project*. Report. No. MIN0315.04. Prepared for Newfoundland and Labrador Hydro. Goose Bay, NL. Draft Final Report, dated Dec. 17, 2007. 103 pp.

MITCHELL, C.H., & P.K. DIGGLE. 2005. The evolution of unisexual flowers: morphological and functional convergence results from diverse developmental transitions. *Am. J. Bot.* 92(7): 1068-1078. URL: <http://www.amjbot.org/content/92/7/1068.full>

MITCHELL, R.S. 1988. The identity of *Thalictrum confine* (Ranunculaceae). *Brittonia* 40: 298-305.

MITCHELL R.S. & J.K. DEAN. 1982. Ranunculaceae (crowfoot family) of New York State. *Bull. No.* 446: 10-11. New York State Museum, Albany, NY.

MITCHELL, R.S., & G.C. TUCKER. 1991. *Sagina japonica* (Sw.) Ohwi (Caryophyllaceae), an overlooked adventive in the northeastern United States. *Rhodora* 93(874): 192-194.

MODEL FOREST OF NEWFOUNDLAND & LABRADOR. 2011. *Domestic Woodcutting – Best Management Practices in Newfoundland & Labrador*.

URL: https://issuu.com/modelforestnl/docs/domestic_woodcutting_guide

MOERMAN, D.E. 2009. *Native American medicinal plants. An ethnobotanical dictionary*. Timber Press, Portland, OR. 799 pp.

- MOORE, A.J., & M.S. DILLENBERGER. 2017. A conspectus of the genus *Cherleria* (Minuartia s.l., Caryophyllaceae). *Willdenowia* 47: 5-14.
- MOORE, R.J. 1972. Distribution of native and introduced knapweed (*Centaurea*) in Canada and the United States. *Rhodora* 74(799): 331-346.
- MOORE, R.J., & C. FRANKTON. 1974. *The thistles of Canada*. Research Branch, Canada Department of Agriculture. Monograph no. 10. Canada Dept. of Agriculture, Ottawa. 111 pp.
- MORGAN, D.R., & D.E. SOLTIS. 1993. Phylogenetic relationships among members of the Saxifragaceae *sensu lato* based on rbcL sequence data. *Ann. Missouri Bot. Garden*. 80: 631-660.
- MORIN, N.R. 2009. *Ribes*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2009. *Flora of North America north of Mexico. Vol. 8. Magnoliophyta: Paeoniaceae to Ericaceae*. Oxford Univ. Press, NY. 624 pp.
- MORIN, N.R. 2020. Taxonomic changes in North American Campanuloidea (Campanulaceae). *Phytoneuron* 2020-49: 1-46.
- MORISSET, P. 1971. Endemism in the vascular plants of the Gulf of St. Lawrence region. *Naturaliste can.* 98:167-177.
- MORISSET, P., G. LAVOIE, et S. PAYETTE. 1987. *Flore du Québec nordique et des territoires adjacents*. 3 vol. Centre d'Études Nordiques et Herbarium Louis-Marie, Université Laval, Québec. Rapport non publié, remis à l'Herbarium Louis-Marie. 785 pp.
- MOSSION, V., J.R. GRANT, & M. KESSLER. 2022. Global diversification of the common moonwort ferns (*Botrychium lunaria* group, Ophioglossaceae) was mainly driven by Pleistocene climatic shifts. *bioRxiv* Preprint: Sept. 2022: 1-42.
- MORTON, C.V. 1967. The fern herbarium of André Michaux. *Amer. Fern J.* 57:166-182.
- MORTON, C.V. 1975. The giant cow parsnip, *Heracleum mantegazzianum*, Umbelliferae, in Canada. *Can. Field-Naturalist* 89(2): 183-186.
- MORTON, J.K., & R.K. RABELER. 1989. Biosystematic study of the *Stellaria calycantha* (Caryophyllaceae) complex. I. Cytology and cytogeography. *Can. J. Bot.* 67:121-127.
- MORTON, J.K., & J.M. VENN. 1990. *A checklist of the flora of Ontario - Vascular Plants*. Univ. of Waterloo, Ont. 218 pp.
- MOSQUIN, T. 1985. The explosive pollination mechanism in the pop flower, *Chamaepericlymenum* (Cornaceae). *Can. Field-Naturalist* 99 (1): 1-5.

- MOSSELER, D.A., D.J. INNES, & B.A. ROBERTS. 1991. Lack of allozymic variation in disjunct Newfoundland populations of red pine (*Pinus resinosa*). *Can. J. For. Res.* 21: 525-528.
- MOSYAKIN, S.L. 1996. The taxonomic synopsis of the genus *Salsola* (Chenopodiaceae) in North America. *Ann. Missouri Bot. Gard.* 83(3): 389-395.
- MOSYAKIN, S.L. 2013. New nomenclatural combinations in *Blitum*, *Oxybasis*, *Chenopodiastrum*, and *Lipandra* (Chenopodiaceae). *Phytoneuron* 2013-56: 1-8.
- MOSYAKIN, S.L. 2016. Nomenclatural notes on North American taxa of *Anemonastrum* and *Pulsatilla* (Ranunculaceae), with comments on the circumscription of *Anemone* and related genera. *Phytoneuron* 2016-79: 1-12.
- MOTLEY, T. 1994. The ethnobotany of sweet flag, *Acorus calamus* (Araceae). *Economic Botany* 48(4):397-412.
- MUELLER-DOMBOIS, D., & H. ELLENBERG. 1974. *Aims and Methods in Vegetation Ecology*. John Wiley & Sons, New York. 547 pp.
- MULLIGAN, G.A. 1961. The genus *Lepidium* in Canada. *Madroño* 16: 77-90.
- MULLIGAN, G.A. 1970. Cytotaxonomic studies of *Draba glabella* and its close allies in Canada and Alaska. *Can. J. Bot.* 48: 1431-1437.
- MULLIGAN, G.A. 1971. Cytotaxonomic studies of the closely allied *Draba cana*, *D. cinerea*, and *D. groenlandica* in Canada and Alaska. *Can. J. Bot.* 49: 89-93.
- MULLIGAN, G.A. 1974. Cytotaxonomic studies of *Draba nivalis* and its close allies in Canada and Alaska. *Can. J. Bot.* 52: 1793-1801.
- MULLIGAN, G.A. 1975. Cytotaxonomic studies of *Draba crassifolia*, *D. albertina*, *D. nemorosa*, and *D. stenoloba* in Canada and Alaska. *Can. J. Bot.* 53: 745-751.
- MULLIGAN, G.A. 1976. The genus *Draba* in Canada and Alaska: key and summary. *Can. J. Bot.* 54: 1386-1393.
- MULLIGAN, G.A. 1980. The genus *Cicuta* in North America. *Can. J. Bot.* 58: 1755-1767.
- MULLIGAN, G.A. 1980. *The biology of Canadian weeds*. Contributions 1-32. Agri. Can. Publ. 1693, Ottawa.
- MULLIGAN, G.A. 1984. *The biology of Canadian weeds*. Contributions 33-61. Agri. Can. Publ. 1765, Ottawa.

- MULLIGAN, G.A. 1992. *Common and botanical names of weeds in Canada / Noms populaires et scientifiques des plantes nuisibles du Canada*. Res. Br., Agric. Canada Publ. 1397/B. 131 pp.
- MULLIGAN, G.A. 1995. Synopsis of the genus *Arabis* (Brassicaceae) in Canada, Alaska, and Greenland. *Rhodora* 97(890): 108-163.
- MULLIGAN, G.A., & I.J. BASSETT. 1959. *Achillea millefolium* complex in Canada and portions of the United States. *Can. J. Bot.* 37: 73-79.
- MULLIGAN, G.A., & C. FRANKTON. 1967. Present status of tall wormseed mustard, *Erysimum hieraciifolium* in Canada. *Can. J. Bot.* 45: 755-756.
- MULLIGAN, G.A., & D.B. MUNRO. 1981. The biology of Canadian weeds. 48. *Cicuta maculata* L., *C. douglasii* (DC.) Coult. & Rose, and *C. virosa* L. *Can. J. Plant Sci.* 61: 93-105.
- MULLIGAN, G.A. & D.B. MUNRO. 1981. The biology of Canadian weeds. 51. *Prunus virginiana* L. and *Prunus serotina* Ehrh. *Can. J. Plant Sci.* 61: 977-992.
- MULLIGAN, G.A., & D.B. MUNRO. 1984. Chromosome numbers and sexual compatibility in North America of *Rorippa sylvestris* (Cruciferae). *Can. J. Bot.* 62: 575-580.
- MULLIGAN, G.A., & D.B. MUNRO. 1987. The biology of Canadian weeds. 77. *Veratrum viride* Ait. *Can. J. Plant Sci.* 67: 777-786.
- MULLIGAN, G.A., & D.B. MUNRO. 1989. Taxonomy of species of North American *Stachys* (Labiatae) found north of Mexico. *Naturaliste can.* 116: 35-51.
- MULLIGAN, G.A., D.B. MUNRO, & J. MCNEILL. 1983. The status of *Stachys palustris* (Labiatae) in North America. *Can. J. Bot.* 61: 679-682.
- MUNRO, D.B. 2013. Pink Lady's Slipper. *In: Canadian Poisonous Plants Information System. Canadian Biodiversity Information Facility.*
- MUNRO, D.B. 2013. *Prunus pennsylvanica*. Canadian Poisonous Plants Information System. Canadian Biodiversity Information Facility (CBIF), Ottawa, ON.
- MURRAY, D.F., & R. ELVEN. 2007. A new species and two new combinations in *Potentilla* sect. *Niveae* (Rosaceae). *J. Bot. Res. Inst. Texas* 1(2): 811-814.
- NAKAMAURA, Y. & P.V. KRESTOV. 2005. Coniferous forests of the temperate zone of Asia. Chapter 5, pp. 132-163. *In: Anderson, F. (ed.) Ecosystems of the World: Coniferous Forests*. Elsevier, Amsterdam. 633 pp.

NANTEL, P., A. BOUCHARD, L. BROUILLET, & S.G. HAY. 1998. Selection of areas for protecting rare plants with integration of land use conflicts: a case study for the west coast of Newfoundland, Canada. *Biol. Conserv.* 84(3):223-234.

NATUREGATE/LUONTOPORTTI. 2020. Apiaceae.

URL: <http://www.luontoportti.com/suomi/en/kukkakasvit/?c=Apiaceae>

NATUREGATE/LUONTOPORTTI. 2020. *Scrophularia nodosa*.

URL: <http://luontoportti.com/suomi/en/kukkakasvit/figwort>

NATURHISTORISKA RIKSMUSET. 1997. *Den virtuella floran*. Dept. of Phanerogamic Botany, Swedish Museum of Natural History, Stockholm, Sweden. URL:

<http://linnaeus.nrm.se/flora/index/slakte/welcome.html>

NAUGŽEMLYS, D., S. ŽILINSKAITE, A. SKRIDAILA, & D. ŽVINGILA. 2014. Phylogenetic analysis of the polymorphic 4x species complex *Lonicera caerulea* (Caprifoliaceae) using RAPD markers and noncoding chloroplast DNA sequences. *Biologia* 69(5): 585-593).

NC STATE. No date. *Clintonia borealis*. In: Poisonous Plants website. North Carolina Cooperative Extension Service. NC State University and NC A&T State University, Raleigh, NC.

URL: <https://plants.ces.ncsu.edu/plants/poisonous-plants/clintonia-borealis/>

NESOM, G.L. 1994. Review of the taxonomy of *Aster* sensu lato (Asteraceae: *Astereae*) emphasizing the New World species. *Phytologia* 77: 141-297.

NESOM, G.L. 2012. Taxonomy of *Erythranthe* Sect. *Mimulosma* (Phrymaceae). *Phytoneuron* 2012-41: 1-36.

NESOM, G.L. 2019. *Verbascum*. (pp. 343-347). In: *Flora of North America* Vol. 17: *Magnoliophyta: Tetrachondraceae to Orobanchaceae*. Oxford Univ. Press., N.Y. 737 pp.

NEWCOMB, L. 1977. *Newcomb's wildflower guide*. Little, Brown and Company, Boston & Toronto.

NEWCOMB, L. 1977. *Guide des fleurs sauvages de l'est de l'Amérique du Nord*. Marcel Broquet, La Prairie, Qué.

NICKRENT, D.L. 2016. Viscaceae, pp. 422-440. in: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). *Flora of North America north of Mexico. Vol. 12. Magnoliophyta: Vitaceae to Garryaceae*. Oxford Univ. Press., N.Y. 603 pp.

NIENSTAEDT, H., & J.C. ZASADA. 1990. *Picea glauca* (Moench) Voss. In: BURNS, R.M. & B.H. HONKALA, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.

URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/picea/glauca.htm

- NORDAL, I., & B. SLEDGE. 2005. Paraphyletic taxa should be accepted. *Taxon* 54: 5-8.
- NORMAN, J.M. 1893. Floræ Arcticæ Norvegiæ. Species & formæ nonnullæ novæ v. minus cognitæ plantarum vascularium. *Christiania Videnskabs-Selskabs Forhandlinger* for 1893, No. 16: 1-59
- NORTHLAND ASSOCIATES. 1989. *Seral succession classification of disturbed forest sites in central Newfoundland*. Contract Report for Canadian Forest Service, St John's, NF. 57 pp.
- NORTHSTROM, T.E. 1976. Typification and nomenclature of *Hedysarum boreale* Nutt. (Leguminosae). *The Great Basin Naturalist*, Vol. 36(4): 458-460.
- NORTHSTROM, T.E., & S.L. WELSH. 1970. Revision of the *Hedysarum boreale* complex. *The Great Basin Naturalist*, Vol. 30(3): 109-130.
- O'CONNELL, L.M., & M.O. JOHNSTON. 1998. Male and female pollination success in a deceptive orchid, a selection study. *Ecology* 79(4): 1246-1260.
- O'QUINN, R., & L. HUFFORD. 2005. Molecular systematics of Montieae (Portulacaceae): Implications for taxonomy, biogeography, and ecology. *Syst. Bot.* 30: 314-331.
- OLDHAM, M. 2018. *Final report on "Survey of exotic vascular plants and terrestrial gastropod in selected NL provincial parks"*. 6 pp. Report submitted to S.J. Meades.
- OLMSTEAD, R.G., C.W. DE PAMPHILIS, A.D. WOLFE, N.D. YOUNG, W.J. ELISONS, & P.A. REEVES. 2001. Disintegration of the Scrophulariaceae. *Amer. J. Bot.* 88: 348-361.
- OLMSTEAD, R.G., & P.A. REEVES. 1995. Evidence for the polyphyly of the Scrophulariaceae based on chloroplast rbcL and ndhF sequences. *Ann. Missouri Bot. Garden.* 82: 176-193.
- OLSEN, O.A. 1980. *Checklist of vascular plants, Churchill Falls spray zone, Labrador*. Botany Division, National Museums of Canada, Ottawa.
- OSAWA, A. 1994. Seedling responses to forest canopy disturbance following a spruce budworm outbreak in Maine. *Can. J. Forest Research.* 24: 850-859.
- OSBORN, J.M. and E.L. SCHNEIDER. 1988. Morphological studies of the Nymphaeaceae *sensu lato*. XVI. The floral biology of *Brasenia schreberi*. *Ann. Missouri Bot. Gard.* 75: 778-794.
- OWEN, W. 2016. Showy lady's slipper (*Cypripedium reginae*). Plant of the Week. U.S. Forest Service, Rangeland Management Botany Program, Dept. of Agriculture, Washington, DC.
- OZOLINCIUS, R. 2002. Lietuvos dendrofloroje naujos paprastosios eglės (*Picea abies* (L.) Karsten) ir paprastosios pušies (*Pinus sylvestris* L.) formos [New forms of Norway spruce (*Picea abies* (L.) Karsten) and Scots pine (*Pinus sylvestris* L.) to the dendroflora of Lithuania]. *Botanica Lithuanica, Suppl.* 4: 19-26.

URL: http://www.botanika.lt/lituanica/botlitsuppl4%2819_26%29.pdf

PAGE, M.C. & K.M. CAMERON. 2017. The systematics of the *Spiranthes cernua* species complex (Orchidaceae): Untangling the Gordian Knot. *Systematic Botany* 42(4): 640-669.

PACKER, J.G. 1963. The taxonomy of some North American species of *Chrysosplenium* L., section *Alternifolia* Franchet. *Can. J. Bot.* 41: 85-103.

PACKER, J.G. 1971. A taxonomic and phytogeographic review of some arctic and alpine *Senecio* species. *Can. J. Bot.* 50: 507-518.

PACKER, J.G., & K.E. DENFORD. 1974. A contribution to the taxonomy of *Arctostaphylos uva-ursi*. *Can. J. Bot.* 52: 743-753.

PACKER, J.G., & G.S. RINGIUS. 1984. The distribution and status of *Acorus* (Araceae) in Canada. *Can. J. Bot.* 62: 2245-2252.

PADGETT, D.J., D.H. LES, & G.E. CROW. 1998. Evidence for the hybrid origin of *Nuphar × rubrodiscalis* (Nymphaeaceae). *Am. J. Bot.* 85(10): 1468-1476.

PAGE, G. 1972. The occurrence and growth of trembling aspen in Newfoundland. *Canada Forestry Service, Publication 1314*. Ottawa, ON. 15 pp.

PAGE, N.A., R.E. WALL, S.J. DARBYSHIRE, & G.A. MULLIGAN. 2006. The Biology of Invasive Alien Plants in Canada. 4. *Heracleum mantegazzianum* Sommier & Levier. *Can. J. Plant Sci.* 86: 569-589.

PAN, Z., & M.F. WATSON. 2005. *Angelica sylvestris*. In: *Flora of China*. Vol. 14, p. 163. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO.

URL: http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=242443959

PAN, Z., & M.F. WATSON. 2005. *Conioselinum chinense*. In: *Flora of China*. Vol. 14, p. 155. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO.

URL: http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015499

PAN, Z., & M.F. WATSON. 2005. *Pastinaca sativa*. In: *Flora of China*. Vol. 14: 193. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO.

URL: http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015712

PARIS, C.A. 1991. *Adiantum viridimontanum*, a new maidenhair fern in eastern North America. *Rhodora* 93(874): 105--122.

PARIS, C.A., & M.D. WINDHAM. 1988. A biosystematic investigation of the *Adiantum pedatum* complex in eastern North America. *Syst. Bot.* 13: 240--255.

PAULE, J., & J. SOJÁK. 2009. Taxonomic comments on the genus *Sibbaldiopsis* Rydb. (Rosaceae). *J. Natl. Mus. (Prague), Nat. Hist. Ser.* 178, 4: 15-16.

PAVEK, D.S. 1992. *Oxalis montana*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/forb/oxamon/all.html>

PAVEK, D.S. 1993. *Aralia nudicaulis*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/forb/aranud/all.html>

PAVLICK, L.E. 1984. Studies on the *Festuca ovina* complex in the Canadian Cordillera. *Can. J. Bot.* 62: 2448-2462.

PAVLICK, L.E. 1985. A new taxonomic survey of the *Festuca rubra* complex in northwestern North America, with emphasis on British Columbia. *Phytologia* 57: 1-17.

PAVLICK, L.E. 1995. *Bromus L. of North America*. Royal British Columbia Museum, Victoria, B.C. 160 pp.

PAVLICK, L.E., & J. LOOMAN. 1984. Taxonomy and nomenclature of rough fescues, *Festuca altaica*, *F. campestris* (*F. scabrella* var. *major*), and *F. hallii*, in Canada and the adjacent part of United States. *Can. J. Bot.* 62: 1739-1749.

PAYETTE, S., M. GARNEAU, & K. DAMBOISE (eds.). 2013. *Flore Nordique du Québec et du Labrador*. Vol. 1. Lycopodiaceae to Eriocaulaceae. Presses de L'Université Laval, Sainte-Foy, Québec. 550 pp.

PAYETTE, S. (ed.). 2015. *Flore Nordique du Québec et du Labrador*. Vol. 2. Papaveraceae to Rosaceae. Presses de l'Université Laval, Québec, Québec. 711 pp.

PAYETTE, S. (ed.). 2018. *Flore Nordique du Québec et du Labrador*. Vol. 3. Elaeagnaceae to Apiaceae. Presses de l'Université Laval, Québec, Québec. 711 pp.

PAYETTE, S. (ed.). 2023. *Flore Nordique du Québec et du Labrador*. Vol. 4. Asteraceae and Poaceae. Presses de l'Université Laval, Québec, Québec. 613 pp.

PELLINEN, K., J. SARVELA, & P. UOTILA. 1998. Chromosome counts on the fern genus *Gymnocarpium* (Dryopteridaceae) from Finland. *Ann. Bot. Fennici* 35: 265-266.

PELLMYR, O. 1985. The pollination biology of *Actaea pachypoda* and *A. rubra* (including *A. erythrocarpa*) in northern Michigan and Finland. *Bull. Torr. Bot. Club* 112: 265-273.

PELSER, P.B., B. NORDENSTAM, J.W. KADEREIT, & L.E. WATSON. 2007. An ITS phylogeny of tribe Senecioneae (Asteraceae) and a new delimitation of *Senecio* L. *Taxon* 56: 1077-1104.

- PENNVET. 2016. *Caltha palustris*, in: *Poisonous Plants of PA* website. Univ. of Pennsylvania, School of Veterinary Medicine, Philadelphia, PA. URL: <http://research.vet.upenn.edu/poisonousplants/PoisonousPlantsofPA/Calthapalustris/tabid/5415/Default.aspx>
- PERALA, D.A. 1990. *Populus tremuloides* Michx. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/populus/tremuloides.htm
- PETERS, S.S. 1958. The ecological effects of fire and its possible application to game management. In: *Proceedings, symposium on prescribed burning in forestry, agriculture, and wildlife management*. Newfoundland Research Committee Publication No. 1. St. John's, Newfoundland: Memorial Univ. of Newfoundland, Department of Mines and Resources: 41-52.
- PETERSON, P.M., K. ROMASCHENKI, Y.H. ARRIETA, & J.M. SAARELA. 2014. A molecular phylogeny and new subgeneric classification of *Sporobolus* (Poaceae: Chloridoideae: Sporobolinae). *Taxon* 63(6): 1212-1243.
- PHILBRICK, C.T., R.A. AAKJAR, JR., & R.L. STUCKEY. 1998. Invasion and spread of *Callitriche sphagnalis* (Callitrichaceae) in North America. *Rhodora* 100(901): 25-38.
- PHILBRICK, C. T., & R.K. JANSEN. 1991. Phylogenetic studies of North American *Callitriche* (Callitrichaceae) using chloroplast DNA restriction fragment analysis. *Systematic Botany* 16: 478-491.
- PHIPPS, J.B. *Rosaceae*. Pp. 18–661, in: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2014. *Flora of North America north of Mexico. Vol. 9. Magnoliophyta: Picramniaceae to Rosaceae*. Oxford Univ. Press, NY. 713 pp.
- PIHU, S., M. ÖPIK, E. KOOK, & Ü. REIER. 2009. Morphological and genetic relationships of *Myosotis laxa* subsp. *baltica* and subsp. *caespitosa*, and typification of *M. laxa* subsp. *baltica*. *Acta Soc. Bot. Poloniae*. 78(1): 37-49.
- PIMLOTT, D.H. 1963. Influence of deer and moose on boreal forest vegetation in two areas of eastern Canada. *Int. Union Game Biol. Congress* 6: 105-116.
- PIPER, J.K. 1986. Germination and growth of bird-dispersed plants: effects of seed size and light on seedling vigor and biomass allocation. *Amer. J. Botany*. 73(7): 959-965.
- PITELKA, L.F., S.B. HANSEN, & J.W. ASHMUN. 1985. Population biology of *Clintonia borealis*. I. ramet and patch dynamics. *J. Ecol.* 73: 169-184.

- PLOWRIGHT, R. C., J.D. THOMSON, & G.R. THALER. 1980. Pollen removal in *Cypripedium acaule* (Orchidaceae) in relation to aerial fenitrothion spraying in New Brunswick. *Can. Entomologist* 112(8): 765-769.
- PLUNKETT, G.M., D.E. SOLTIS, & P.S. SOLTIS. 1996. Higher level relationships of Apiales (Apiaceae and Araliaceae) based on phylogenetic analysis of *rbcl* sequences. *Amer. J. Bot.* 83: 399-415.
- POGAN, E. 1963. Taxonomical value of *Alisma triviale* Pursh and *Alisma subcordatum* Raf. *Can. J. Bot.* 41: 1011-1013.
- POJAR, J. 1974. Reproductive dynamics of four plant communities of southwestern British Columbia. *Can. J. Bot.* 52: 1819-1834.
- POLATSCHEK, A. 2012. Revision der Gattung *Erysimum* (Cruciferae). Teil 3. Amerika und Grönland. *Ann. Naturhist. Mus. Wein*, B. 113: 139-192.
- POLATSCHEK, A. 2013. Revision der Gattung *Erysimum* (Cruciferae). Teil 5. Nord-, West-, Zentraleuropa, Rumanien und westliche Balkan-Halbinsel bis Albanien. *Ann. Naturhist. Mus. Wein*, B. 115: 57-74.
- POLATSCHEK, A. & E. VITEK. 2010. Quid est *Erysimum hieracifolium* L. (Brassicaceae)? *Ann. Naturhist. Mus. Wein*, B. 110: 282-284.
- POLLETT, F.C. 1972. Classification of peatlands in Newfoundland. *Proc. 4th Intl. Peat Congress I-IV.* 101-110. Helsinki.
- POLLETT, F.C., & P.B. BRIDGEWATER. 1973. Phytosociology of peatlands in central Newfoundland. *Can. J. For. Res.* 3: 433-442.
- POLLETT, F.C., P.B. BRIDGEWATER, & W.J. MEADES. 1970. *A classification of peatlands in central Newfoundland.* Internal Report N-36. Forest Research Lab., Canadian Forest Service, St. John's, NL. 69 pp.
- POLLETT, F.C., & W.J. MEADES. 1970. A preliminary checklist of the peatland flora in Newfoundland. Information Report N-X-54. Canadian Forest Service, Forest Research Laboratory, St. John's, NL.
- POLLETT, F.C., & E.D. WELLS. 1980. Peatlands of Newfoundland: an overview. p. 1-18. *In:*
- POLLETT, F.C., A.F. RAYMENT, & A. ROBERTSON (eds.). *The Diversity of Peat.* Newfoundland and Labrador Peat Assoc. St. John's, NL. 130 pp.
- POLUNIN, N. 1938. The Flora of Southampton Island, Hudson Bay. *Journ. Bot.* 93-102.
- POLUNIN, N. 1940. Botany of the Canadian eastern Arctic. I. Pteridophyta and Spermatophyta. *Biol. Ser. 32, Natl. Mus. Can. Bull.* 92. Ottawa. 408 pp.

POLUNIN, N. 1947. Botany of the Canadian eastern Arctic. II. Thallophyta and Bryophyta. *Biol. Ser. 32, Natl. Mus. Can. Bull.* 97. Ottawa. 573 pp.

POLUNIN, N. 1948. Botany of the Canadian eastern Arctic. III. Vegetation and Ecology. *Biol. Ser. 32, Natl. Mus. Can. Bull.* 104. Ottawa. 304 pp.

POLUNIN, N. 1959. *Circumpolar arctic flora*. Oxford: Clarendon Press.

PORSILD, A.E. 1953. Edible Plants of the Arctic. *Arctic* 6:15-34.

PORSILD, A.E. 1973. *Illustrated flora of the Canadian Arctic Archipelago (1957)*. Bulletin 146. National Museum of Natural Sciences. National Museums of Canada. Ottawa, ON. 209 pp.

PORSILD, A.E. 1979. *Rocky Mountain wildflowers /Plantes sauvages des montagnes Rocheuses*. Natl. Mus. of Natl. Sci., Natl. Mus. Canada. Ottawa.

PORSILD, A. E., & W.J. CODY. 1980. *Vascular plants of the Continental Northwest Territories, Canada*. Natl. Mus. Nat. Sci., Ottawa. 667 pp.

POULTON, J.E. 1983. Cyanogenic compounds in plants and their toxic effects. Chap. 4. In: Keeler, R.F., and A. T. Tu. *Handbook of natural toxins Vol. 1. Plant and fungal toxins*. Marcel Dekker, Inc. New York, NY.

POWELL, M., V. SAVOLAINEN, P. CUÉNOUD, J.-F. MANEN, & S. ANDREWS. 2000. The mountain holly (*Nemopanthus mucronatus*: Aquifoliaceae) revisited with molecular data. *Kew Bull.* 55(2): 341-347.

POWO. 2019. *Plants of the World Online*. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet. Board of Trustees of the Royal Botanic Gardens, Kew.
URL: <http://plantsoftheworldonline.org/>

PPG I (THE PTERIDOPHYTE PHYLOGENY GROUP). 2016. A community-derived classification for extant lycophytes and ferns. *J. Syst. Evol.* 54(6) 563-603.

PRIDGEON, A.M., R.M. BATEMAN, A.V. COX, J.R. HAPEMAN, & M.W. CHASE. 1997. Phylogenetics of subtribe Orchidinae (Orchidoideae, Orchidaceae) based on nuclear ITS sequences. 1. Intergeneric relationships and polyphyly of *Orchis* sensu lato. *Lindleyana* 12: 89-109.

PRIMACK, R., & E. STACY. 1998. Cost of reproduction in the pink lady's slipper orchid (*Cypripedium acaule*, Orchidaceae): an eleven-year experimental study of three populations. *Am. J. Bot.* 85(12): 1672-1679.

PROČKÓW, J., & L. ZÁVESKÁ DRÁBKOVÁ. 2023. A revision of the Juncaceae with delimitation of six new genera: nonenclatural changes in *Juncus*. *Phytotaxa* 622(1): 17-41.

- PRYER, K.M., & L.R. PHILLIPPE. 1989. A synopsis of the genus *Sanicula* (Apiaceae) in eastern Canada. *Can. J. Bot.* 67: 694-707.
- PRYER, K.M., H. SCHNEIDER, A.R. SMITH, R. CRANFILL, P.G. WOLF, J.S. HUNT, & S.D. SNIPES. 2001. Horsetails and ferns are a monophyletic group and the closest living relatives to seed plants. *Nature* (London) 409:618-622.
- PRYER, K.M., E. SCHUETTPELZ, P.G. WOLF, H. SCHNEIDER, A.R. SMITH, & R. CRANFILL. 2004. Phylogeny and evolution of ferns (monilophytes) with a focus on the early leptosporangiate divergences. *Am. J. Bot.* 91(10): 1582-1598.
- PTERIDOPHYTE PHYLOGENY GROUP. 2016. A community-derived classification for extant lycophytes and ferns. *J. Syst. Evol.* 54(6): 563–603.
- PU, F., & M.F. WATSON. 2005. *Carum carvi*. In: *Flora of China*. Vol. 14, p. 81. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO.
URL: http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015475
- PU, F., & M.F. WATSON. 2005. *Sium suave*. In: *Flora of China*. Vol. 14: 116. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO. URL:
http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015945
- PUFF, C. 1976. The *Galium trifidum* group (*Galium* Sect. *Aparinoides*, Rubiaceae). *Can. J. Bot.* 54: 1911-1925.
- PUFF, C. 1977. The *Galium obtusum* group (*Galium* Sect. *Aparinoides*, Rubiaceae). *Bull. Torrey Bot. Club* 104: 202-208.
- PYŠEK, P., D.M. RICHARDSON, M. REJMÁNEK, G.L. WEBSTER, M. WILLIAMSON, & J. KIRSCHNER. 2004. Alien plants in checklists and floras: towards better communication between taxonomists and ecologists. *Taxon* 53(1): 131-143.
- QUINN, G. J. MAUNDER, M. BURZYNSKI, A. MARCEAU, C. HANEL, H. MANN, P. MANN, M. VOITK, & A. VOITK. 2010. *Listera borealis* Morong: Historic Orchid Relocated at a New Site in Gros Morne National Park. *Sarracenia* 18(2): 21-24.
- RABELER, R.K., & J.W. THIERET. 1997. *Sagina* (Caryophyllaceae) range extensions in Canada: *S. japonica* new to Newfoundland; *S. procumbens* new to the Northwest Territories. *Can. Field-Nat.* 111: 309-310.
- RADFORD, A.E., W.C. DICKISON, J.R. MASSEY, & C.R. BELL. 1974. *Vascular Plant Systematics*. Harper & Row, Publishers. N.Y.

- RAMESAR-FORTNER, N.S., S.G. AIKEN, & N.G. DENGLER. 1995. Phenotypic plasticity in leaves of four species of arctic *Festuca* (Poaceae). *Can. J. Bot.* 73: 1810-1823.
- RANDALL, J.L., & K.W. HILU. 1986. Biosystematic studies of North American *Trisetum spicatum* (Poaceae). *Syst. Bot.* 11: 567-578.
- RATHCKE, B. 1988. Interactions for pollination among coflowering shrubs. *Ecology* 69(2): 446-457.
- RAYMOND, M. 1950. Les Cypéacées de l'île d'Anticosti: *Carex* et *Kobresia*. *Can. J. Bot.* 28: 406-444.
- RAYMOND, M. 1951. La distribution de l'*Eriophorum brachyantherum* Trautv. & Meyer, et de l'*Eriophorum callitrix* Cham. en Amérique du Nord. *Naturaliste can.* 78: 285-298.
- READER, R.J. 1975. Competitive relationships of some bog ericads for major insect pollinators. *Can. J. Bot.* 53(13): 1300-1305.
- READER, R.J. 1977. Bog ericad flowers: self compatibility and relative attractiveness to bees. *Can. J. Bot.* 55 (17): 2279-2287.
- REDDOCH, A.H. & J.M. REDDOCH. 1984. Warning: Lady's slippers can be hazardous to your health. *The Plant Press* (Mississauga) 2(1): 10.
- REDDOCH, A.H., & J.M. REDDOCH. 1993. The species pair *Platanthera orbiculata* and *P. macrophylla* (Orchidaceae): taxonomy, morphology, distributions and habitats. *Lindleyana* 8:171-187.
- REDDOCH, J.M., & A.H. REDDOCH. 1997. The orchids in the Ottawa District: floristics, phytogeography, population studies, and historical review. *Can. Field-Nat.* 111: 1-185.
- REHDER, A. 1920. New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum. *Journ. Arnold Arboretum.* 2 (1): 42-62.
- REHDER, A. 1938. New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum. *Journ. Arnold Arboretum* 19 (1): 71-87.
- REHDER, A. 1940. *Manual of cultivated trees and shrubs.* 2nd ed. The MacMillan Co., NY. 996 pp.
- REISCH, C. 2008. Glacial history of *Saxifraga paniculata* (Saxifragaceae): molecular biogeography of a disjunct arctic-alpine species from Europe and North America. *Biol. J. Linn. Soc.* 93: 385-398.
- REZNICEK, A.A. 1990. Evolution in sedges (*Carex*, Cyperaceae). *Can. J. Bot.* 68: 1409-1432.
- REZNICEK, A.A., & P.W. BALL. 1974. The taxonomy of *Carex* series *Lupulinae* in Canada. *Can. J. Bot.* 52: 2387-2399.

- REZNICEK, A.A., & P.W. BALL. 1980. The taxonomy of *Carex* sect. *Stellulatae* in North America north of Mexico. *Contrib. Univ. Mich. Herb.* 14: 153-203.
- REZNICEK, A.A., & R.S. BOBBETTE. 1976. The taxonomy of *Potamogeton* subsection *Hybridi* in North America. *Rhodora* 78(816): 650-673.
- REZNICEK, A.A., & P.M. CATLING. 1984. Notes on Canadian sedges, Cyperaceae. *Can. Field-Nat.* 98: 209-214.
- RINGIUS, G.S., & J.C. SEMPLE. 1987. Cyto geography of the *Solidago spathulata-glutinosa* complex (Compositae: Astereae). *Can. J. Bot.* 65: 2458-2462.
- RINGIUS, G.S., & R.A. SIMS; S.J. MEADES, illustrator. 1998. *Indicator Plant Species in Canadian Forests*. Canadian Forest Service, Natural Resources Canada, Sault Ste. Marie, ON. 218 pp.
- RISENHOOVER, K.L. & S.A. MAASS. 1987. The influence of moose on the composition and structure of Isle Royale forests. *Can. J. For. Res.* 17:357-364.
- ROBERTS, B.A. 1983. Soils. pp. 107-161, In: SOUTH, G.R. (ed.). 1983. *Biogeography and Ecology of the Island of Newfoundland*. Junk Publishers, The Hague.
- ROBERTS, B.A. 1985. Distribution and extent of *Pinus resinosa* Ait. in Newfoundland. *Rhodora* 87(851): 341-356.
- ROBERTS, B.A., & D. BAJZAK. 1996. Site characteristics, growth and nutrition of natural red pine stands in Newfoundland. *Environmental Monitoring and Assessment* 39: 509-530.
- ROBERTS, B.A., & A.W. ROBERTSON. 1980. Palsa bogs, sand dunes, and salt marshes, environmentally sensitive habitats in the coastal region, southeastern Labrador. pp. 245-263. In: *Workshop on Research in the Labrador coastal and offshore region*. NICOS, Memorial Univ. Newfoundland, St. John's.
- ROBERTS, B.A., & A.W. ROBERTSON. 1986. Salt marshes of Atlantic Canada: their ecology and distribution. *Can. J. Bot.* 64(2): 455-467.
- ROBERTSON, A.S. 1980. A new species of *Carex* § *Extensae*. *Rhodora* 82(830): 368-374.
- ROBERTS, B.A., & A.U. MALLIK. 1994. Responses of *Pinus resinosa* in Newfoundland to wildfire. *J. Vegetation Sci.* 5(2): 187-196.
- ROBINSON, B.L., & H. VON SCHRANK. 1896. Notes on the flora of Newfoundland. *Can. Record. Sci.* 7: 1-31.

ROBSON, N.K.B. 2015. Hypericaceae, pp. 71-105. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2015. *Flora of North America north of Mexico. Vol. 6. Magnoliophyta: Cucurbitaceae to Droseraceae*. Oxford Univ. Press., N.Y.

ROLLINS, R.C. 1940. I. Studies in the genus *Hedysarum* in North America. Contributions from the Gray Herbarium of Harvard University. No. CXXXI. *Rhodora* 42(499): 217-239

ROLLINS, R.C. 1993. *The Cruciferae of continental North America: systematics of the mustard family from the Arctic to Panama*. Stanford Univ. Press, Stanford, Calif. 976 pp.

RONSE-DECREAENE, L.-P., & J.R. AKEROYD. 1988. Generic limits in *Polygonum* and related genera (Polygonaceae) on the basis of floral characters. *Bot. J. Linn. Soc.* 98:321-371.

ROTH, A.G. 1788. *Tentamen Florae Germanicae*, vol. 1. Lipsiae.

ROTHFELS, C.J., A.K. JOHNSON, M.D. WINDHAM, & K.M. PRYER. 2014. Low-copy nuclear data confirm rampant allotetraploidy in the Cystopteridaceae (Polypodiales). *Taxon* 63(5): 1026-1036.

ROTHFELS, C.J., M.A. SUNDUE, J.-Y. KUO, A. LARSSON, M. KATO, E. SCHEUTPELZ, & K.M. PRYER. 2012. A revised family-level classification for eupolypod II ferns (Polypodiidae: Polypodiales). *Taxon* 61: 515-533.

ROTHFELS, C.J., M.D. WINDHAM, & K.M. PRYER. 2013. A plastid phylogeny of the cosmopolitan fern family Cystopteridaceae (Polypodiopsida). *Systematic Botany* 38(2): 295-306.

ROTHROCK, P.E., A.A. REZNICEK, & A.L. HIPPI. 2009. Taxonomic study of the *Carex tenera* group (Cyperaceae). *Systematic Botany* 34(2): 297-311.

ROULEAU, E. 1949. *Enumeratio plantarum vascularum Terrae-Novae*. 4 pts. *Contr. Inst. Bot. Univ. Montréal*. 64: 61-83.

ROULEAU, E. 1956a. 1. The genus *Dryas* (Rosaceae) in Newfoundland. Studies on the vascular flora of the Province of Newfoundland (Canada). *Contr. Inst. Bot. Univ. Montréal*. 69: 5-24.

ROULEAU, E. 1956b. 2. Some Newfoundland Vernacular Plant Names. Studies on the vascular flora of the Province of Newfoundland (Canada). *Contr. Inst. Bot. Univ. Montréal*. 69: 25-40.

ROULEAU, E. 1956c. 3. A check-list of the vascular plants of the Province of Newfoundland. Studies on the vascular flora of the Province of Newfoundland (Canada). *Contr. Inst. Bot. Univ. Montréal*. 69: 41-106.

ROULEAU, E. 1978. *Rouleau's list of Newfoundland plants*. Oxen Pond Botanic Park, St. John's, Nfld.

ROULEAU, E., & G. LAMOUREUX. 1992. *Atlas of the vascular plants of the island of Newfoundland and the islands of Saint-Pierre-et-Miquelon*. Fleurbec. Saint-Henri-de-Lévis, Quebec. 777 pp.

ROUSSEAU, C. 1974. *Géographie floristique du Québec/Labrador. Distribution des principales espèces vasculaires*. Trav. et Doc. du Centre d'études nord., No. 7. Les Presses de l'Université Laval, Québec. 799 pp.

ROUSSEAU, J. 1952. Les zones biologique de la Péninsule Québec-Labrador et l'Hémiarctique. *Can. J. Bot.* 30: 436-474.

ROUSSEAU, J. 1968. The vegetation of the Quebec-Labrador Peninsula between 55° and 60° N. *Naturaliste can.* 95: 469-563.

ROUSSEAU, J., & M. RAYMOND. 1950. *Betula michauxii* Spach in northeastern North America. *Rhodora* 52(614): 27-32.

RUDOLF, P.O. 1990. *Pinus resinosa* Aiton. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.

URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/pinus/resinosa.htm

RUDOLF, T.D. & P.R. LAIDL. 1990. *Pinus banksiana* Lamb. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.

URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/pinus/banksiana.htm

RUHFELS, B.R., V. BITTRICH, C.P. BOVE, M.H.G. GUSTAFSSON, C.T. PHILBRICK, R. RUTISHAUSER, Z. XI, & C.C. DAVIS. 2011. Phylogeny of the clusioid clade (Malpighiales): Evidence from the plastid and mitochondrial genomes. *Am. J. Bot.* 98(2): 306-325.

RUTA MCGHAN, P.J. 2016. Pink Lady's Slipper (*Cypripedium acaule* Ait.). *Plant of the Week*. U.S. Forest Service, U.S. Dept. of Agriculture, Washington, DC.

URL: http://www.fs.fed.us/wildflowers/plant-of-the-week/cypripedium_acaule.shtml

RYAN, A.G. 1978. *Native trees and shrubs of Newfoundland and Labrador*. Parks Division, Dept. of Environment and Lands. Government of Newfoundland and Labrador. 116 pp.

RYDBERG, P.A. 1901. The American species of *Limnorchis* and *Piperia*, north of Mexico. *Bull. Torr. Bot. Club.* 28(11): 605-643.

SAARELA, J.M., R.D. BULL, M. PARADIS, S.N. EBATA, P.M. PETERSON, R.J. SORENG, & B. PASZKO. 2017. Molecular phylogenetics of cool-season grasses in the subtribes Agrostidinae, Anthoxanthinae, Aveninae, Brizinae, Calothecinae, Koeleriinae, and Phalaridinae (Poaceae, Pooideae, Poaeae, Poaeae chloroplast group 1). *PhytoKeys* 87(1): 1-139.

- SABOURIN, A. 1992. *Guide des crucifères sauvages de l'est du Canada*. Les Amis du Jardin Botanique, Montréal, Québec.
- SADEGHIAN, S., S. ZARRE, R.K. RABELER, & J. HEUBL. 2015. Molecular phylogenetic analysis of *Arenaria* (Caryophyllaceae: tribe Arenariaeae) and its allies inferred from nuclear DNA internal transcribed spacer and plastid DNA *rps16* sequences. *Bot. J. Linnean Soc.* 178: 648-669.
- SAFFORD, L.O., J.C. BJORKBOM, & J.C. ZASADA. 1990. *Betula papyrifera* Marshall. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/betula/papyrifera.htm
- SANER, M.A., D.R. CLEMENTS, M.R. HALL, D.J. DOOHAN, & C.W. CROMPTON. 1995. The biology of Canadian weeds. 105. *Linaria vulgaris* Mill. *Can. J. Plant Sci.* 75: 525-537.
- SARKAR, M.N. 1958. Cytotaxonomic studies on *Rumex* section *Axillares*. *Can. J. Bot.* 36: 947-996.
- SARVELA, J. 1978. A synopsis of the fern genus *Gymnocarpium*. *Ann. Bot. Fennici* 15: 101-106.
- SAVELA, M. 1999. *Database of Finnish Plants* [online database]. Technical Research Centre of Finland. No citation information found. URL: <http://www.nic.funet.fi/pub/sci/bio/life/plants/>
- SAVELA, M., D.M. BRITTON, & K. PRYER. 1981. Studies on the *Gymnocarpium robertianum* complex in North America. *Rhodora*. 83(833): 421-431.
- SAYLOR, J.L. 2009. Plant names, genera, species, and use of botanical Latin. In: *Jesse Saylor's Plants*, published online; accessed May 1, 2015. URL: <http://www.saylorplants.com/>
- SCHEEN, A.-C., C. BROCHMANN, A.K. BRYSTING, R. ELVEN, A. MORRIS, D.E. SOLTIS, P.S. SOLTIS, & V. ALBERT. 2004. Northern hemisphere biogeography of *Cerastium* (Caryophyllaceae): Insights from phylogenetic analysis of noncoding plastid nucleotide sequences. *Amer. J. Bot.* 91: 943-952.
- SCHEUTPELZ, E., P. KORALL, & K.M. PRYER. 2006. Plastid *atpA* data provide improved support for deep relationships among ferns. *Taxon* 55 (4): 897-906.
- SCHEUTPELZ, E., & K.M. PRYER. 2007. Fern phylogeny inferred from 400 leptosporangiate species and three plastid genes. *Taxon* 56 (4): 1037-1050.
- SCHEUTPELZ, E., H. SCHNEIDER, L. HUIET, M.D. WINDHAM, & K.M. PRYER. 2007. A molecular phylogeny of the fern family Pteridaceae: Assessing overall relationships and the affinities of previously unsampled genera. *Molecular Phylogenetics and Evolution* 44 (2007): 1172-1185.
- SCHNEIDER, A.C. 2016. Resurrection of the genus *Aphyllon* for New World broomrapes (*Orobanche* s.l., Orobanchaceae). *PhytoKeys* 75: 107-118.

SCHNEIDER, A.C., R.M. SANDERS, J.H. IDEC, Y.J. LEE, S.C. KENALEY, & R.L. MATHIASSEN. 2021. Plastome and nuclear phylogenies of dwarf mistletoes (*Arceuthobium*: Viscaceae). *Systematic Botany* 46(2): 389-402.

SCHNELL, D.E. 1979. A critical review of published variants of *Sarracenia purpurea*. *Castanea* 44: 47-59.

SCHÖNSWETTER, P., H. SOLDTAD, P.E. GARCÍ, & R. ELVEN. 2009. A combined molecular and morphological approach to the taxonomically intricate European mountain plant *Papaver alpinum* s.l. (Papaveraceae) – taxa or informal phylogeographical groups? *Taxon* 58(4): 1326-1348.

SCHRÖTER, C. 1898. Ueber die Vielgestaltigkeit der Fichte (*Picea excelsa* Link). *Vierteljahrssch. Naturf. Ges. Zürich* 43: 125-252.

SCHUYLER, A.E. 1974. Typification and application of the names *Scirpus americanus* Pers., *S. olneyi* Gray, and *S. pungens* Vahl. *Rhodora* 76(805): 51-52.

SCHUSTER, T.M., J.L. REVEAL, M.J. BAYLY, & K.A. KRON. 2015. An updated molecular phylogeny of Polygonoideae (Polygonaceae): Relationships of *Oxygonum*, *Pteroxygonum*, and *Rumex*, and a new circumscription of *Koenigia*. *Taxon* 64(6): 1188-1208.

SCOGGAN, H. 1978-79. *The Flora of Canada*. 4 vol. Natl. Museum of Natural Sciences, Natl. Museum of Canada, Ottawa, Canada. 1711 pp.

SCOPECE, G., S. COZZOLINO, & R.M. BATEMAN. 2010. Just what is a genus? Comparing levels of postzygotic isolation to test alternative taxonomic hypotheses in Orchidaceae subtribe Orchidinae. *Taxon*. 59(6): 1754-1764.

SCOTT, G.A.M. 1963. *Mertensia maritima* (L.) S.F. Gray. *J. Ecology*. 51(3): 733-742.

SCOTT, P.J. 1991. Deadly nightshade, *Atropa belladonna* (Solanaceae), in Newfoundland. *Can. Field-Nat.* 105: 112.

SEARS, C.J. 2011. *Systematic investigations into the North American Crepis agamic complex*. Ph.D. thesis, Univ. of British Columbia (Vancouver).

SELL, P.D. 1967. Taxonomic and nomenclatural notes on the British flora: *Rhinanthus* L. *Watsonia* 6:298–301.

SELL, P.D., & P.F. YEO. 1970. A revision of the North American species of *Euphrasia* L. (Scrophulariaceae). *Bot. J. Linn. Soc.* 63: 189-234.

SELLIAH, S. & L. BROUILLET. 2008. Molecular phylogeny of the North American eurybioid asters (Asteraceae, Astereae) based on the nuclear ribosomal internal and external transcribed spacers. *Botany* 86: 901-915.

SEMPLE, J.C. 2013. A new species of *Triplinerviae* goldenrod in eastern Canada (Asteraceae: Astereae): *Solidago brendiae*. *Phytoneuron* 2013-57: 1-9.

SEMPLE, J.C. 2013. *Solidago brendiae*. Astereae Lab., Univ. of Waterloo. Waterloo, ON. URL: <https://uwaterloo.ca/astereae-lab/research/goldenrods/classification-and-illustrations/solidago-brendiae>

SEMPLE, J.C. 2013. *Solidago fallax*. Astereae Lab., Univ. of Waterloo. Waterloo, ON. URL: <https://uwaterloo.ca/astereae-lab/research/goldenrods/classification-and-illustrations/solidago-fallax>

SEMPLE, J.C. 2015. *Solidago altissima*. Astereae Lab., Univ. of Waterloo. Waterloo, ON. URL: <https://uwaterloo.ca/astereae-lab/research/goldenrods/classification-and-illustrations/solidago-altissima>

SEMPLE, J.C., & J.G. CHMIELEWSKI. 1987. Revision of the *Aster lanceolatus* complex, including *A. simplex* and *S. hesperius* (Compositae: Asteraceae): a multivariate morphometric study. *Can. J. Bot.* 65: 1047-1062.

SEMPLE, J.C., H. FAHEEMUDDIN, Y.A. CHONG, M.K. SOROUR, J.A. HOOD, I. KHAMIS, Y. MA, & K. KORNOBIS. 2013. A multivariate morphometric study of the *Solidago canadensis*/*S. lepida* complex of *Solidago* subsect. *Triplinerviae* (Asteraceae: Astereae). *Phytoneuron* 2013-58: 1-20.

SEMPLE, J.C., S.B. HEARD, & C.S. XIANG. 1996. *The Asters of Ontario* (Compositae: Astereae): *Diplactis* Raf., *Oclemena* E.L. Greene, *Doellingeria* Nees and *Aster* L. (including *Canadanthus* Nesom, *Symphyotrichum* Nees, and *Virgulus* Raf.). Univ. Waterloo Biol. Ser. 38. Waterloo, Ont.

SEMPLE, J.C., H. RAHMAN, S. BZOVSKY, M.K. SOROUR, K. KORNOBIS, R. LOPEZ LAPHITZ, & L. TONG. 2015. A multivariate morphometric study of the *Solidago altissima* complex and *S. canadensis* (Asteraceae: Astereae). *Phytoneuron* 2015-10: 1-31.

SEMPLE, J.C., & G.S. RINGIUS. 1992. *Goldenrods of Ontario: Solidago L. and Euthamia Nutt.* (revised edition). University of Waterloo Biology Series 36. 82 pp.

SEMPLE, J.C., G.S. RINGIUS, & J.J. ZHANG. 1999. *The Goldenrods of Ontario: Solidago L. and Euthamia Nutt.* 3rd edition. University of Waterloo Biology Series 39. 90 pp.

SENNIKOV, A.N., & I.D. ILLARIONOVA. 2007. Generic delimitations of the subtribe Ixeridinae newly segregated from Crepidiinae (Asteraceae – Lactuceae). *Komarovia* 5(2): 57-115.

SHARMA, M.P. 1986. The biology of Canadian weeds. 74. *Fagopyrum tataricum* (L.) Gaertn. *Can. J. Plant Sci.* 66: 381-393.

- SHCHEPANER, M.J., & S.J. DARBYSHIRE. 1990. Collections of Sir Joseph Banks from his 1766 Expedition to Newfoundland and Labrador at the National Museum of Natural Sciences, Canada. *Taxon* 39: 33-40.
- SHE, M., J.F.M. CANNON, & M.F. WATSON. 2005. *Anthriscus sylvestris*. In: *Flora of China*. Vol. 14, p. 26. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO. URL: http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015397
- SHE, M., & M.F. WATSON. 2005. *Daucus carota*. In: *Flora of China*. Vol. 14: 205. Flora of China Project. Missouri Botanical Garden Press, St. Louis, MO. URL: http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=200015518
- SHEVIK, C.J. 1993. *Cypripedium parviflorum* Salisb. var. *makasin* (Farwell) Shevik. *Am. Orchid Soc. Bull.* 62: 403.
- SHEVIK, C.J. 1994. *Cypripedium parviflorum* Salisb. Pt. 1: The small-flowered varieties. *Am. Orchid Soc. Bull.* 63: 664-669.
- SHEVIK, C.J. 1995. *Cypripedium parviflorum* Salisb. Pt. 2: The larger-flowered plants and patterns of variation. *Am. Orchid Soc. Bull.* 64: 606-612.
- SHEVIK, C.J. 1999. The identities of *Platanthera hyperborea* and *P. huronensis*, with the description of a new species from North America. *Lindleyana* 14:193-203.
- SHEVIK, C.J., P.M. CATLING, S.J. MEADES, & R.M. BATEMAN. 2000. *Dactylorhiza*. In: Vol. 26 *Flora North America. Magnoliophyta: Pontederiaceae to Orchidaceae*. Oxford Univ. Press, NY.
- SILVERSIDE, A.J. 1991. The identity of *Euphrasia officinalis* L. and its nomenclature implications. *Watsonia* 18: 343-350.
- SIMONS, M.D. 1985. Chapter 5. Crown rust. In: A.P. Roelfs & W.R. Bushnell (eds.). *The cereal rusts: diseases, distribution, epidemiology and control*, pp. 132-172. Academic Press, Orlando, FL.
- SINNOTT, Q.P. 1985. A revision of *Ribes* L. subg. *Grossularia* (Mill.) Pers. sect. *Grossularia* (Mill.) Nutt. (Grossulariaceae) in North America. *Rhodora* 87(850): 189-386.
- SKARPAAS, O., R. ELVEN, & I. NORDAL. 2007. Genetic variation and biogeography of *Mertensia maritima* (Boraginaceae). *Nordic J. Bot.* 24(5): 583-592.
- SKOG, J.T., & N.H. NICKERSON. 1972. Variation and speciation in the genus *Hudsonia*. *Ann. Missouri Bot. Gard.* 59(3): 454-464.

SLAVIN, A.D. 1932. Some conifers cultivated in the United States, pp. 86-150. *In*: CHITTENDEN, F.J. *Conifers in cultivation: the report of the conifer conference held by the Royal Horticultural Society, Nov. 10-12, 1931*. London. 634 pp.

SLOTTE, T., K.M. HAZZOURI, J.A. ÅGREN, D. KOENIG, F. MAUMUS, Y.-L. GUO, K. STEIGE, A.E. PLATTS, J.S. ESCOBAR, L.K. NEWMAN, W. WANG, T. MANDÁKOVÁ, E. VELLO, L.M. SMITH, S.R. HENZ, J. STEFFEN, S. TAKUNO, Y. BRANDVAIN, G. COOP, P. ANDOLFATTO, T.T. HU, M. BLANCHETTE, R.M. CLARK, H. QUESNEVILLE, M. NORDBORG, B.S. GAUT, M.A. LYSAK, J. JENKINS, J. GRIMWOOD, J. CHAPMAN, S. PROCHNIK, S. SHU, D. ROKHSAR, J. SCHMUTZ, D. WEIGEL, & S.I. WRIGHT. 2013. The *Capsella rubella* genome and the genomic consequences of rapid mating system evolution. *Nature Genetics* 45:831–835.

SMALL, E. 1976. Insect pollinators of the Mer Bleue peat bog of Ottawa. *Canad. Field-Naturalist* 90: 22-28.

SMEDMARK, J.E.E., & T. ERIKSSON. 2002. Phylogenetic relationships of *Geum* (Rosaceae) and relatives inferred from nrITS and *trnL-trnF* regions. *Systematic Botany* 27: 303-317.

SMITH, A.R., K.M. PRYER, E. SCHEUTPELZ, P. KORALL, H. SCHNEIDER, & P.G. WOLF. 2006. A Classification for extant ferns. *Taxon* 55: 705-731.

SMITH, H. 1940. *Carex arctogena* nova species. *Acta Phytogeographica Suecica*. **13**: 191–200.

SMITH, T.W., C. WALINGA, S. WANG, P. KRON, J. SUDA, & J. ZALAPA. 2015. Evaluating the relationship between diploid and tetraploid *Vaccinium oxycoccos* (Ericaceae) in eastern Canada. *Botany* 93 (10): 623-636.

SOJÁK, J. 1987. Notes on *Potentilla* (Rosaceae) V. *Potentilla pensylvanica* group in the Old World. *Preslia, Praha* 59: 289-305.

SOJÁK, J. 1989. Notes on *Potentilla* (Rosaceae) VIII. *Potentilla nivea* L. agg. *Candollea* 44: 741-762.

SOKOLOFF, P.C. 2010. Taxonomic status of the narrow endemic *Astragalus robbinsii* var. *fernaldii* (Fernald's milkvetch – Fabaceae): molecules, morphology, and implications for conservation. M.Sc. Thesis. Ottawa Carleton Inst. of Biology, Univ. of Ottawa. 104 pp.

SOKOLOFF, P.C., & L.J. GILLESPIE. 2012. Taxonomy of *Astragalus robbinsii* var. *fernaldii* (Fabaceae): molecular and morphological analyses support transfer to *Astragalus eucosmus*. *Botany* 90: 11-26.

SOLSTAD, H. 2009. Taxonomy and evolution of the diploid to polyploid *Papaver* sect. *Meconella* (Papaveraceae). – Ph.D. Thesis, Univ. Oslo, Oslo. – Including the main unpublished paper:

SOLSTAD, H., D. EHRICH, L.G. KVERNSTUEN, P. TRÁVNICEK, & R. ELVEN. Taxonomic variation in a complex polyploid plant group - *Papaver* sect. *Meconella* (Papaveraceae) - inferred by amplified fragment length polymorphisms, morphology and DNA ploidy.

- SOLSTAD, H., R. ELVEN, & I. NORDAL. 1999. Are there too many species and subspecies in the *Papaver radicum* complex? *Skr. Norske Vidensk.-Akad. Oslo, I. Mat.-Naturvidensk. Kl., n. s.* 38: 281-294.
- SOLTIS, D.E., R.K. KUZOFF, M.E. MORT, M. ZANIS, M. FISHBEIN, L. HUFFORD, J. KOONTZ, & M.K. ARROYO. 2001. Elucidating deep-level phylogenetic relationships in Saxifragaceae using sequences for six chloroplastic and nuclear DNA regions. *Ann. Missouri Bot. Gard.* 88: 669-693.
- SOLTIS, D.E., & V.A. ALBERT. 2003. Northern Hemisphere biogeography of *Cerastium* L. (Caryophyllaceae): Insights from phylogenetic analysis of non-coding plastid nucleotide sequences. *Amer. J. Bot.* 91: 943-952.
- SOPER, J.H., & M.L. HEIMBURGER. 1982. *Shrubs of Ontario*. Royal Ontario Museum, Toronto. 495 pp.
- SORENG, R.J. 1991. Notes on new infraspecific taxa and hybrids in North American *Poa* (Poaceae). *Phytologia* 71:390-413.
- SORENG, R.J., & E.A. COPE. 1991. On the taxonomy of cultivated species of the *Chrysanthemum* genus-complex (Anthemideae: Compositae). *Baileya* 23(3): 145-165.
- SORENG, R.J. G. DAVIDSE, P.M. PETERSON, F.O. ZULOAGA, E.J. JUDZIEWICZ, & T.S. FILGUEIRAS (eds.). 2000+. *Catalogue of New World Grasses (Poaceae)*. Missouri Bot. Gard., St. Louis. URL: <http://mobot.mobot.org/W.3T/Search/nwgc.html>
- SORENG, R.J., & L.J. GILLESPIE. 2017. Taxonomy of the *Poa laxa* group, including two new taxa from Arctic Canada and Greenland, and Oregon, and a re-examination of *P.* sect. *Oreinos* (Poaceae). *Nordic J. Bot.* 35(5): 513-538.
- SORENG, R.J., L.J. GILLESPIE, & L.L. CONSAUL. 2017. Taxonomy of the *Poa laxa* group, including two new taxa from Arctic Canada and Greenland, and Oregon, and a re-examination of *P.* s. *Oreinos* (Poaceae). *Nordic J. Bot.* 35(5): 513-538.
- SOUTH, G.R. 1970. A.J.M. Bachelot de la Pylaie (1786-1856), Naturalist, explorer, archaeologist and founder of North American marine botany. *Nfld. Quart.* 67: 14-16.
- SOUTH, G.R. (ed.). 1983. *Biogeography and Ecology of the Island of Newfoundland*. Junk Publishers, The Hague.
- SKILLING, D.D. 1990. *Pinus sylvestris* L. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC. URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/pinus/sylvestris.htm
- SPRING, A. 1842. Monographie de la famille des Lycopodiacees, 1re partie. *Nouveaux memoires de l'Academie Royale des Sciences et Belles-Lettres de Bruxelles*. 15: 1-110.

- STACE, C. 2010. *New Flora of the British Isle*. Cambridge Univ. Press.
- STAHEVITCH, A.E., C.W. CROMPTON, & W.A. WOJTAS. 1988. The biology of Canadian weeds. 85. *Euphorbia cyparissias* L. *Can. J. Plant Sci.* 68: 175-191.
- STANDLEY, L.A. 1983. A clarification of the status of *Carex crinita* and *C. gynandra* (Cyperaceae). *Rhodora* 85(842): 229-241.
- STANDLEY, L.A. 1987. Taxonomy of the *Carex lenticularis* complex in eastern North America. *Can. J. Bot.* 65: 673-686.
- STANDLEY, L.A. 1989. Taxonomic revision of the *Carex stricta* (Cyperaceae) complex in eastern North America. *Can. J. Bot.* 67:1-14.
- STANDLEY, L.A., S.S-H. KIM, & I.M. HJERSTED. 1988. Reproductive biology of two sympatric species of *Chimaphila*. *Rhodora* 90(863): 233-244.
- STANTEC CONSULTING LTD., 2010. *2010 plant survey in the vicinity of the Lower Churchill River watershed*. Report by Stantec Consulting, inc. for Nalcor Energy, St. John's, NL. 24 pp.
- STARR, J.R., R.J. BAYER, & B.A. FORD. 1999. The phylogenetic position of *Carex* section *Phyllostachys* and its implications for phylogeny and subgeneric circumscription in *Carex* (Cyperaceae). *Amer. J. Bot.* 86: 563-577.
- STASSINU STANTEC LTD. 2010. *Rare Plant Survey for Aurora Energy Michelin Project Access Road Corridor and Port Site*. File No. 121510355. (Dec. 3, 2010). Prepared for Aurora Energy Resources, Inc. Happy Valley-Goose Bay, NL.
- STASSINU STANTEC LTD. 2013. *Rare Plant Survey Final Report*. Kami Iron Ore Mine and Rail Infrastructure Project. File No. 121614000.406. Prepared for Alderon Iron Ore Corp., St. John's NL. 94 pp.
- STAUDT, G. 1989. The species of *Fragaria*, their taxonomy and geographical distribution. *Strawberry Symposium. Acta Hort.* 265: 23-33.
- STEELE, M.G., P.B. CAVER, & S.M. LEE. 1983. The biology of Canadian weeds. 59. *Setaria glauca* (L.) Beauv. and *S. verticillata* (L.) Beauv. *Can. J. Plant Sci.* 63: 711-725.
- STEIN, M. 1998. *Management recommendations for threeleaflet goldthread (Coptis trifolia (L.) Salisb.)* v. 2.0. URL:
<http://www.blm.gov/or/plans/surveyandmanage/MR/VascularPlants/section7.htm>
- STENSVOLD, M.C. 2008. A taxonomic and phylogeographic study of the *Botrychium lunaria* complex. Ph. D. dissertation. Iowa State University, Ames, IA.

STENSVOLD, M.C. & D.R. FARRAR. 2016. Genetic diversity in the worldwide *Botrychium lunaria* (Ophioglossaceae) complex, with new species and new combinations. *Brittonia* (published online, Dec. 13, 2016). DOI 10.107/s12228-016-9455-z.

STENSVOLD, M.C. & D.R. FARRAR. 2024. A new diploid moonwort, *Botrychium rubellum* (Ophioglossaceae), in the *Lanceolatum* Complex of the Genus *Botrychium*. *Am. Fern J.* 114(1) 49-56.

STEVENS, P.F. 1970. *Calluna, Cassiope and Harrimanella: A taxonomic and evolutionary problem.* *New Phytol.* 69: 1131-1148.

STEVENS, P.F. 2001+. *Angiosperm Phylogeny Website.* Version 13 (APG-3).
URL: <http://www.mobot.org/MOBOT/research/APweb/>

STOUTAMIRE, W.P. 1967. Flower biology of the lady's-slippers (Orchidaceae: *Cypripedium*). *Mich. Bot.* 6: 159-175.

STROTHER, J.L. 2015. *Cistaceae.* Pp. 386–399, in: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2015. *Flora of North America north of Mexico. Vol. 6. Magnoliophyta: Cucurbitaceae to Droseraceae.* Oxford Univ. Press, NY. 468 pp.

STUCKEY, R.L. 1972. Taxonomy and distribution of the genus *Rorippa* (Cruciferae) in North America. *Sida* 4: 279-430.

STUTCHBURY, B.J. M., B. CAPUANO, & G.S. FRASER. 2005. Avian frugivory on a gap-specialist, the red elderberry (*Sambucus racemosa*). *Wilson Bulletin.* 117(4): 336-340.

SUDWORTH, G.B. 1897. *Nomenclature of the arborescent flora of the United States.* Govt. Printing office, Washington DC. 419 pp.

SULLIVAN, J. 1992a. *Coptis trifolia.* In: *Fire Effects Information System (FEIS).* U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/forb/coptri/all.html>

SULLIVAN, J. 1992b. *Sorbus americana.* In: *Fire Effects Information System (FEIS).* U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/tree/sorame/all.html>

SULLIVAN, J. 1993. *Taxus canadensis* Marshall. In: *Fire Effects Information System (FEIS).* U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/taxcan/all.html>

SVENSON, H.K. 1929. Monographic studies in the genus *Eleocharis.* I. *Rhodora* 31(367): 121-135.

SVENSON, H.K. 1929. Monographic studies in the genus *Eleocharis* (continued). II. *Rhodora* 31(368): 152-163.

SVENSON, H.K. 1929. Monographic studies in the genus *Eleocharis* (continued). III. *Rhodora* 31(369): 167-191.

SVENSON, H.K. 1929. Monographic studies in the genus *Eleocharis* (continued). IV. *Rhodora* 31(370): 199-219.

Swedish Virtual Flora - see NATURHISTORISKA RIKSMUSET.

TALAVERA, S., R. CASIMIRO-SORIGUER, F. BALAO, J.A. MOLINA ABRIL, & J. PIZARRO. 2008. 171. The genus *Baldellia* Parl. (Alismataceae) in the Iberian Peninsula, Balearic Island and Morocco. In: Fragmentos taxonómicos, corológicos, nomenclaturales y fitocenológicos (171-180). *Acta Botanica Malacitana* 33: 308-350.

TANSLEY, A.G. 1920. The classification of vegetation and the concepts of development. *J. Ecol.* 8: 118-149.

TARDIF, B., & P. MORISSET. 1990. Clinal morphological variation of *Allium schoenoprasum* in eastern North America. *Taxon* 39: 417-429.

TARDIF, B., & P. MORISSET. 1991. Chromosomal C-band variation in *Allium schoenoprasum* (Liliaceae) in eastern North America. *Pl. Syst. Evol.* 174: 125-137.

TASCHEREAU, P.M. 1972. Taxonomy and distribution of *Atriplex* species in Nova Scotia. *Can. J. Bot.* 50: 1571-1594.

TAYLOR, R.L., & B. MACBRYDE. 1978. New taxa and nomenclatural changes in vascular plants of British Columbia: a descriptive resource inventory. *Can. J. Bot.* 56: 184-195.

TELA BOTANICA. 2013. Le reseau des botanistes francophones. Published Online.

URL: <http://www.tela-botanica.org/site:botanique?langue=fr>

TEPPNER, H., F. EHRENDORFER, & C. PUFF. 1976. Karyosystematic notes on the *Galium palustre* group (Rubiaceae). *Taxon* 25: 95-97.

TESTO, W., A. HAINES, & A.V. GILMAN. 2016. *Huperzia continentalis* (Lycopodiaceae), a new species of gemmiferous firmoss separated from *Huperzia haleakalae*. *Systematic Botany*. 41(4): 894-901.

THE PLANT LIST. 2013. [replaced by Plants of the World Online.

URL: <http://plantsoftheworldonline.org/>

- THOMAS, J.R. 2015. Revision of *Dichanthelium* sect. Lanuginosa (Poaceae). *Phytoneuron* 2015-10: 1-58.
- THULIN, M., S.M.D. AAGAARD, N. WILKSTRÖM & C. JARVIS. 2009. Revised lectotypification of *Lycopodium complanatum* L. (Lycopodiaceae). *Taxon* 58(3): 974-976.
- THIEM, B. 2003. *Rubus chamaemorus* L. – a boreal plant rich in biologically active metabolites: a review. *Biol. Lett.* 40(1): 3-13. URL: http://www.staff.amu.edu.pl/~biollett/biollett_40_1_3_13.pdf
- THOMPSON, I.D., W.J. CURRAN, & J.A. HANCOCK. 1992. Influence of moose browsing on successional forest growth on black spruce sites in Newfoundland. *For. Ecol. and Mgmt.* 47: 29-37.
- THOMPSON, I.D., & A.U. MALLIK. 1989. Moose browsing and allelopathic effects of *Kalmia angustifolia* on balsam fir regeneration in central Newfoundland. *Can. J. For. Res.* 19(4): 524-526.
- THIFFAULT N., B.D. TITUS, & M.T. MORONI. 2010. Silviculture and planted species interact to influence reforestation success on a *Kalmia*-dominated site—a 15-year study. *For. Chron.* 86(2):234–242.
- THIFFAULT, N., B.D. TITUS, & A.D. MUNSON. 2004. Black spruce seedlings in a *Kalmia*–*Vaccinium* association: microsite manipulation to explore interactions in the field. *Can. J. For. Res.* 34(8): 1657–1668.
- THOMPSON, I.D., & A.U. MALLIK. 1989. Moose browsing and allelopathic effects of *Kalmia angustifolia* on balsam fir regeneration in central Newfoundland. *Can. J. For. Res.* 19(4): 524-526.
- TIRMENTEIN, D. 1990. *Rubus idaeus*. In: *Fire Effects Information System*, (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/rubida/all.html>
- TIRMENTEIN, D.A. 1990. *Vaccinium myrtilloides*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/vacmyt/all.html>
- TIRMENTEIN, D. 1990. *Vaccinium ovalifolium*. In: *Fire Effects Information System* (FEIS). U.S. Dept. of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <http://www.fs.fed.us/database/feis/plants/shrub/vacovl/all.html>
- TITFORD, W.B., & J.G. TITFORD. 1995. *A travellers' guide to wild flowers of Newfoundland, Canada*. Published by the authors, St. John's Nfld. 106 pp.
- TOIVONEN, H. 1979. The status of the New Zealand *Carex lachenalii* (Cyperaceae). *Annales Botanici Fennici* 16: 151-156.
- TOIVONEN, H. 1981. Notes on the nomenclature and taxonomy of *Carex canescens* (Cyperaceae). *Annales Botanici Fennici* 16: 151-156.

TOMAN, J. 1972. A taxonomic survey of the genera *Petasites* and *Endocelion*. *Folia Geobot. Phytotaxon*. 7:381-406.

TREMBLAY, N.O., & D.J. SCHOEN. 1999. Molecular phylogeography of *Dryas integrifolia*: glacial refugia and postglacial recolonization. *Molecular Ecology* 8: 1187-1198.

TRIANA-MORENO, L.A., A. YAÑEZ, L-Y. KUO, C.J. ROTHFELS, N.T.L. PENA, P.B. SCHWARTSBURD, & M. SUNDUE. 2023. Phylogenetic revision of Dennstaedtioidae (Dennstaedtiaceae: Polypodiales) with description of *Mucura*, gen. nov. *Taxon* 72(1): 20-46 [open access]. doi.org/10.1002/tax.12858

TROPICOS.ORG. 2015. Published on the Internet. Missouri Botanical Garden. Saint Louis, MO. Name Search URL: <http://www.tropicos.org/Home.aspx>

TRULL, S. 2016. Yellow marsh marigold (*Caltha palustris* L.). USDA Plant of the Week. U.S. Forest Service, Rangeland Management, Botany Program, Washington DC. URL: http://www.fs.fed.us/wildflowers/plant-of-the-week/caltha_palustris.shtml

TRYON, A.F., R.M. TRYON, & F. BADRÉ. 1980. Classification, spores, and nomenclature of the marsh fern. *Rhodora* 82(831):461-474.

TUCKER, G.C. & N.G. MILLER. 1990. Achene microstructure in *Eriophorum* (Cyperaceae): Taxonomic implications and paleobotanical applications. *Bull. Torr. Bot. Club* 117(3): 266-283.

TURLAND, N. 1994. (1289–1290) Proposals to conserve the name *Carex lachenalii* against *C. tripartita* and *C. leporina*, and to reject the name *C. bipartita* (Cyperaceae). *Taxon* 46: 341–345.

TURLAND, N. 1997. (1277) Proposal to reject the name *Eriophorum polystachion* (Cyperaceae). *Taxon*, 46: 115-116.

TURLAND, N.J., J.H. WIERSEMA, F.R. BARRIE, W. GREUTER, D.L. HAWKSWORTH, P.S. HERENDEEN, S. KNAPP, W.-H KUSBER, D.-Z. LI, K. MARHOLD, T.W. MAY, J. MCNEILL, A.M. MONRO, J. PRADO, M.J. PRICE, & G.F. SMITH (eds.). 2018. *International Code of Nomenclature for algae, fungi, and plants (Shenzhen Code)*. Adopted by the Nineteenth International Botanical Congress Shenzhen, China, July 2017. Regnum Vegetabile 159. Glashütten: Koeltz Botanical Books. DOI <https://doi.org/10.12705/Code.2018>.

TUTIN, T.G., V.H. HEYWOOD, N.A. BURGESS, D.H. VALENTINE, S.M. WALTERS, & D.A. WEBB (eds.). 1964. *Flora Europaea. Vol. 1. Lycopodiaceae to Platanaceae*. Cambridge Univ. Press, NY. 464 pp.

TYTECA, D., & E. KLEIN. 2008. Genes, morphology, and biology - the systematics of *Orchidinae* revisited. *J. Eur. Orch.* 40(3): 501-544.

UGBOROGHO, R.E. 1977. North American *Cerastium arvense* L.: Taxonomy, reproductive system, and evolution. *Phyton* 35 (2): 169-187.

UCHYTIL, R.J. 1991. *Abies balsamea*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <https://www.fs.fed.us/database/feis/plants/tree/abibal/all.html>

UK Forestry Commission. 2016. *Japanese larch*. UK Forestry Commission Website. Crown Copyright, courtesy Forestry Commission (2016), licensed under the Open Government Licence.
URL: <http://www.forestry.gov.uk/fr/infid-8cyj8>

ULEV, E.D. 2006. *Ribes triste*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <https://www.fs.fed.us/database/feis/plants/shrub/ribtri/all.html>

UNDERWOOD, L.C. 1903. An index to the described species of *Botrychium*. *Bull. Torr. Bot. Club* 30: 42-55.

USDA, ARS. 2009. *National Genetic Resources Program: GRIN Taxonomy for Plants*. [GRIN online database] National Germplasm Resources Laboratory, Beltsville, Maryland.
URL: http://www.ars-grin.gov/cgi-bin/npgs/html/tax_search.pl

USDA, NRCS. 2016. *The PLANTS Database*. National Plant Data Team, Greensboro, NC 27401-4901 USA. URL: <http://plants.usda.gov>

USUI, M., P.G. KEVAN, & M. OBBARD. 2005. Pollination and breeding system of lowbush blueberries, *Vaccinium angustifolium* Ait. and *V. myrtilloides* Michx. (Ericaceae) in the boreal forest. *Can. Field-Naturalist* 119(1): 48-57. URL: <http://journals.sfu.ca/cfn/index.php/cfn/article/viewFile/80/80>

UTTAL, L.J. 1984. Nomenclatural changes, lectotypification, and comments in *Aronia* Medikus. *Sida* 10: 199-202.

VALESCO, R., et al. (+ 85 co-authors). 2010. The genome of the domesticated apple (*Malus × domestica* Borkh.). *Nature Genetics* 42(10): 833-841.

VAN DEELEN, T.R. 1991. *Kalmia angustifolia*. In: *Fire Effects Information System* (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.
URL: <http://www.fs.fed.us/database/feis/plants/shrub/kalang/all.html>

VAN DERSAL, W.P. 1938. Native woody plants of the United States, their erosion control and wildlife values. US Department of Agriculture, Miscellaneous Publication 303. Washington, D.C. 362 p.
URL: <http://www.biodiversitylibrary.org/item/132698#page/7/mode/1up>

VAN DER PIJL, L. 1972. *Principles of Dispersal in Higher Plants*, 2nd ed. Springer-Verlag, New York. 161 pp.

VANDER KLOET, S.P. 1977. The taxonomic status of *Vaccinium boreale* Hall and Aalders. *Can. J. Bot.* 55: 281-288.

VANDER KLOET, S.P. 1978. Systematics, distribution, and nomenclature of the polymorphic *Vaccinium angustifolium*. *Rhodora* 80(823):358-376.

VANDER KLOET, S.P. 1983. The taxonomy of *Vaccinium* Sect. *Cyanococcus*: a summation. *Can. J. Bot.* 61: 256-266.

VANDER KLOET, S.P. 1985. The reproductive strategy of *Vaccinium angustifolium* Aiton: differences between Ontario, Nova Scotia, and Newfoundland populations. *Amer. Midl. Naturalist* 113: 397-400.

VANDER KLOET, S.P. 1988. The genus *Vaccinium* in North America. *Agriculture Canada Publ.* 1828. Research Br., Agriculture Canada, Ottawa, ON. 218 pp.

VANDER KLOET, S.P. 2009. *Vaccinium*. In: FLORA OF NORTH AMERICA EDITORIAL COMMITTEE (eds.). 2009. *Flora of North America north of Mexico. Vol. 8. Magnoliophyta: Paeoniaceae to Ericaceae*. Oxford Univ. Press, NY. 624 pp.

VANDER KLOET, S.P., & T.S. AVERY. 2007. The taxonomic utility of staminal features in *Vaccinieae* (Ericaceae). *Taxon* 56 (3): 897-904.

VANDER KLOET, S.P., & B.A. BOHM. 1991. The taxonomy of *Vaccinium* section *Oxycoccus*. *Rhodora* 85(841): 1-43.

VANDER KLOET, S.P., & T.A. DICKINSON. 1999. The taxonomy of *Vaccinium* section *Myrtillus* (Ericaceae). *Brittonia* 51(2): 231-254.

VANDER KLOET, S.P., & I.V. HALL. 1981. The biological flora of Canada. 2. *Vaccinium myrtilloides* Michx., velvet-leaf blueberry. *Can. Field Naturalist*. 95: 329-345.

VANDER WALL, S.B. 2001. The evolutionary ecology of nut dispersal. *The Botanical Review*. 67(1): 74-117.

VÄRE, H. 2007. Typification of names published by the Finnish botanist Fredrik Nylander. *Ann. Bot. Fennici* 44: 465-480.

VIERECK, L.A., & W.F. JOHNSTON. 1990. *Picea mariana* (Mill.) B.S.P. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America, Vol. 1. Conifers*. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/picea/mariana.htm

VIERECK, L.A., & E.L. LITTLE. 1972. *Alaska trees and shrubs*. Agric. Handb. 410. Washington, D.C., U.S. Department of Agriculture. Forest Service.

VILKITIS, J.R. 1974. Choke cherry. pp. 23-25, *In*: J.D. GILL & W.M. HEALY, eds. *Shrubs and vines of northeastern wildlife*. U.S. Dept. Agric. For. Serv. General Tech. Rep. NE-9. 180 pp.

VOGT, C.A. 1990. Pollination in *Cypripedium reginae* (Orchidaceae). *Lindleyana* 5: 145-150.

VOITK, A., & M. VOITK. 2009. Why is *Goodyera oblongifolia* Rafinesque a rare wildflower in Newfoundland and Labrador. *Sarracenia* 17(2): 18-22.

VOSS, E.G. 1972. *Michigan Flora. Part I. (Gymnosperms and Monocots)*. Cranbrook Inst. of Sci. Bull. 55, and Univ. of Michigan Herbarium.

VOSS, E.G. 1985. *Michigan Flora. Part II. Dicots (Saururaceae-Cornaceae)*. Cranbrook Inst. of Sci. Bull. 59 and Univ. of Michigan Herbarium.

VOSS, E.G. 1996. *Michigan Flora. Part III. Dicots (Pyrolaceae-Compositae)*. Cranbrook Inst. of Sci. Bull. 61, and Univ. of Michigan Herbarium.

WAGHORNE, REV. A.C. 1895. The flora of Newfoundland, Labrador and St. Pierre et Miquelon. Part 1. *Proc. Trans. Nova Scotia Inst. Sci.* 8: 359-373.

WAGHORNE, REV. A.C. 1898a. The flora of Newfoundland, Labrador and St. Pierre et Miquelon. Part 2. *Proc. Trans. Nova Scotia Inst. Sci.* 9: 83-100.

WAGHORNE, REV. A.C. 1898b. The flora of Newfoundland, Labrador and St. Pierre et Miquelon. Part 3. *Proc. Trans. Nova Scotia Inst. Sci.* 9: 361-400.

WAGNER, W.H. JR., and J.M. BEITEL. 1992. Generic classification of modern North American Lycopodiaceae. *Ann. Missouri Bot. Gard.* 79: 676-686.

WAGNER, W.H., JR., J.M. BEITEL, & R.C. MORAN. 1989. *Lycopodium hickeyi*: A new species of North American clubmoss. *Amer. Fern J.* 79: 119-121.

WAGNER, JR., W.H., & L.P. LORD. 1956. The morphological and cytological distinctness of *Botrychium minganense* and *B. lunaria* in Michigan. *Bulletin of the Torrey Botanical Club* 83:261-279.

WAGNER, JR., W.H., & F.S. WAGNER. 1981. New species of moonworts, *Botrychium* subg. *Botrychium* (Ophioglossaceae), from North America. *American Fern Journal* 71:20-30.

WAGNER, JR., W.H., & F.S. WAGNER. 1990a. Notes on the fan-leaflet group of moonworts in North America with descriptions of two new members. *American Fern Journal* 80:73-81.

- WAGNER, JR., W.H., & F.S. WAGNER. 1990b. Moonworts (*Botrychium* subg. *Botrychium*) of the Upper Great Lakes Region, U.S.A., and Canada, with descriptions of two new species. *Contrib. Univ. Mich. Herb.* 17: 313-325.
- WALL, R.K. 1986. Effects of black knot disease on pin cherry. *Canadian Journal of Plant Pathology* 8:71-77.
- WALLACE, L.E. 2004. A comparison of genetic variation and structure in the allopolyploid *Platanthera huronensis* and its diploid progenitors, *Platanthera aquilonis* and *Platanthera dilatata* (Orchidaceae). *Can. J. Bot.* 82(2): 244-252.
- WALTERS, M. 1949. *Alchemilla vulgaris* L. agg. in Britain. *Watsonia* 1: 6-18.
- WALTERS, R.S., & H.W. YAWNEY. 1990. *Acer rubrum* L. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/acer/rubrum.htm
- WANG, G.G., & K.J. KEMBALL. 2005. Effects of fire severity on early development of understory vegetation. *Can. J. Forest Research* 35: 254-262.
- WANG, J., Q. LI, G. IVANOCHKO, & Y. HUANG. 2006. Anticancer effect of extracts from a North American medicinal plant – wild sarsaparilla. *Anticancer Research* 26: 2157-2164.
- WARWICK, S.I., & L. BLACK. 1982. The biology of Canadian weeds. 52. *Achillea millefolium* L. s.l. *Can. J. Plant Sci.* 62: 163-182.
- WARWICK, S.I., I.A. AL-SHEHBAZ, & C.A. SAUER. 2006. Phylogenetic position of *Arabis arenicola* and generic limits of *Aphragmus* and *Eutrema* (Brassicaceae) based on sequences of nuclear ribosomal DNA. *Can. J. Bot.* 84: 269-281.
- WARWICK, S.I., I.A. AL-SHEHBAZ, C.A. SAUDER, J.G. HARRIS, & M. KOCH. 2003b. Phylogeny of *Braya* and *Neotorularia* (Brassicaceae) based on nuclear ribosomal internal transcribed spacer and chloroplast *trnL* intron sequences. *Can. J. Bot.* 82: 376-392.
- WARWICK, S.I., A. FRANCIS, & G.A. MULLIGAN. 1999. *Brassicaceae of Canada*. Agriculture and Agri-Food Canada, Research Branch, Eastern Cereal and Oilseed Research Centre, Minister of Public Works and Government Services Canada. AAFC-ECORC Contribution No. 981317.1255. Ottawa, Ontario. URL: <http://res.agr.ca/ecorc/cwmt/crucican/index.htm>
- WARWICK, S.I., & R.D. SWEET. 1983. The biology of Canadian weeds. 58. *Galinsoga parviflora* and *G. quadriradiata* (= *G. ciliata*). *Can. J. Plant Sci.* 63: 695-709.
- WATERWAY, M.J. 1994. Evidence for the hybrid origin of *Carex knieskernii* with comments on hybridization in the genus *Carex* (Cyperaceae). *Can. J. Bot.* 72: 860-871.

WATERWAY, M.J., M.J. LECHOWICZ, & T.R. MOORE. 1984. Vegetation of the Schefferville region, Nouveau-Québec. *McGill Subarct. Res. Papers* 39: 7-20.

WATERWAY, M.J., & T.T. LEI. 1982. *Polystichum lonchitis* in Quebec-Labrador. *Amer. Fern J.* 72: 85-87.

WATSON, L. & M.J. DALLWITZ. 1992+. Nymphaeaceae. The families of flowering plants: descriptions, illustrations, identification, and information retrieval. Version: 10th August 2020.

URL: <https://www.delta-intkey.com/angio/www/nymphaea.htm>

WEAKLEY, A.S., D.B. POINDEXTER, H.C. MEDFORD, A.R. FRANCK, K.A. BRADLEY, J. SADLE, & J.M. KELLEY. 2021. Studies in the vascular flora of the southeastern United States. VII. *J. Bot. Res. Inst. Texas.* 15(1): 23-56.

WEATHERBY, C.A. 1929. Two variants of *Ranunculus recurvatus*. *Rhodora* 31(368): 163-164.

WEAVER, S.E., & E.L. WILLIAMS. 1980. The biology of Canadian weeds. 44. *Amaranthus retroflexus* L., *A. powellii* S. Wats. and *A. hybridus* L. *Can. J. Plant Sci.* 60: 1215-1234.

WEEKS, S.S., & H.P. WEEKS, JR. 2012. Shrubs and woody vines of Indiana and the Midwest. Purdue Univ. Press, West Lafayette, IN. 461 pp.

WEIMARCH, G. 1971. Variation and taxonomy of *Hierochloë* (Gramineae) in the Northern Hemisphere. *Botaniska Notiser* 124: 129-175.

WELLS, E.D. 1981. Peatlands of eastern Newfoundland: distribution, morphology, vegetation, and nutrient status. *Can. J. Bot.* 59(1): 1978-1997.

WELLS, E.D. 1996. Classification of peatland vegetation in Atlantic Canada. *J. Veg. Sci.* 7: 847-878.

WELLS, E.D., & H. HIRVONEN. 1983. Patterned peatlands of Labrador: A classification and inventory problem. pp. 114-118. In: Morgan, S.M., & F.C. Pollett (eds). *Proc. Peatland Inventory Methodology Workshop*. Agric. Can., Env. Can., Ottawa.

WELLS, E.D., & F.C. POLLETT. 1983. Peatlands. pp. 207-266. In: G.R. SOUTH (ed.). 1983. *Biogeography and Ecology of the Island of Newfoundland*. Junk Publishers, The Hague.

WELSH, S.L. 1991. *Oxytropis* D.C. Names, basionyms, types, and synonyms. Flora of North America project. *Great Basin Naturalist* 51: 377-396.

WELSH, S.L. 1995. North American types of *Oxytropis* DC. (Leguminosae) at the Natural History Museum and Royal Botanic Garden, England, with nomenclatural comments and a new variety. *Great Basin Naturalist* 55: 271-281.

- WELSH, S.L. 1995. Names and types of *Hedysarum* L. (Fabaceae) in North America. *Great Basin Naturalist* 55(1): 66-73.
- WELSH, S.L. 1998. *Astragalus* (Leguminosae); nomenclatural proposal and new taxa. *Great Basin Naturalist*, 58: 45-53.
- WELSH, S.L. 2001. Revision of North American species of *Oxytropis* De Candolle (Leguminosae). E.P.S. Inc., Orem, Utah.
- WENDEL, G.W. 1990. *Prunus pensylvanica* L.f. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/prunus/pensylvanica.htm
- WENDEL, G.W., & H.C. SMITH. 1990. *Pinus strobus* L. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 1. Conifers. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_1/pinus/strobus.htm
- WETMORE, R.H. 1923. Plants of the Hamilton Inlet and Lake Melville region, Labrador. *Rhodora* 25(289): 4-12.
- WHITING, R.E., & P.M. CATLING. 1977. Distribution of the auricled twayblade orchid (*Listera auriculata*) in Canada and descriptions of new stations in southern Ontario. *Can. Field-Nat.* 91: 403-406.
- WHITMAN, A.A., M.L. JR. HUNTER, & J.W. WITHAM. 1998. Age distribution of ramets of a forest herb, Wild Sarsaparilla, *Aralia nudicaulis* (Araliaceae): *Can. Field-Nat.* Vol. 112(1): 37-44.
- WHITNEY, G.G. 1984. The reproductive biology of raspberries and plant-pollinator community structure. *Amer. J. Botany* 71(7): 887-894.
- WHITNEY, G.G. 1986. A demographic analysis of *Rubus idaeus* and *Rubus pubescens*. *Can. J. Botany* 64: 2916-2921.
- WIEGAND, K.M. 1904. Some notes on *Galium*. *Rhodora* 6(61): 21-17, pl. 50.
- WIEGAND, K.M. 1920. *Eupatorium purpureum* and its allies. *Rhodora* 22(256): 57-70.
- WIEGAND, K.M. 1924. Some changes in nomenclature. *Rhodora* 28(301): 1-5.
- WIEGLEB, G., A.A. BOBROV, & J. ZALEWSKA-GALOSZ. 2018. A taxonomic account of *Ranunculus* section *Batrachium* (Ranunculaceae). *Phytotaxa* 319(1): 1-55.
- WIERSEMA, J.H. 1988. Reproductive biology of *Nymphaea* (Nymphaeaceae). *Ann. Missouri Bot. Gard.* 75: 795-804.

WIERSEMA, J.H. 1997. Cabombaceae. Pp. 78-80, In: *Flora of North America*. Vol 3. Magnoliophyta: Magnoliidae and Hamamelidae. Oxford Univ. Press, NY. 590 pp.

WIERSEMA, J.H. & C.B. HELLQUIST. 1997. Nymphaeaceae. Pp. 66-77, In: *Flora of North America*. Vol 3. *Magnoliophyta: Magnoliidae and Hamamelidae*. Oxford Univ. Press, NY. 590 pp.

WILCE, J.H. 1965. Section *Complanata* of the genus *Lycopodium*. *Nova Hedwigia* 19:1-233.

WILLKOMM, H.M. 1887. *Forstl. Fl. Deutschl. Oesterr.*, ed. 2. Leipzig.

WILKSTRÖM, N., & P. KENDRIK. 2001. Evolution of Lycopodiaceae (Lycopsidea): estimating divergence times from *rbcL* gene sequences by use of nonparametric rate smoothing. *Molec. Phylogenetics and Evolution*. 19(2): 177-186.

WILLSON, M.F. 1983. Natural history of *Actaea rubra*: fruit dimorphism and fruit/seed predation. *Bull. Torr. Bot. Club*. 110(3): 298-303.

WILTON, W.C. 1965. *The Forests of Labrador*. Publ. No. 1066. Forest Research Branch, Newfoundland District, Can. Dept. Forestry, St. John's. Queen's Printer, Ottawa. 72 pp.

WINDELS, S.K., & D.J. FLASPOHLER. 2011. The ecology of Canada yew (*Taxus canadensis* Marsh.): A review. *Botany*. 89(1): 1-17.

WITMER, M.C. 2001. Nutritional interactions and fruit removal: cedar waxwing consumption of *Viburnum opulus* fruits in spring. *Ecology* 82(11): 3120-3130.

WOLF, S.J. 1987. Cytotaxonomic studies in the genus *Arnica* (Compositae: Senecioneae). *Rhodora* 89(860): 391-400.

WOLF, S.J., J.G. PACKER, & K.E. DENFORD. 1979. The taxonomy of *Minuartia rossii* (Caryophyllaceae). *Can. J. Bot.* 57: 1673-1686.

WOLF, S.J., & J. MCNEILL. 1986. Synopsis of achene morphology of *Polygonum* section *Polygonum* (Polygonaceae) in Canada. *Rhodora* 88(856): 457-479.

WOLF, S.J., & J. MCNEILL. 1987. Cytotaxonomic studies on *Polygonum* section *Polygonum* in eastern Canada and the adjacent United States. *Can. J. Bot.* 65:647-652.

WOLFF, S.L., & R.L. JEFFERIES. 1987. Morphological and isozyme variation in *Salicornia europaea* (s.l.) (Chenopodiaceae) in northeastern North America. *Can. J. Bot.* 65: 1410-1419.

WOLFF, S.L., & R.L. JEFFERIES. 1987. Taxonomic status of diploid *Salicornia europaea* (s.l.) (Chenopodiaceae) in northeastern North America. *Can. J. Bot.* 65: 1420-1426.

- WCSP. 2015. *World Checklist of Selected Plant Families*. Facilitated by the Royal Botanic Gardens, Kew. [accessed periodically throughout 2014-2015]. URL: <http://apps.kew.org/wcsp/>
- WRIGHT, J.W., & H.M. RAUSCHER. 1990. *Fraxinus nigra* Marshall. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/fraxinus/nigra.htm
- YAMASAKI, S.H., J.W. FYLES, & B.D. TITUS. 2002. Interactions among *Kalmia angustifolia*, soil characteristics, and the growth and nutrition of black spruce seedlings in two boreal Newfoundland plantations of contrasting fertility. *Can. J. For. Res.* 32: 2215-2224.
- YATSENYUK, S.P., K.M. VALIEJO-ROMAN, T.H. SAMIGULLIN, N. WILKSTRÖM, & A.V. TROITSKY. 2001. Evolution of Lycopodiaceae Inferred from spacer sequencing of chloroplast *rRNA* genes. *Russian J. Genetics* 37(9): 1068-1073.
- YOUNG, S.B. 1970. On the taxonomy and distribution of *Vaccinium uliginosum*. *Rhodora* 72(792): 439-459.
- XIANG, Q.-Y., D.E. SOLTIS, D.R. MORGAN, & P.S. SOLTIS. 1993. Phylogenetic relationships of *Cornus* L. *sensu lato* and putative relatives inferred from *rbcl* sequence data. *Ann. Missouri Bot. Garden.* 80: 723-734.
- XIANG, Y., C-H. HUANG, Y. HU, J. WEN, S. LI, T. YI, H. CHEN, J. XIANG, & H. MA. 2017. Evolution of Rosaceae fruit types based on nuclear phylogeny in the context of geological times and genome duplication. *Mol. Biol. Evol.* 34(2): 262-281.
- ZÁVESKÁ DRÁBKOVÁ, L., & J. KIRSCHNER. 2013. *Oreojuncus*, a new genus in the Juncaceae. *Preslia* 85: 483-503.
- ZASADA, J.C. & H.M. PHIPPS. 1990. *Populus balsamifera* L. In: Burns, R.M. & B.H. Honkala, techn. coord. 1990. *Silvics of North America*, Vol. 2. Hardwoods. Agriculture Handbook 654, vol. 2. U.S. Dept. of Agriculture, Forest Service, Wash. DC.
URL: https://www.srs.fs.usda.gov/pubs/misc/ag_654/volume_2/populus/balsamifera.htm
- ZIKA, P.F., & A.L. JACOBSON. 2003. An overlooked hybrid Japanese knotweed (*Polygonum cuspidatum* × *sachalinense*; Polygonaceae) in North America. *Rhodora* 105(922): 143–152.
- ZIKA, P.F., & D.R. FARRAR. 2009. *Botrychium ascendens* W.H. Wagner (Ophioglossaceae) in Newfoundland and notes on its origins. *Amer. Fern J.* 99: 249-259.
- ZINCK, M. 1998. *Roland's flora of Nova Scotia*. Nimbus Publishing and Nova Scotia Museum, Halifax.

ZIMMER, B., & W. GREUTER. 1994. (1093) Proposal to reject the name *Asplenium ramosum* L. (Pteridophyta). *Taxon* 43: 303-304.

ZOUHAR, K. 2011. *Rhamnus cathartica*, *R. davurica*. In: Fire Effects Information System, (FEIS). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. URL: <https://www.fs.fed.us/database/feis/plants/shrub/rhaspp/all.html>